

料表编号:

中国建筑工程总公司

CHINA STATE CONSTRUCTION ENGRG. CORP.

项目名称: 乾弘商业楼车库

构件部位: 1层_车库区段_顶板

相同层数: 1

序号	分类	C10	C12	C14	C16	C18	C20	C22	C25	合计
1	重量	11717	6886	147166	3881	4531	6004	3364	504	184.053
2	搭接			10989						10989
















注: 重量单位明细为公斤、合计为吨; 接头单位为个。

日期: 2017年12月30日

钢筋配料表

项目名称：乾弘商业楼车库




















部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
1-8轴/P-AC轴y向底筋							
ZSBY1	C14	210  210	11950	14	14	202.43	@200
ZSBY2	C14	210  210	11950	11	11	159.05	@200
ZSBY3	C14	210  210	12000 12000*4 8500	4	4	331.54	@200搭725 总长64500
ZSBY4	C14	210  210	12000 12000*4 8500	14	14	1160.3 9	@200搭725 总长64500
ZSBY5	C14	210  210	12000 12000*4 8500	68	68	5636.1 8	@200搭725 总长64500
KZBY14	C14	210  210	11950	32	32	462.70	@200
KZBY15	C14	210  210	8500 12000*4 12000	60	60	4973.1 0	@200搭725 总长64500
	C14	210  210	12000 12000*4 8500	28	28	2320.7 8	@200搭725 总长64500
KZBY16	C14	210  210	12000 6350	20	20	444.07	@200搭725 总长17250
KZBY17	C14	210  210	12000 12000 1700	20	20	621.94	@200搭725 总长23900
KZBY18	C14	210  210	6250 12000	20	20	441.65	@200搭725 总长17150
1-8轴/P-AC轴x向底筋							
ZSBX29	C14	210  210	2950	230	230	820.99	@200
ZSBX29a	C14	 210	3100 9000*3 6000 4250	115	115	5614.7 0	@200搭730 总长36700
	C14	 210	4250 6000 9000*3 3100	115	115	5614.7 0	@200搭730 总长36700
ZSBX30	C14	210  210	4850 9000 9000	18	18	497.67	@200搭725 总长21050

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C14	210  210	7400 10600 4850	9	9	248.84	@200搭725 总长21050
	C14	210  210	10000 9000 3850	9	9	248.84	@200搭725 总长21050
ZSBX31	C14	210  210	3350 12000	18	18	334.32	@200搭725 总长14450
	C14	210  210	9000 6350	18	18	334.32	@200搭725 总长14450
ZSBX32	C14	210  210	7300 9000*5 1800	27	27	1767.4 5	@200搭725 总长49550
	C14	210  210	1800 9000*5 7300	28	28	1832.9 1	@200搭725 总长49550
板底附加筋							
1#	C14		6000	107	107	776.82	@200
2#	C10		6000	106	106	392.41	@200
3#	C10		6000	126	126	466.45	@400
4#	C10		6000	15	15	55.53	@200
	C12		6000	15	15	79.92	@200
5#	C12		6000	19	19	101.23	@200
	C14		6000	18	18	130.68	@200
6#	C12		6000	74	74	394.27	@200
7#	C14		6000	30	30	217.80	@200
	C16		6000	30	30	284.40	@200
8#	C10		5400	33	33	109.95	@400
9#	C10		5600	24	24	82.92	@400
10#	C14		5600	8	8	54.21	@200

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C16	5600 —————	5600	7	7	61.94	@200
11#	C14	7800 —————	7800	133	133	1255.2 5	@200
12#	C10	7800 —————	7800	203	203	976.96	@200
13#	C12	7800 —————	7800	136	136	941.99	@200
14#	C12	7800 —————	7800	21	21	145.45	@200
	C14	7800 —————	7800	20	20	188.76	@200
15#	C10	7800 —————	7800	67	67	322.44	@200
	C12	7800 —————	7800	66	66	457.14	@200
16#	C14	7800 —————	7800	29	29	273.70	@200
	C16	7800 —————	7800	29	29	357.40	@200
17#	C10	7800 —————	7800	162	162	779.64	@400
18#	C10	7900 —————	7900	8	8	38.99	@200
	C12	7900 —————	7900	7	7	49.11	@200
1-8轴/P-AC轴y向上筋							
TY1	C14		3750 9000	56	56	863.94	@200搭725 总长11600
TY2	C14		9000 9000*6 7050	173	173	14663. 57	@200搭725 总长64500
TY3	C14		1800 9000 8350	18	18	417.09	@200搭725 总长17250
TY4	C14		9000 9000 7700	18	18	559.75	@200搭725 总长23900
TY5	C14		1800 9000 8250	18	18	414.91	@200搭725 总长17150
1-8轴/P-AC轴x向上筋							

钢筋配料表

项目名称：乾弘商业楼车库





















部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TX1	C14		5750 9000*3 9000	115	115	5809.5 1	@200搭725 总长38600
	C14		9000 9000*3 5750	115	115	5809.5 1	@200搭725 总长38600
TX2	C14		4950 9000 9000	9	9	249.93	@200搭725 总长21050
	C14		4950 9000 9000	9	9	249.93	@200搭725 总长21050
	C14		9000 9000 4950	9	9	249.93	@200搭725 总长21050
	C14		9000 9000 4950	9	9	249.93	@200搭725 总长21050
TX3	C14		3350 12000	9	9	167.16	@200搭725 总长14450
	C14		6350 9000	9	9	167.16	@200搭725 总长14450
	C14		9000 6350	9	9	167.16	@200搭725 总长14450
	C14		8000 7350	9	9	167.16	@200搭725 总长14450
TX4	C14		3000 7350 9500 9000*3 7300	28	28	1834.6 0	@200搭725 总长49550
	C14		8400 9000*4 9000	27	27	1744.5 8	@200搭725 总长49550
1-8轴/P-AC轴上y向附加筋							
1#	C12		3900	136	136	471.00	@200
2#	C12		3900	96	96	332.47	@400
2#	C10		3800	96	96	225.08	@400
3#	C10		3800	32	32	75.03	@400

钢筋配料表

项目名称：乾弘商业楼车库


















部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
5#	C10	320  320	3800	318	318	745.58	@200
6#	C10	320  320	3500	62	62	133.89	@400
7#	C14	320  320	3950	11	11	52.57	@400
7#	C12	320  320	3900	11	11	38.10	@400
1-8轴/P-AC轴上x向附加筋							
8#	C12	320  320	3900	8	8	27.71	@400
8#	C14	320  320	3950	8	8	38.24	@400
9#	C14	320  320	4150	15	15	75.32	@200
10#	C10	320  320	3800	32	32	75.03	@400
11#	C16	320  320	4550	40	40	287.56	@400
11#	C18	320  320	4600	40	40	368.00	@400
12#	C20	320  320	5250	56	56	726.18	@400
12#	C22	320  320	5350	56	56	892.81	@400
13#	C20	320  320	5250	118	118	1530.17	@200
14#	C10	320  320	3800	45	45	105.51	@200
15#	C18	320  320	4600	45	45	414.00	@200
16#	C22	320  320	5350	60	60	956.58	@200
17#	C14	320  320	4450	14	14	75.38	@400
17#	C16	320  320	4550	14	14	100.65	@400
18#	C18	320  320	5200	71	71	738.40	@200
19#	C12	320  320	5000	7	7	31.08	@400

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直 径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
19#	C14	320  320	5050	7	7	42.77	@400
20#	C14	320  320	5050	22	22	134.43	@400
20#	C16	320  320	5150	22	22	179.01	@400
21#	C18	320  320	5200	15	15	156.00	@400
21#	C20	320  320	5250	15	15	194.51	@400
22#	C16	320  320	5150	28	28	227.84	@200
23#	C14	320  320	4450	13	13	70.00	@200
24#	C14	320  320	4450	13	13	70.00	@200
9-15轴/P-AC轴y向底筋							
ZSBY5	C14	210  210	12000 12000*4 8500	34	34	2818.0 9	@200搭725 总长64500
ZSBY6	C14	210  210	9000 9000*2 2750	20	20	719.95	@200搭725 总长27200
ZSBY7	C14	210  210	4950 12000 12000	20	20	700.59	@200搭725 总长27150
ZSBY8	C14	210  210	3650 12000*4 12000	14	14	1078.2 3	@200搭725 总长59650
ZSBY9	C14	210  210	9000 9000*6 3900	1	1	80.95	搭725 总长61462
	C14	210  210	4050 9000*6 9000	1	1	81.13	搭725 总长61616
	C14	210  210	9000 9000*6 4200	1	1	81.31	搭725 总长61779
	C14	210  210	4400 9000*6 9000	1	1	81.55	搭725 总长61952
	C14	210  210	9000 9000*6 4600	1	1	81.80	搭725 总长62136

钢筋配料表

项目名称：乾弘商业楼车库

















部位：1层_车库区段_顶板

构件名称	级直 径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C14		4750 9000*6 9000	1	1	81.98	搭725 总长62331
	C14		9000 9000*6 5000	1	1	82.28	搭725 总长62538
	C14		5200 9000*6 9000	1	1	82.52	搭725 总长62759
	C14		9000 9000*6 5450	1	1	82.82	搭725 总长62996
	C14		5700 9000*6 9000	1	1	83.13	搭725 总长63250
	C14		9000 9000*6 5950	1	1	83.43	搭725 总长63524
	C14		6250 9000*6 9000	1	1	83.79	搭725 总长63822
KZBY15	C14		8500 12000*4 12000	40	40	3315.4 0	@200搭725 总长64500
KZBY19	C14		10100 12000 12000	14	14	577.65	@200搭725 总长32290
KZBY20	C14		12000 12000 4900	6	6	209.81	@200搭725 总长27090
	C14		4850 12000 12000	20	20	698.17	@200搭725 总长27040
KZBY21	C14		4950 12000 12000	6	6	210.18	@200搭725 总长27140
	C14		12000 12000 4950	6	6	210.18	@200搭725 总长27140
KZBY22	C14		1800 12000*2 9950	20	20	865.15	@200搭725 总长33190
KZBY23	C14		12000 12000 1900	1	1	31.34	搭725 总长24090
	C14		1750 12000 12000	1	1	31.16	搭725 总长23952

钢筋配料表

项目名称：乾弘商业楼车库
















部位：1层_车库区段_顶板

构件名称	级直 径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
C14			12000 12000 1650	1	1	31.04	搭725 总长23823
C14			12000 12000 1500	1	1	30.86	搭725 总长23700
C14			12000 12000 1400	1	1	30.73	搭725 总长23585
C14			1800 12000 11500	1	1	30.61	搭725 总长23476
C14			11400 12000 1800	1	1	30.49	搭725 总长23373
C14			1800 12000 11300	1	1	30.37	搭725 总长23277
C14			11200 12000 1800	1	1	30.25	搭725 总长23186
C14			1800 12000 11100	1	1	30.13	搭725 总长23102
C14			11050 12000 1800	1	1	30.07	搭725 总长23022
C14			1800 12000 10950	1	1	29.95	搭725 总长22949
C14			10900 12000 1800	1	1	29.89	搭725 总长22880
C14			1800 12000 10850	1	1	29.83	搭725 总长22817
C14			1800 12000 10750	1	1	29.71	搭725 总长22758
C14			1800 12000 10700	2	2	59.29	搭725 总长22705
C14			1800 12000 10650	1	1	29.58	搭725 总长22612
C14			1800 12000 10550	1	1	29.46	搭725 总长22555

钢筋配料表

项目名称：乾弘商业楼车库




















部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
KZBY24	C14		8600 12000*4 12000	20	20	1660.1 2	@200搭725 总长64590
ZSBY10	C14		9000 9000*6 1750	1	1	78.35	搭725 总长59295
	C14		2100 9000*6 9000	1	1	78.77	搭725 总长59655
	C14		9000 9000*6 2500	1	1	79.26	搭725 总长60058
	C14		2950 9000*6 9000	1	1	79.80	搭725 总长60521
	C14		9000 9000*6 3500	1	1	80.47	搭725 总长61072
	C14		4200 9000*6 9000	1	1	81.31	搭725 总长61781
	C14		9000 9000*6 5400	1	1	82.76	搭725 总长62948
	C14		6100 9000*6 9000	1	1	83.61	搭725 总长63671
ZSBY11	C14		8650 12000*4 12000	20	20	1661.3 3	@200搭725 总长64650
9-15轴/P-AC轴X向底筋							
ZSBX33	C14		9000 9000*3 3200	24	24	1138.3 7	@200搭725 总长36100
ZSBX34	C14		4750 9000*4 8000 3000	110	110	6887.9 3	@200搭725 总长47400
	C14		3000 8000 9000*4 4750	110	110	6887.9 3	@200搭725 总长47400
ZSBX35	C14		9400	26	26	295.72	@200
ZSBX36	C14		6550	27	27	213.99	@200

钢筋配料表

项目名称：乾弘商业楼车库






















部位：1层_车库区段_顶板

构件名称	级直 径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
ZSBX37	C14	210 	8000 9000*2 8650	30	30	1257.8 0	@200搭725 总长32300
ZSBX38	C14	210 	12000 4200	25	25	490.05	@200搭725 总长15100
ZSBX39	C14		5850 9000 4050	6	6	137.21	@200搭725 总长17450
ZSBX40	C14		4450 9000*2 6050	12	12	413.82	@200搭725 总长26152
ZSBX41	C14	210 	1200 9000 9000	1	1	23.23	搭725 总长17553
	C14	210 	9000 9000 3500	2	2	52.03	搭725 总长19857
	C14	210 	9000 6700	1	1	19.00	搭725 总长14772
	C14	210 	7050 9000	1	1	19.42	搭725 总长15151
	C14	210 	9000 7500	1	1	19.97	搭725 总长15582
	C14	210 	8000 9000	1	1	20.57	搭725 总长16084
	C14	210 	9000 8600	1	1	21.30	搭725 总长16700
	C14	210 	9200 1850	8	8	106.96	搭725 总长10100
	C14	210 	2250 8800	2	2	26.74	搭725 总长10173
	C14	210 	9200 1950	2	2	26.98	搭725 总长10233
	C14	210 	2400 8800	2	2	27.10	搭725 总长10312
	C14	210 	9200 2150	1	1	13.73	搭725 总长10409
	C14	210 	2350 9000	1	1	13.73	搭725 总长10465
C14	210 	9000 2450	1	1	13.85	搭725 总长10526	
C14	210 	2500 9000	1	1	13.92	搭725 总长10592	

钢筋配料表

项目名称：乾弘商业楼车库





















部位：1层_车库区段_顶板

构件名称	级直 径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C14	210 	9000 2550	1	1	13.98	搭725 总长10663
	C14	210 	2650 9000	1	1	14.10	搭725 总长10739
	C14	210 	9200 2550	1	1	14.22	搭725 总长10821
	C14	210 	2800 9000	1	1	14.28	搭725 总长10909
	C14	210 	9000 2900	1	1	14.40	搭725 总长11002
	C14	210 	3000 9000	1	1	14.52	搭725 总长11101
	C14	210 	9000 3100	1	1	14.64	搭725 总长11207
	C14	210 	3250 9000	1	1	14.82	搭725 总长11319
	C14	210 	9200 3150	1	1	14.94	搭725 总长11438
	C14	210 	3450 9000	1	1	15.06	搭725 总长11564
	C14	210 	9000 3600	1	1	15.25	搭725 总长11698
	C14	210 	3750 9000	1	1	15.43	搭725 总长11839
	C14	210 	9000 3900	1	1	15.61	搭725 总长11988
	C14	210 	4050 9000	1	1	15.79	搭725 总长12147
	C14	210 	9000 4200	1	1	15.97	搭725 总长12315
	C14	210 	4400 9000	1	1	16.21	搭725 总长12493
	C14	210 	9000 4600	1	1	16.46	搭725 总长12682
	C14	210 	4800 9000	1	1	16.70	搭725 总长12883
	C14	210 	9000 5000	1	1	16.94	搭725 总长13097
	C14	210 	5400 8800	1	1	17.18	搭725 总长13326
	C14	210 	9000 5500	1	1	17.55	搭725 总长13571

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C14	210 	5750 9000	1	1	17.85	搭725 总长13834
	C14	210 	9000 6050	1	1	18.21	搭725 总长14120
	C14	210 	6350 9000	1	1	18.57	搭725 总长14430
9-15轴/P-AC轴y向底部附加筋							
1#	C14		6000	40	40	290.40	@200
	C16		6000	40	40	379.20	@200
2#	C10		6000	77	77	285.05	@400
3#	C10		6000	260	260	962.52	@200
4#	C16		6400	20	20	202.24	@200
5#	C10		6400	20	20	78.98	@200
6#	C12		6400	10	10	56.83	@200
	C14		6400	10	10	77.44	@200
7#	C12		6000	10	10	53.28	@200
	C14		6000	10	10	72.60	@200
8#	C12		6000	20	20	106.56	@200
9#	C14		6000	60	60	435.60	@200
10#	C14		6400	20	20	154.88	@200
11#	C10		5200	11	11	35.29	@400
Y1#	C10		6450	1	1	3.98	@400
Y2#	C10		6500	1	1	4.01	@400
Y3#	C10		6600	1	1	4.07	@400

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
Y4#	C10	————— 6740	6750	1	1	4.16	@400
Y5#	C10	————— 6880	6900	1	1	4.26	@400
Y6#	C10	————— 7040	7050	1	1	4.35	@400
Y7#	C10	————— 7230	7250	1	1	4.47	@400
Y8#	C10	————— 7430	7450	1	1	4.60	@400
Y9#	C10	————— 7670	7650	1	1	4.72	@400
Y10#	C10	————— 7930	7950	1	1	4.91	@400
12#	C12	————— 7800	7800	127	127	879.65	@200
13#	C10	————— 7800	7800	227	227	1092.4 6	@400
14#	C10	————— 7800	7800	448	448	2156.0 4	@200
15#	C12	————— 7800	7800	38	38	263.20	@200
	C14	————— 7800	7800	37	37	349.21	@200
16#	C10	————— 5000	5000	8	8	24.68	@400
17#	C10	————— 7800	7800	8	8	38.50	@200
	C12	————— 7800	7800	7	7	48.48	@200
18#	C10	————— 7800	7800	81	81	389.82	@200
	C12	————— 7800	7800	80	80	554.11	@200
19#	C10	————— 6300	6300	8	8	31.10	@200
	C12	————— 6300	6300	7	7	39.16	@200
20#	C10	————— 8400	8400	13	13	67.38	@200
21#	C14	————— 7800	7800	16	16	151.01	@200

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
22#	C16	7800 —————	7800	8	8	98.59	@200
	C18	7800 —————	7800	7	7	109.20	@200
23#	C10	5900 —————	5900	13	13	47.32	@200
X1#	C10	11150 —————	11150	1	1	6.88	@200
	C12	11150 —————	11150	1	1	9.90	@200
X2#	C10	10760 —————	10750	1	1	6.63	@200
	C12	10760 —————	10750	1	1	9.55	@200
X3#	C10	10410 —————	10400	1	1	6.42	@200
	C12	10410 —————	10400	1	1	9.24	@200
X4#	C10	10100 —————	10100	1	1	6.23	@200
	C12	10100 —————	10100	1	1	8.97	@200
X5#	C10	9800 —————	9800	1	1	6.05	@200
	C12	9800 —————	9800	1	1	8.70	@200
X6#	C10	9540 —————	9550	1	1	5.89	@200
	C12	9540 —————	9550	1	1	8.48	@200
X7#	C10	9290 —————	9300	1	1	5.74	@200
	C12	9290 —————	9300	1	1	8.26	@200
X8#	C10	9050 —————	9050	1	1	5.58	@200
	C12	9050 —————	9050	1	1	8.04	@200
X9#	C10	8840 —————	8850	1	1	5.46	@200
	C12	8840 —————	8850	1	1	7.86	@200

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
X10#	C10	—— 8630 ——	8650	1	1	5.34	@200
	C12	—— 8630 ——	8650	1	1	7.68	@200
X11#	C10	—— 8440 ——	8450	1	1	5.21	@200
	C12	—— 8440 ——	8450	1	1	7.50	@200
X12#	C10	—— 8260 ——	8250	1	1	5.09	@200
	C12	—— 8260 ——	8250	1	1	7.33	@200
X13#	C10	—— 8090 ——	8100	1	1	5.00	@200
	C12	—— 8090 ——	8100	1	1	7.19	@200
X14#	C10	—— 7930 ——	7950	1	1	4.91	@200
	C12	—— 7930 ——	7950	1	1	7.06	@200
X15#	C10	—— 7780 ——	7800	1	1	4.81	@200
	C12	—— 7780 ——	7800	1	1	6.93	@200
X16#	C10	—— 7630 ——	7650	1	1	4.72	@200
	C12	—— 7630 ——	7650	1	1	6.79	@200
X17#	C10	—— 7500 ——	7500	1	1	4.63	@200
	C12	—— 7500 ——	7500	1	1	6.66	@200
X18#	C10	—— 7370 ——	7350	1	1	4.53	@200
	C12	—— 7370 ——	7350	1	1	6.53	@200
X19#	C10	—— 7250 ——	7250	1	1	4.47	@200
	C12	—— 7250 ——	7250	1	1	6.44	@200
X20#	C10	—— 7140 ——	7150	1	1	4.41	@200

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C12	7140 —————	7150	1	1	6.35	@200
X21#	C10	7030 —————	7050	1	1	4.35	@200
	C12	7030 —————	7050	1	1	6.26	@200
X22#	C10	6930 —————	6950	1	1	4.29	@200
	C12	6930 —————	6950	1	1	6.17	@200
X23#	C10	6830 —————	6850	1	1	4.23	@200
	C12	6830 —————	6850	1	1	6.08	@200
X24#	C10	6740 —————	6750	1	1	4.16	@200
	C12	6740 —————	6750	1	1	5.99	@200
X25#	C10	6660 —————	6650	1	1	4.10	@200
	C12	6660 —————	6650	1	1	5.91	@200
X26#	C10	6580 —————	6600	1	1	4.07	@200
	C12	6580 —————	6600	1	1	5.86	@200
9-15轴/P-AC轴y向上筋							
TY6	C14		9000 9000*6 7050	54	54	4577.0 7	@200搭725 总长64500
	C14		7050 9000*6 9000	27	27	2288.5 3	@200搭725 总长64500
TY7	C14		6950 9000*3 1800	14	14	605.61	@200搭725 总长32350
TY8	C14		9000 9000*2 2850	31	31	1119.6 7	@200搭725 总长27200
TY9	C14		2800 9000*2 9000	45	45	1622.6 1	@200搭725 总长27150

钢筋配料表

项目名称：乾弘商业楼车库






















部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TY11	C14		9000 9000*6 2200	19	19	1498.95	@200搭725 总长59650
TY12	C14		1800 9000*3 7850	18	18	798.24	@200搭725 总长33250
TY13	C14		3350 12000 6300	10	10	261.97	@400搭725 总长20020
	C14		5550 6000 11550	10	10	279.51	@400搭725 总长21450
TY14	C14		7250 9000*6 1800	6	6	457.74	@400搭725 总长57800
	C14		9000 9000*5 6900	6	6	442.13	@400搭725 总长56370
TY15	C14		9000 9000*5 2050	5	5	339.10	@400搭725 总长51520
	C14		5000 9000*5 7500	5	5	347.88	@400搭725 总长52950
TY16	C14		7200 9000*6 9000	49	49	4162.16	@200搭725 总长64650
TY13(1#)	C14		2950	1	1	3.57	
TY13(2#)	C14		3050	1	1	3.69	
TY13(3#)	C14		3150	1	1	3.81	
TY13(4#)	C14		3250	1	1	3.93	
TY13(5#)	C14		3400	1	1	4.11	
TY13(6#)	C14		3550	1	1	4.30	
TY13(7#)	C14		3750	1	1	4.54	
TY13(8#)	C14		3950	1	1	4.78	
TY13(9#)	C14		4200	1	1	5.08	

钢筋配料表

项目名称：乾弘商业楼车库



















部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TY14(1#)	C14		4750	1	1	5.75	
TY14(2#)	C14		5050	1	1	6.11	
TY14(3#)	C14		5450	1	1	6.59	
TY14(4#)	C14		5850	1	1	7.08	
TY14(5#)	C14		6350	1	1	7.68	
TY14(6#)	C14		6900	1	1	8.35	
TY14(7#)	C14		6250	1	1	7.56	
TY14(8#)	C14		6600	1	1	7.99	
TY14(9#)	C14		7000	1	1	8.47	
TY15(1#)	C14		7550	1	1	9.14	
TY15(2#)	C14		8350	1	1	10.10	
TY15(3#)	C14		1800 8450	1	1	12.40	搭725 总长9278
TY15(4#)	C14		3400 9000	1	1	15.00	搭725 总长11424
TY15(5#)	C14		8600	1	1	10.41	
TY15(6#)	C14		8250 1800	1	1	12.16	搭725 总长9067
TY15(7#)	C14		9000 2000	1	1	13.31	搭725 总长10020
TY15(8#)	C14		9000 3550	1	1	15.19	搭725 总长11570
TY15(9#)	C14		9000 5800	1	1	17.91	搭725 总长13810
TY13(10#)	C14		4450	1	1	5.38	
TY13(11#)	C14		4450	1	1	5.38	
TY13(12#)	C14		4500	1	1	5.45	

钢筋配料表

项目名称：乾弘商业楼车库




















部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TY13(13#)	C14		4600	1	1	5.57	
TY13(14#)	C14		4700	1	1	5.69	
TY13(15#)	C14		4850	1	1	5.87	
TY13(16#)	C14		5000	1	1	6.05	
TY13(17#)	C14		5200	1	1	6.29	
TY13(18#)	C14		5450	1	1	6.59	
TY13(19#)	C14		5700	1	1	6.90	
TY13(20#)	C14		6000	1	1	7.26	
TY14(10#)	C14		7450	1	1	9.01	
TY14(11#)	C14		8000	1	1	9.68	
9-15轴/P-AC轴x向上筋							
TX5	C14		7250 9000*2 3250	12	12	413.82	@200搭725 总长26152
	C14		1500 9000*2 9000	12	12	413.82	@200搭725 总长26152
TX7	C14		6550	27	27	213.99	@200
TX8	C14		9400	26	26	295.72	@200
TX9	C14		9000 7200	25	25	490.05	@200搭725 总长15100
TX10	C14		5850 9000 4050	6	6	137.21	@200搭725 总长17450
TX11	C14		9000 9000*2 7650	15	15	628.90	@200搭725 总长32300
	C14		7750 9000*2 8900	15	15	628.90	@200搭725 总长32300

钢筋配料表

项目名称：乾弘商业楼车库






















部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TX12	C14		6050 9000*4 9000	110	110	6794.7 6	@200搭725 总长47400
	C14		9000 9000*4 6050	110	110	6794.7 6	@200搭725 总长47400
TX13	C14		3250 9000*3 9000	12	12	569.91	@200搭725 总长36100
	C14		9000 9000*3 3250	12	12	569.91	@200搭725 总长36100
TX6(1#)	C14		9000 9000 3500	2	2	52.03	搭725 总长19857
TX6(2#)	C14		1200 9000 9000	1	1	23.23	搭725 总长17553
TX6(3#)	C14		9000 8600	1	1	21.30	搭725 总长16700
TX6(4#)	C14		8000 9000	1	1	20.57	搭725 总长16084
TX6(5#)	C14		9000 7500	1	1	19.97	搭725 总长15582
TX6(6#)	C14		7050 9000	1	1	19.42	搭725 总长15151
TX6(7#)	C14		9000 6700	1	1	19.00	搭725 总长14772
TX6(8#)	C14		6350 9000	1	1	18.57	搭725 总长14430
TX6(9#)	C14		9000 6050	1	1	18.21	搭725 总长14120
TX6(10#)	C14		5750 9000	1	1	17.85	搭725 总长13834
TX6(11#)	C14		9000 5500	1	1	17.55	搭725 总长13571
TX6(12#)	C14		5400 8800	1	1	17.18	搭725 总长13326
TX6(13#)	C14		9000 5000	1	1	16.94	搭725 总长13097
TX6(14#)	C14		4800 9000	1	1	16.70	搭725 总长12883
TX6(15#)	C14		9000 4600	1	1	16.46	搭725 总长12682

钢筋配料表

项目名称：乾弘商业楼车库





















部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TX6(16#)	C14	210 	4400 9000	1	1	16.21	搭725 总长12493
TX6(17#)	C14	210 	9000 4200	1	1	15.97	搭725 总长12315
TX6(18#)	C14	210 	4050 9000	1	1	15.79	搭725 总长12147
TX6(19#)	C14	210 	9000 3900	1	1	15.61	搭725 总长11988
TX6(20#)	C14	210 	3750 9000	1	1	15.43	搭725 总长11839
TX6(21#)	C14	210 	9000 3600	1	1	15.25	搭725 总长11698
TX6(22#)	C14	210 	3450 9000	1	1	15.06	搭725 总长11564
TX6(23#)	C14	210 	9200 3150	1	1	14.94	搭725 总长11438
TX6(24#)	C14	210 	3250 9000	1	1	14.82	搭725 总长11319
TX6(25#)	C14	210 	9000 3100	1	1	14.64	搭725 总长11207
TX6(26#)	C14	210 	3000 9000	1	1	14.52	搭725 总长11101
TX6(27#)	C14	210 	9000 2900	1	1	14.40	搭725 总长11002
TX6(28#)	C14	210 	2800 9000	1	1	14.28	搭725 总长10909
TX6(29#)	C14	210 	9200 2550	1	1	14.22	搭725 总长10821
TX6(30#)	C14	210 	2650 9000	1	1	14.10	搭725 总长10739
TX6(31#)	C14	210 	9000 2550	1	1	13.98	搭725 总长10663
TX6(32#)	C14	210 	2500 9000	1	1	13.92	搭725 总长10592
TX6(33#)	C14	210 	9000 2450	1	1	13.85	搭725 总长10526
TX6(34#)	C14	210 	2350 9000	1	1	13.73	搭725 总长10465
TX6(35#)	C14	210 	9200 2150	1	1	13.73	搭725 总长10409
TX6(36#)	C14	210 	2400 8800	2	2	27.10	搭725 总长10312

钢筋配料表

项目名称：乾弘商业楼车库





















部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TX6(37#)	C14	210 	9200 1950	2	2	26.98	搭725 总长10233
TX6(38#)	C14	210 	2250 8800	2	2	26.74	搭725 总长10173
TX6(39#)	C14	210 	9200 1850	8	8	106.96	搭725 总长10100
9-15轴/P-AC轴上y向附加筋							
1#	C10		3750	40	40	92.55	@200
2#	C14		3800	20	20	91.96	@200
3#	C10		3500	10	10	21.59	@200
	C14		3500	10	10	42.35	@200
4#	C10		3500	20	20	43.19	@200
5#	C16		3500	20	20	110.60	@200
6#	C10		3800	88	88	206.32	@400
6#	C12		3900	88	88	304.76	@400
7#	C10		3800	440	440	1031.6 2	@200
8#	C12		3900	80	80	277.06	@200
9#	C12		3900	22	22	76.19	@400
9#	C14		3950	22	22	105.15	@400
10#	C14		3950	60	60	286.77	@200
11#	C16		4050	20	20	127.98	@200
12#	C10		3500	88	88	190.04	@400
12a#	C10		3100	8	8	15.30	@400
13#	C10		3300	8	8	16.29	@200

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	C12	320  320	3300	8	8	23.44	@200
14#	C10	320  320	3300	15	15	30.54	@200
15#	C10	320  320	3800	33	33	77.37	@400
16#	C12	320  320	3600	20	20	63.94	@200
17#	C14	320  320	4350	16	16	84.22	@400
17#	C16	320  320	4450	16	16	112.50	@400
9-15轴/P-AC轴上x向附加筋							
18#	C20	320  320	5250	56	56	726.18	@400
18#	C22	320  320	5350	56	56	892.81	@400
19#	C20	320  320	5250	148	148	1919.1 9	@200
20#	C22	320  320	5350	24	24	382.63	@400
20#	C25	320  320	5450	24	24	503.58	@400
21#	C18	320  320	5200	170	170	1768.0 0	@200
22#	C16	320  320	5150	82	82	667.23	@200
23#	C18	320  320	5200	70	70	728.00	@400
23#	C20	320  320	5250	70	70	907.73	@400
24#	C22	320  320	5350	15	15	239.15	@200
25#	C14	320  320	5050	60	60	366.63	@400
25#	C16	320  320	5150	60	60	488.22	@400
26#	C10	320  320	4900	7	7	21.16	@400
26#	C12	320  320	5000	7	7	31.08	@400

钢筋配料表

项目名称：乾弘商业楼车库

部位：1层_车库区段_顶板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
27#	C12	320  320	5000	7	7	31.08	@400
27#	C14	320  320	5050	7	7	42.77	@400
28#	C16	320  320	5150	24	24	195.29	@400
28#	C18	320  320	5200	24	24	249.60	@400
马镫	C12		1120	820	820	815.54	矩形@600x600