

料表编号：料单编号-K-21#--012号



项目名称：昌平21#楼

构件部位：首层_顶板梁

相同层数：1

序号	分类	Φ6	Φ8	Φ8	Φ10	Φ12	Φ14	Φ16	Φ22	合计
1	重量	2	31	421	205	14	670	372	466	2.181

注:重量单位明细为公斤、合计为吨；接头单位为个。

日期：2017年06月12日














钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
第一段梁							
1#KL8 (1~2)	Φ 14	240  2470	2680	1	1	3.24	上1排(支座1—支座2)
	Φ 14	240  1840 210	2230	2	2	5.40	上1排(支座1—支座2)
	Φ 14	240  2470	2680	1	1	3.24	底1排(跨1)
	Φ 14	240  1840 240	2260	2	2	5.47	底1排(跨1)
	Φ 8	 160 260	980	17	17	6.58	1跨@75/150(2)[7+3+7]
2#KL2 (1~2)	Φ 14	370  2820 240	3370	3	3	12.23	上1排(支座1—支座2)
	Φ 14	230  2820 230	3220	2	2	7.79	腰筋(跨1)
	Φ 14	240  2820 240	3240	3	3	11.76	底1排(跨1)
	Φ 8	 160 260	980	25	25	9.68	1跨@75/150(2)[10+8+7]
3#4#KL5 (1~2)	Φ 14	 3660 370	4000	3*2	6	29.04	上1排(支座1—支座2)
	Φ 14	 3660 280	3910	3*2	6	28.39	底1排(跨1)
	Φ 8	 160 310	1080	40*2	80	34.13	1跨@75(2)[40]
5#10#KL1 (1~2)	Φ 14	370  2060	2400	2*2	4	11.62	上1排(支座1—支座2)
	Φ 14	240  2060	2270	2*2	4	10.99	底1排(跨1)
	Φ 8	 160 260	980	18*2	36	13.94	1跨@75(2)[18]



















钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
6#8#KL3 (1~2)	Φ14		3260	1*2	2	7.89	上1排(支座1—支座2)
	Φ14		3220	1*2	2	7.79	上1排(支座1—支座2)
	Φ16		3420	1*2	2	10.81	底1排(跨1)
	Φ16		3630	1*2	2	11.47	底1排(跨1)
	Φ8		980	21*2	42	16.26	1跨@75/150(2)[7+7+7]
7#KL7 (1~2)	Φ14		3480	3	3	12.63	上1排(支座1—支座2)
	Φ14		3480	3	3	12.63	底1排(跨1)
	Φ8		1080	21	21	8.96	1跨@85/170(2)[7+7+7]
9#KL6 (1~2)	Φ14		2570	2	2	6.22	上1排(支座1—支座2)
	Φ14		2570	2	2	6.22	底1排(跨1)
	Φ8		680	25	25	6.72	1跨@50/100(2) [10+5+10]
11#12#KL4 (1~2)	Φ14		2630	2*2	4	12.73	上1排(支座1—支座2)
	Φ14		2450	3*2	6	17.79	底1排(跨1)
	Φ8		1080	18*2	36	15.36	1跨@75/150(2)[8+2+8]
13#KL10 (1~2)	Φ16		3720	2	2	11.76	上1排(支座1—支座2)
	Φ14		3560	2	2	8.62	上2排(支座1—支座2)



钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ16		3720	2	2	11.76	底1排(跨1)
	Φ14		3560	2	2	8.62	底2排(跨1)
	Φ8		1180	25	25	11.65	1跨@100(2)[25]
14#AL1 (1~3)	Φ16		7220	6	6	68.45	上1排(支座1—支座3)
	Φ14		7060	6	6	51.26	底1排(跨1—跨2)
	Φ8		1400	58	58	32.07	1跨@100(4)[29]2跨 @100(4)[29]
	Φ8		1040	58	58	23.83	1跨@100(4)[29]2跨 @100(4)[29]
15#KL9 (1~2)	Φ14		4080	3	3	14.81	上1排(支座1—支座2)
	Φ12		3930	4	4	13.96	腰筋(跨1)
	Φ14		4080	3	3	14.81	底1排(跨1)
	Φ8		1380	23	23	12.54	1跨@100/200(2)[8+7+8]
	Φ6		300	15	15	1.00	
16#KL1 (1~2)	Φ14		2400	2	2	5.81	上1排(支座1—支座2)
	Φ14		2270	2	2	5.49	底1排(跨1)
	Φ8		980	18	18	6.97	1跨@75(2)[18]
第二段梁							















钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
18#KL2 (1~2)	Φ14	370  370	3500	3	3	12.71	上1排(支座1—支座2)
	Φ14	230  230	3220	2	2	7.79	腰筋(跨1)
	Φ14	240  240	3240	3	3	11.76	底1排(跨1)
	Φ8	 260	980	22	22	8.52	1跨@75/150(2)[7+8+7]
	Φ6	 180	300	8	8	0.53	
17#KL8 (1~2)	Φ14	240  2470	2680	1	1	3.24	上1排(支座1—支座2)
	Φ14	370  370	2520	2	2	6.10	上1排(支座1—支座2)
	Φ14	240  240	2260	2	2	5.47	底1排(跨1)
	Φ14	240  2470	2680	1	1	3.24	底1排(跨1)
	Φ8	 260	980	17	17	6.58	1跨@75/150(2)[7+3+7]
19#20#KL5 (1~2)	Φ14	 370	4000	3*2	6	29.04	上1排(支座1—支座2)
	Φ14	 280	3910	3*2	6	28.39	底1排(跨1)
	Φ8	 310	1080	40*2	80	34.13	1跨@75(2)[40]
21#KL6 (1~2)	Φ14	370  370	2570	2	2	6.22	上1排(支座1—支座2)
	Φ14	370  370	2570	2	2	6.22	底1排(跨1)
	Φ8	 160	680	25	25	6.72	1跨@50/100(2) [10+5+10]



钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
22#KL7 (1~2)	Φ14		3480	3	3	12.63	上1排(支座1—支座2)
	Φ14		3480	3	3	12.63	底1排(跨1)
	Φ8		1080	21	21	8.96	1跨@85/170(2)[7+7+7]
23#24#KL3 (1~2)	Φ14		3260	1*2	2	7.89	上1排(支座1—支座2)
	Φ14		3060	1*2	2	7.41	上1排(支座1—支座2)
	Φ16		3170	1*2	2	10.02	底1排(跨1)
	Φ16		3420	1*2	2	10.81	底1排(跨1)
	Φ8		980	21*2	42	16.26	1跨@75/150(2)[7+7+7]
25#KL1 (1~2)	Φ14		2400	2	2	5.81	上1排(支座1—支座2)
	Φ14		2270	2	2	5.49	底1排(跨1)
	Φ8		980	18	18	6.97	1跨@75(2)[18]
26# 28#KL4 (1~2)	Φ14		2370	2*2	4	11.47	上1排(支座1—支座2)
	Φ14		2370	3*2	6	17.21	底1排(跨1)
	Φ8		1080	18*2	36	15.36	1跨@75/150(2)[8+2+8]
27#AL1 (1~3)	Φ16		7220	6	6	68.45	上1排(支座1—支座3)
	Φ14		7060	6	6	51.26	底1排(跨1—跨2)













钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ8	 500 130	1400	58	58	32.07	1跨@100(4)[29]2跨 @100(4)[29]
	Φ8	 320 130	1040	58	58	23.83	1跨@100(4)[29]2跨 @100(4)[29]
29#KL10 (1~2)	Φ16	 3720	3720	2	2	11.76	上1排(支座1—支座2)
	Φ14	 3560	3560	2	2	8.62	上2排(支座1—支座2)
	Φ16	 3720	3720	2	2	11.76	底1排(跨1)
	Φ14	 3560	3560	2	2	8.62	底2排(跨1)
	Φ8	 160 360	1180	25	25	11.65	1跨@100(2)[25]
4. 170标高梁 一段							
XL1 (1~1)	Φ22	 340 2860 250 380 440	4160	2	2	24.79	上1排(左挑)
	Φ14	 2300	2300	2	2	5.57	底1排(左挑)
	Φ8	 160 360	1180	21	21	9.79	左挑[21]
WKL2 (1~2)	Φ14	 900 2480 900	3360	2	2	8.13	上1排(支座1—支座2)
	Φ14	 240 2470 240	2680	2	2	6.49	底1排(跨1)
	Φ8	 160 360	1180	16	16	7.46	1跨@100(2)[16]
WKL1 (1~2)	Φ14	 900 2820 900	4570	2	2	11.06	上1排(支座1—支座2)
	Φ14	 240 2820 240	3240	2	2	7.84	底1排(跨1)













钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ8	 360	1180	18	18	8.39	1跨@100/200(2)[7+4+7]
KZL1 (1~2)	Φ22	2240  2240	7710	6	6	137.85	上1排(支座1—支座2)
梁顶标高 5.400m	Φ16	280  280	3820	12	12	72.43	腰筋(跨1)
	Φ22	350  350	3930	6	6	70.27	底1排(跨1)
	Φ10	 1360	3620	24	24	53.60	1跨@100(4)[24]
	Φ10	 1360	3300	24	24	48.87	1跨@100(4)[24]
	Φ8	 380	540	73	73	15.57	
4. 170标高处梁 二段							
XL1 (1~1)	Φ22	340  440	4160	2	2	24.79	上1排(左挑)
	Φ14	 2300	2300	2	2	5.57	底1排(左挑)
	Φ8	 360	1180	21	21	9.79	左挑[21]
WKL2 (1~2)	Φ14	900  900	3360	2	2	8.13	上1排(支座1—支座2)
	Φ14	240  240	2680	2	2	6.49	底1排(跨1)
	Φ8	 360	1180	16	16	7.46	1跨@100(2)[16]
WKL1 (1~2)	Φ14	900  900	4570	2	2	11.06	上1排(支座1—支座2)
	Φ14	240  240	3240	2	2	7.84	底1排(跨1)







钢筋配料表

料单编号:料单编号-K-21#--012号

项目名称: 昌平21#楼

部位: 首层_顶板梁

构件名称	级直径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	Φ8	 360	1180	18	18	8.39	1跨@100/200(2)[7+4+7]
KZL1 (1~2)	Φ22	2240  2240	7710	6	6	137.85	上1排(支座1—支座2)
梁顶标高 5.400m	Φ16	280  280	3820	12	12	72.43	腰筋(跨1)
	Φ22	350  350	3930	6	6	70.27	底1排(跨1)
	Φ10	 1360	3620	24	24	53.60	1跨@100(4)[24]
	Φ10	 1360	3300	24	24	48.87	1跨@100(4)[24]
	Φ8	 380	540	73	73	15.57	