

恒坪房地产开发有限公司

项 目：恒大，深林海

栋 号：6#楼

部 位：基础_墙插筋

相同层数：1

序号	分类	Φ10	Φ12	合计
1	重量	3146	4200	7.346

注:重量单位明细为公斤、合计为吨；接头单位为个。

混凝土标号

C45

抗震等级

一级

锚固

32d

搭接

螺纹10=390

东西单元分开堆放

日期：2018年04月23日



钢筋配料表

1级C45锚固28, 26, 32, 39

栋 号: 6#楼
























部位: 基础_墙插筋
























构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
西单元							
1#	Φ12	180└─ 6580 ─┘180	6890	6	6	36.71	水平筋@200
	Φ12	310└─ 6580 ─┘180	7020	6	6	37.40	水平筋@200
	Φ10	150└─ 1350 ─┘	1480	19	19	17.35	插筋@200
	Φ10	150└─ 2350 ─┘	2480	19	19	29.07	插筋@200
2#	Φ12	120└─ 4130 ─┘180	4380	12	12	46.67	水平筋@200
	Φ10	150└─ 1350 ─┘	1480	15	15	13.70	插筋@200
	Φ10	150└─ 2350 ─┘	2480	15	15	22.95	插筋@200
3#	Φ12	310└─ 3680 ─┘180	4120	6	6	21.95	水平筋@200
	Φ12	180└─ 3680 ─┘180	3990	6	6	21.26	水平筋@200
	Φ10	150└─ 1350 ─┘	1480	13	13	11.87	插筋@200
	Φ10	150└─ 2350 ─┘	2480	13	13	19.89	插筋@200
4#	Φ12	180└─ 2980 ─┘120	3230	6	6	17.21	水平筋@200
	Φ12	310└─ 2980 ─┘120	3360	6	6	17.90	水平筋@200
	Φ10	150└─ 1350 ─┘	1480	10	10	9.13	插筋@200
	Φ10	150└─ 2350 ─┘	2480	10	10	15.30	插筋@200
5#	Φ12	310└─ 7230 ─┘	7510	6	6	40.01	水平筋@200
	Φ12	180└─ 7230 ─┘180	7540	6	6	40.17	水平筋@200
	Φ10	150└─ 1350 ─┘	1480	20	20	18.26	插筋@200
	Φ10	150└─ 2350 ─┘	2480	20	20	30.60	插筋@200
6#	Φ12	180└─ 4300 ─┘120	4550	6	6	24.24	水平筋@200





















审核:
















翻样: 钟祥祯13653434429
























第 1 页,共16页
























构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ12		4600	6	6	24.51	水平筋@200
	Φ10		1480	14	14	12.78	插筋@200
	Φ10		2480	14	14	21.42	插筋@200
7#	Φ12		3130	6	6	16.68	水平筋@200
	Φ12		3980	6	6	21.21	水平筋@200
	Φ10		1480	10	10	9.13	插筋@200
	Φ10		2480	10	10	15.30	插筋@200
8#	Φ12		4140	6	6	22.06	水平筋@200
	Φ12		4270	6	6	22.75	水平筋@200
	Φ10		1480	13	13	11.87	插筋@200
	Φ10		2480	13	13	19.89	插筋@200
9#	Φ12		7420	6	6	39.53	水平筋@200
	Φ12		7290	6	6	38.84	水平筋@200
	Φ10		1480	26	26	23.74	插筋@200
	Φ10		2480	26	26	39.78	插筋@200
10#	Φ12		4150	12	12	44.22	水平筋@200
	Φ10		1480	12	12	10.96	插筋@200
	Φ10		2480	12	12	18.36	插筋@200
11#	Φ12		6910	6	6	36.82	水平筋@200
	Φ12		6780	6	6	36.12	水平筋@200
	Φ10		1480	19	19	17.35	插筋@200
	Φ10		2480	19	19	29.07	插筋@200
12#	Φ12		5760	6	6	30.69	水平筋@200






















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ12	180  180	5540	6	6	29.52	水平筋@200
	Φ10	150 	1480	6	6	5.48	插筋@200
	Φ10	150 	2480	6	6	9.18	插筋@200
	Φ10	150 	3300	7	7	14.25	插筋@200
	Φ10	150 	4300	7	7	18.57	插筋@200
13#	Φ12		5530	6	6	29.46	水平筋@200
	Φ12	180  180	5590	6	6	29.78	水平筋@200
	Φ10	150 	3300	10	10	20.36	插筋@200
	Φ10	150 	4300	10	10	26.53	插筋@200
	Φ10	150 	1480	7	7	6.39	插筋@200
	Φ10	150 	2480	7	7	10.71	插筋@200
14#	Φ12	120  180	4130	6	6	22.00	水平筋@200
	Φ12	120 	4230	6	6	22.54	水平筋@200
	Φ10	150 	3300	9	9	18.32	插筋@200
	Φ10	150 	4300	9	9	23.88	插筋@200
	Φ10	150 	1480	2	2	1.83	插筋@200
	Φ10	150 	2480	2	2	3.06	插筋@200
15#	Φ12	180  120	3130	12	12	33.35	水平筋@200
	Φ10	150 	1480	10	10	9.13	插筋@200
	Φ10	150 	2480	10	10	15.30	插筋@200
16#	Φ12	120  120	4220	12	12	44.97	水平筋@200
	Φ10	150 	1480	15	15	13.70	插筋@200
	Φ10	150 	2480	15	15	22.95	插筋@200





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
17#	Φ12	120  120	4170	12	12	44.44	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
18#	Φ12	120  120	2670	12	12	28.45	水平筋@200
	Φ10	150 	1480	7	7	6.39	插筋@200
	Φ10	150 	2480	7	7	10.71	插筋@200
19#	Φ12	120  120	1970	12	12	20.99	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200
	Φ10	150 	2480	3	3	4.59	插筋@200
20#	Φ12	120  180	3730	12	12	39.75	水平筋@200
	Φ10	150 	1480	13	13	11.87	插筋@200
	Φ10	150 	2480	13	13	19.89	插筋@200
21#	Φ12	120  120	1970	12	12	20.99	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200
	Φ10	150 	2480	3	3	4.59	插筋@200
22#	Φ12	120  120	2670	12	12	28.45	水平筋@200
	Φ10	150 	1480	7	7	6.39	插筋@200
	Φ10	150 	2480	7	7	10.71	插筋@200
23#	Φ12	120  120	3170	12	12	33.78	水平筋@200
	Φ10	150 	1480	5	5	4.57	插筋@200
	Φ10	150 	2480	5	5	7.65	插筋@200
24#	Φ12	120  120	2320	12	12	24.72	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200



















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150  2350	2480	3	3	4.59	插筋@200
25#	Φ12	120  3980	4080	12	12	43.48	水平筋@200
	Φ10	150  1350	1480	14	14	12.78	插筋@200
	Φ10	150  2350	2480	14	14	21.42	插筋@200
26#	Φ12	120  4080 120	4270	12	12	45.50	水平筋@200
	Φ10	150  1350	1480	4	4	3.65	插筋@200
	Φ10	150  2350	2480	4	4	6.12	插筋@200
27#	Φ12	120  3980	4080	12	12	43.48	水平筋@200
	Φ10	150  1350	1480	14	14	12.78	插筋@200
	Φ10	150  2350	2480	14	14	21.42	插筋@200
28#	Φ12	120  3780 180	4030	12	12	42.94	水平筋@200
	Φ10	150  1350	1480	14	14	12.78	插筋@200
	Φ10	150  2350	2480	14	14	21.42	插筋@200
29#	Φ12	120  2130 120	2320	12	12	24.72	水平筋@200
	Φ10	150  1350	1480	3	3	2.74	插筋@200
	Φ10	150  2350	2480	3	3	4.59	插筋@200
30#	Φ12	120  3880 180	4130	6	6	22.00	水平筋@200
	Φ12	120  3880	3980	6	6	21.21	水平筋@200
	Φ10	150  1350	1480	12	12	10.96	插筋@200
	Φ10	150  2350	2480	12	12	18.36	插筋@200
31#	Φ12	120  3680 120	3870	12	12	41.24	水平筋@200
	Φ10	150  1350	1480	12	12	10.96	插筋@200
	Φ10	150  2350	2480	12	12	18.36	插筋@200



















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
32#	Φ12	120  120	4220	12	12	44.97	水平筋@200
	Φ10	150  150	1480	15	15	13.70	插筋@200
	Φ10	150  150	2480	15	15	22.95	插筋@200
33#	Φ12		3430	6	6	18.28	水平筋@200
	Φ12	180  180	3440	6	6	18.33	水平筋@200
	Φ10	150  150	1480	9	9	8.22	插筋@200
	Φ10	150  150	2480	9	9	13.77	插筋@200
	Φ10	150  150	3300	2	2	4.07	插筋@200
	Φ10	150  150	4300	2	2	5.31	插筋@200
34#	Φ12		2500	6	6	13.32	水平筋@200
	Φ12	180  180	2740	6	6	14.60	水平筋@200
	Φ10	150  150	3300	6	6	12.22	插筋@200
	Φ10	150  150	4300	6	6	15.92	插筋@200
35#	Φ12	180  180	2990	6	6	15.93	水平筋@200
	Φ12	 180	2840	6	6	15.13	水平筋@200
	Φ10	150  150	3300	7	7	14.25	插筋@200
	Φ10	150  150	4300	7	7	18.57	插筋@200
36#	Φ12	180  310	3750	6	6	19.98	水平筋@200
	Φ12	180  180	3240	6	6	17.26	水平筋@200
	Φ10	150  150	3800	15	15	35.17	插筋@200
	Φ10	150  150	4800	15	15	44.42	插筋@200
37#	Φ12	120  180	5530	6	6	29.46	水平筋@200
	Φ12	120  180	5780	6	6	30.80	水平筋@200
























构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150 	1480	4	4	3.65	插筋@200
	Φ10	150 	2480	4	4	6.12	插筋@200
	Φ10	150 	3800	11	11	25.79	插筋@200
	Φ10	150 	4800	11	11	32.58	插筋@200
38#	Φ12	120 	6980	6	6	37.19	水平筋@200
	Φ12	120 	7110	6	6	37.88	水平筋@200
	Φ10	150 	1480	7	7	6.39	插筋@200
	Φ10	150 	2480	7	7	10.71	插筋@200
	Φ10	150 	3800	11	11	25.79	插筋@200
	Φ10	150 	4800	11	11	32.58	插筋@200
39#	Φ12	120 	1730	12	12	18.43	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200
	Φ10	150 	2480	3	3	4.59	插筋@200
40#	Φ12	180 	2290	6	6	12.20	水平筋@200
	Φ12	180 	2440	6	6	13.00	水平筋@200
	Φ10	150 	1480	5	5	4.57	插筋@200
	Φ10	150 	2480	5	5	7.65	插筋@200
41#	Φ12	180 	4170	6	6	22.22	水平筋@200
	Φ12	 180	3890	6	6	20.73	水平筋@200
	Φ10	150 	1480	9	9	8.22	插筋@200
	Φ10	150 	2480	9	9	13.77	插筋@200
42#	Φ12	120 	5130	6	6	27.33	水平筋@200
	Φ12	120 	5280	6	6	28.13	水平筋@200





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150 	1480	18	18	16.44	插筋@200
	Φ10	150 	2480	18	18	27.54	插筋@200
43#	Φ12	310 	5470	6	6	29.14	水平筋@200
	Φ12	180 	5340	6	6	28.45	水平筋@200
	Φ10	150 	1480	19	19	17.35	插筋@200
	Φ10	150 	2480	19	19	29.07	插筋@200
44#	Φ12	310 	8000	6	6	42.62	水平筋@200
	Φ12	180 	7740	6	6	41.24	水平筋@200
	Φ10	150 	1480	20	20	18.26	插筋@200
	Φ10	150 	2480	20	20	30.60	插筋@200
45#	Φ12	120 	4010	6	6	21.37	水平筋@200
	Φ12	120 	3880	6	6	20.67	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
46#	Φ12	120 	4410	6	6	23.50	水平筋@200
	Φ12	120 	4280	6	6	22.80	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
47#	Φ12	180 	3790	6	6	20.19	水平筋@200
	Φ12	310 	4050	6	6	21.58	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
48#	Φ12	120 	5810	6	6	30.96	水平筋@200
























构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ12	120  180	5680	6	6	30.26	水平筋@200
	Φ10	150  1350	1480	20	20	18.26	插筋@200
	Φ10	150  2350	2480	20	20	30.60	插筋@200
49#	Φ12	120  180	3880	12	12	41.35	水平筋@200
	Φ10	150  1350	1480	14	14	12.78	插筋@200
	Φ10	150  2350	2480	14	14	21.42	插筋@200
东单元							
50#	Φ12	120  180	3880	12	12	41.35	水平筋@200
	Φ10	150  1350	1480	14	14	12.78	插筋@200
	Φ10	150  2350	2480	14	14	21.42	插筋@200
51#	Φ12	120  180	2980	12	12	31.75	水平筋@200
	Φ10	150  1350	1480	9	9	8.22	插筋@200
	Φ10	150  2350	2480	9	9	13.77	插筋@200
52#	Φ12	180  180	8040	12	12	85.67	水平筋@200
	Φ10	150  1350	1480	24	24	21.92	插筋@200
	Φ10	150  2350	2480	24	24	36.72	插筋@200
53#	Φ12	120  180	3630	12	12	38.68	水平筋@200
	Φ10	150  1350	1480	12	12	10.96	插筋@200
	Φ10	150  2350	2480	12	12	18.36	插筋@200
54#	Φ12	120  180	3230	6	6	17.21	水平筋@200
	Φ12	120  310	3360	6	6	17.90	水平筋@200
	Φ10	150  1350	1480	10	10	9.13	插筋@200
	Φ10	150  2350	2480	10	10	15.30	插筋@200
























构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
55#	Φ12	180 	5490	6	6	29.25	水平筋@200
	Φ12	180 	5640	6	6	30.05	水平筋@200
	Φ10	150 	1480	16	16	14.61	插筋@200
	Φ10	150 	2480	16	16	24.48	插筋@200
56#	Φ12	180 	5890	6	6	31.38	水平筋@200
	Φ12		5740	6	6	30.58	水平筋@200
	Φ10	150 	1480	17	17	15.52	插筋@200
	Φ10	150 	2480	17	17	26.01	插筋@200
57#	Φ12	120 	5580	12	12	59.46	水平筋@200
	Φ10	150 	1480	20	20	18.26	插筋@200
	Φ10	150 	2480	20	20	30.60	插筋@200
58#	Φ12	120 	7080	6	6	37.72	水平筋@200
	Φ12	120 	7230	6	6	38.52	水平筋@200
	Φ10	150 	1480	10	10	9.13	插筋@200
	Φ10	150 	2480	10	10	15.30	插筋@200
	Φ10	150 	3800	15	15	35.17	插筋@200
	Φ10	150 	4800	15	15	44.42	插筋@200
59#	Φ12	180 	1730	12	12	18.43	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200
	Φ10	150 	2480	3	3	4.59	插筋@200
60#	Φ12	180 	5990	6	6	31.91	水平筋@200
	Φ12		5680	6	6	30.26	水平筋@200
	Φ10	150 	3300	7	7	14.25	插筋@200













构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150 	4300	7	7	18.57	插筋@200
	Φ10	150 	3800	12	12	28.14	插筋@200
	Φ10	150 	4800	12	12	35.54	插筋@200
61#	Φ12	120  180	5530	12	12	58.93	水平筋@200
	Φ10	150 	1480	4	4	3.65	插筋@200
	Φ10	150 	2480	4	4	6.12	插筋@200
	Φ10	150 	3800	11	11	25.79	插筋@200
	Φ10	150 	4800	11	11	32.58	插筋@200
62#	Φ12	180  180	2740	6	6	14.60	水平筋@200
	Φ12		2500	6	6	13.32	水平筋@200
	Φ10	150 	3300	6	6	12.22	插筋@200
	Φ10	150 	4300	6	6	15.92	插筋@200
63#	Φ12	180 	6590	6	6	35.11	内侧水平筋@200
	Φ12	 180	3290	6	6	17.53	外侧水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
64#	Φ12	120  180	4280	12	12	45.61	水平筋@200
	Φ10	150 	1480	15	15	13.70	插筋@200
	Φ10	150 	2480	15	15	22.95	插筋@200
65#	Φ12	120  120	3670	12	12	39.11	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
66#	Φ12	120  120	3470	12	12	36.98	水平筋@200

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150 	1480	7	7	6.39	插筋@200
	Φ10	150 	2480	7	7	10.71	插筋@200
67#	Φ12	120 	4230	6	6	22.54	水平筋@200
	Φ12	120 	4360	6	6	23.23	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
68#	Φ12	180 	2330	6	6	12.41	水平筋@200
	Φ12	310 	2460	6	6	13.11	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200
	Φ10	150 	2480	3	3	4.59	插筋@200
69#	Φ12	120 	3530	12	12	37.62	水平筋@200
	Φ10	150 	1480	12	12	10.96	插筋@200
	Φ10	150 	2480	12	12	18.36	插筋@200
70#	Φ12	120 	2330	6	6	12.41	水平筋@200
	Φ12	120 	2460	6	6	13.11	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200
	Φ10	150 	2480	3	3	4.59	插筋@200
71#	Φ12	120 	4360	6	6	23.23	水平筋@200
	Φ12	120 	4230	6	6	22.54	水平筋@200
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
72#	Φ12	120 	2480	6	6	13.21	水平筋@200
	Φ12	120 	2360	6	6	12.57	水平筋@200

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150 	1480	4	4	3.65	插筋@200
	Φ10	150 	2480	4	4	6.12	插筋@200
73#	Φ12	310 	2810	6	6	14.97	水平筋@200
	Φ12	180 	2680	6	6	14.28	水平筋@200
	Φ10	150 	1480	5	5	4.57	插筋@200
	Φ10	150 	2480	5	5	7.65	插筋@200
74#	Φ12	120 	3030	12	12	32.29	水平筋@200
	Φ10	150 	1480	9	9	8.22	插筋@200
	Φ10	150 	2480	9	9	13.77	插筋@200
75#	Φ12	120 	2810	6	6	14.97	水平筋@200
	Φ12	120 	2680	6	6	14.28	水平筋@200
	Φ10	150 	1480	5	5	4.57	插筋@200
	Φ10	150 	2480	5	5	7.65	插筋@200
76#	Φ12	120 	2360	6	6	12.57	水平筋@200
	Φ12	120 	2480	6	6	13.21	水平筋@200
	Φ10	150 	1480	4	4	3.65	插筋@200
	Φ10	150 	2480	4	4	6.12	插筋@200
77#	Φ12	180 	4280	6	6	22.80	水平筋@200
	Φ12	180 	4280	6	6	22.80	水平筋@200
	Φ10	150 	1480	15	15	13.70	插筋@200
	Φ10	150 	2480	15	15	22.95	插筋@200
78#	Φ12	180 	5720	6	6	30.48	水平筋@200
	Φ12		5440	6	6	28.98	水平筋@200

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150  1350	1480	7	7	6.39	插筋@200
	Φ10	150  2350	2480	7	7	10.71	插筋@200
	Φ10	150  3170	3300	6	6	12.22	插筋@200
	Φ10	150  4170	4300	6	6	15.92	插筋@200
79#	Φ12	310  5230 310	5800	6	6	30.90	水平筋@200
	Φ12	180  5230 180	5540	6	6	29.52	水平筋@200
	Φ10	150  1350	1480	12	12	10.96	插筋@200
	Φ10	150  2350	2480	12	12	18.36	插筋@200
	Φ10	150  3170	3300	7	7	14.25	插筋@200
	Φ10	150  4170	4300	7	7	18.57	插筋@200
80#	Φ12	120  3880 180	4130	12	12	44.01	水平筋@200
	Φ10	150  1350	1480	2	2	1.83	插筋@200
	Φ10	150  2350	2480	2	2	3.06	插筋@200
	Φ10	150  3170	3300	9	9	18.32	插筋@200
	Φ10	150  4170	4300	9	9	23.88	插筋@200
81#	Φ12	120  2880 180	3130	12	12	33.35	水平筋@200
	Φ10	150  1350	1480	10	10	9.13	插筋@200
	Φ10	150  2350	2480	10	10	15.30	插筋@200
82#	Φ12	310  6980 120	7360	6	6	39.21	水平筋@200
	Φ12	180  6980 120	7230	6	6	38.52	水平筋@200
	Φ10	150  1350	1480	24	24	21.92	插筋@200
	Φ10	150  2350	2480	24	24	36.72	插筋@200
83#	Φ12	120  3470 120	3660	12	12	39.00	水平筋@200

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150 	1480	11	11	10.04	插筋@200
	Φ10	150 	2480	11	11	16.83	插筋@200
84#	Φ12	120 	3470	12	12	36.98	水平筋@200
	Φ10	150 	1480	7	7	6.39	插筋@200
	Φ10	150 	2480	7	7	10.71	插筋@200
85#	Φ12	180 	7240	6	6	38.57	水平筋@200
	Φ12	180 	7520	6	6	40.07	水平筋@200
	Φ10	150 	1480	23	23	21.00	插筋@200
	Φ10	150 	2480	23	23	35.19	插筋@200
86#	Φ12	120 	3630	12	12	38.68	水平筋@200
	Φ10	150 	1480	12	12	10.96	插筋@200
	Φ10	150 	2480	12	12	18.36	插筋@200
87#	Φ12		8130	6	6	43.32	水平筋@200
	Φ12	310 	8570	6	6	45.66	水平筋@200
	Φ10	150 	1480	28	28	25.57	插筋@200
	Φ10	150 	2480	28	28	42.84	插筋@200
88#	Φ12	120 	3360	6	6	17.90	水平筋@200
	Φ12	120 	3230	6	6	17.21	水平筋@200
	Φ10	150 	1480	10	10	9.13	插筋@200
	Φ10	150 	2480	10	10	15.30	插筋@200
89#	Φ12	310 	2170	6	6	11.56	水平筋@200
	Φ12	180 	2170	6	6	11.56	水平筋@200
	Φ10	150 	1480	3	3	2.74	插筋@200

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ10	150  2350	2480	3	3	4.59	插筋@200
90#	Φ12	120  5330 180	5580	12	12	59.46	水平筋@200
	Φ10	150  1350	1480	20	20	18.26	插筋@200
	Φ10	150  2350	2480	20	20	30.60	插筋@200
91#	Φ12	180  5580 180	5890	6	6	31.38	水平筋@200
	Φ12	180  5580	5740	6	6	30.58	水平筋@200
	Φ10	150  1350	1480	17	17	15.52	插筋@200
	Φ10	150  2350	2480	17	17	26.01	插筋@200
92#	Φ12	 5330 310	5610	6	6	29.89	水平筋@200
	Φ12	180  5330 180	5640	6	6	30.05	水平筋@200
	Φ10	150  1350	1480	16	16	14.61	插筋@200
	Φ10	150  2350	2480	16	16	24.48	插筋@200