

料表编号:



# 仙平钢筋抽料算量 工作室

律志强 电话:18607591883; 邮箱:810555933@qq.com

栋号: 6号楼群楼以下

部位: 二层\_梁\_梁

相同层数: 2

| 序号 | 分类  | C6 | C8   | C10  | C12   | C14  | C16  | C18  | C20  | C22 | C25   | C32  | 合计     |
|----|-----|----|------|------|-------|------|------|------|------|-----|-------|------|--------|
| 1  | 重量  | 60 | 2463 | 4505 | 12401 | 7483 | 3132 | 1480 | 2592 | 502 | 39731 | 9916 | 84.265 |
| 2  | 套筒  |    |      |      |       |      |      |      |      |     | 18    | 10   | 28     |
| 3  | 正反套 |    |      |      |       |      |      |      |      |     | 128   | 38   | 166    |
|    |     |    |      |      |       |      |      |      |      |     |       |      |        |

注: 重量单位明细为公斤、合计为吨; 接头单位为个。

备注:





















日期: 2018年10月12日



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称            | 级直别径 | 钢筋简图  | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                           |
|-----------------|------|---|-------------|-----------|---------|------------|------------------------------|
| <b>框支梁</b>      |      |   |             |           |         |            |                              |
| 1#KZL1<br>(1-2) | C25  | 38  38     | 445         | 9         | 9       | 154.19     | 下1排                          |
|                 | C16  |  340       | 340         | 8         | 8       | 42.98      | 腰筋                           |
|                 | C25  | 140  100   | 610         | 9         | 9       | 211.36     | 上1排(通长)                      |
|                 | C12  |  95        | 362         | 22        | 22      | 70.72      | @100(6)1跨22                  |
|                 | C12  |  95        | 247         | 44        | 44      | 96.51      | 1跨44                         |
|                 | C8   |  77        | 93          | 40        | 40      | 14.69      |                              |
| 2#KZL2<br>(1-3) | C25  | 38  38     | 475         | 12        | 12      | 219.45     | 下1排(1跨)                      |
|                 | C25  | 38  38   | 775         | 4         | 4       | 119.35     | 下2排(2跨)                      |
|                 | C25  | 38  38   | 785         | 18        | 18      | 544.00     | 下1排(2跨)                      |
|                 | C16  |  330     | 330         | 12        | 12      | 62.57      | 腰筋(1跨)                       |
|                 | C18  |  620     | 620         | 14        | 14      | 173.60     | 腰筋(2跨)                       |
|                 | C25  | 228  248 | 500<br>1015 | 6         | 6       | 349.96     | 上1排(通长)<br>长:10500           |
|                 | C25  | 228  248 | 700<br>815  | 6         | 6       | 349.96     | 上1排(通长)5,(通长)1<br>长:10500    |
|                 | C25  | 228  228 | 865         | 4         | 4       | 133.21     | 上1排(支座1-支座2)                 |
|                 | C25  | 248  248 | 1215        | 4         | 4       | 187.11     | 上1排(支座2-支座3)                 |
|                 | C25  | 38  38   | 785         | 6         | 6       | 181.33     | 上2排(支座2-支座3)3,<br>(支座2-支座3)3 |
|                 | C20  |          | 490         | 4         | 4       | 48.41      | (跨2)                         |
|                 | C10  |  135     | 438         | 20        | 20      | 54.05      | @100(6)1跨20                  |
|                 | C10  |  135     | 323         | 40        | 40      | 79.72      | 1跨40                         |
|                 | C12  |  155     | 562         | 46        | 46      | 229.57     | @100(8)2跨45+1                |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称             | 级直别径 | 钢筋简图       | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                           |
|------------------|------|------------|-------------|-----------|---------|------------|------------------------------|
|                  | C12  | 155        | 372         | 138       | 138     | 455.86     | 2跨135+3                      |
|                  | C8   | 117        | 133         | 154       | 154     | 80.90      |                              |
|                  | C8   | 77         | 93          | 54        | 54      | 19.84      |                              |
|                  | C25  | 118        | 118         | 8         | 8       | 36.34      | 垫铁                           |
| 2A#KZL2<br>(1-3) | C25  | 38  38     | 505         | 12        | 12      | 233.31     | 下1排(1跨)                      |
|                  | C25  | 38  38     | 745         | 4         | 4       | 114.73     | 下2排(2跨)                      |
|                  | C25  | 38  38     | 755         | 18        | 18      | 523.21     | 下1排(2跨)                      |
|                  | C16  | 350        | 350         | 12        | 12      | 66.36      | 腰筋(1跨)                       |
|                  | C18  | 580        | 580         | 14        | 14      | 162.40     | 腰筋(2跨)                       |
|                  | C25  | 228  反 248 | 900<br>615  | 6         | 6       | 349.96     | 上1排(通长)<br>长:10500           |
|                  | C25  | 228  反 248 | 500<br>1015 | 6         | 6       | 349.96     | 上1排(通长)5,(通长)1<br>长:10500    |
|                  | C25  | 228  228   | 895         | 4         | 4       | 137.83     | 上1排(支座1-支座2)                 |
|                  | C25  | 248  248   | 1185        | 4         | 4       | 182.49     | 上1排(支座2-支座3)                 |
|                  | C25  | 38  38     | 755         | 6         | 6       | 174.40     | 上2排(支座2-支座3)3,<br>(支座2-支座3)3 |
|                  | C10  | 135        | 438         | 21        | 21      | 56.75      | @100(6)1跨21                  |
|                  | C10  | 135        | 323         | 42        | 42      | 83.70      | 1跨42                         |
|                  | C12  | 155        | 562         | 42        | 42      | 209.60     | @100(8)2跨42                  |
|                  | C12  | 155        | 372         | 126       | 126     | 416.22     | 2跨126                        |
|                  | C8   | 117        | 133         | 140       | 140     | 73.55      |                              |
|                  | C8   | 77         | 93          | 60        | 60      | 22.04      |                              |
| C25              | 118  | 118        | 8           | 8         | 36.34   | 垫铁         |                              |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称             | 级直别径 | 钢筋简图   | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                |
|------------------|------|--|------------|-----------|---------|------------|-------------------|
| 3#KZL8<br>(1-3)  | C25  | 38  38    | 705        | 2         | 2       | 54.28      | 下2排(1跨)           |
|                  | C25  | 38  38    | 715        | 14        | 14      | 385.38     | 下1排(1跨)           |
|                  | C25  | 38  38    | 445        | 8         | 8       | 137.06     | 下2排(2跨)           |
|                  | C25  | 38  38    | 455        | 14        | 14      | 245.24     | 下1排(2跨)           |
|                  | C16  |  590      | 590        | 10        | 10      | 93.22      | 腰筋(1跨)            |
|                  | C16  |  300      | 300        | 16        | 16      | 75.84      | 腰筋(2跨)            |
|                  | C25  | 120  268  | 600<br>740 | 6         | 6       | 309.54     | 上1排(通长)<br>长:9600 |
|                  | C25  | 120  268 | 400<br>940 | 6         | 6       | 309.54     | 上1排(通长)<br>长:9600 |
|                  | C25  |  38     | 560        | 10        | 10      | 215.60     | 上2排(支座2左-支座3)     |
|                  | C10  |  115    | 398        | 49        | 49      | 120.33     | @100(6)1跨48+1     |
|                  | C10  |  115    | 283        | 98        | 98      | 171.12     | 1跨96+2            |
|                  | C14  |  175    | 525        | 17        | 17      | 107.99     | @100(8)2跨17       |
|                  | C14  |  175    | 405        | 51        | 51      | 249.93     | 2跨51              |
|                  | C8   |  77     | 93         | 179       | 179     | 65.76      |                   |
|                  | C25  |  78     | 78         | 10        | 10      | 30.03      | 垫铁                |
| 3A#KZL8<br>(1-3) | C25  | 38  38  | 695        | 2         | 2       | 53.51      | 下2排(1跨)           |
|                  | C25  | 38  38  | 705        | 14        | 14      | 379.99     | 下1排(1跨)           |
|                  | C25  | 38  38  | 445        | 8         | 8       | 137.06     | 下2排(2跨)           |
|                  | C25  | 38  38  | 455        | 14        | 14      | 245.24     | 下1排(2跨)           |
|                  | C16  |  580    | 580        | 10        | 10      | 91.64      | 腰筋(1跨)6,(1跨)4     |
|                  | C16  |  300    | 300        | 16        | 16      | 75.84      | 腰筋(2跨)12,(2跨)4    |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称             | 级直别径 | 钢筋简图  | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                |
|------------------|------|---|------------|-----------|---------|------------|-------------------|
|                  | C25  |    | 600<br>730 | 6         | 6       | 307.23     | 上1排(通长)<br>长:9500 |
|                  | C25  |    | 400<br>930 | 6         | 6       | 307.23     | 上1排(通长)<br>长:9500 |
|                  | C25  |    | 560        | 10        | 10      | 215.60     | 上2排(支座2左-支座3)     |
|                  | C10  |    | 398        | 47        | 47      | 115.42     | @100(6)1跨47       |
|                  | C10  |    | 283        | 94        | 94      | 164.13     | 1跨94              |
|                  | C14  |    | 525        | 17        | 17      | 107.99     | @100(8)2跨17       |
|                  | C14  |    | 405        | 51        | 51      | 249.93     | 2跨51              |
|                  | C8   |    | 93         | 179       | 179     | 65.76      |                   |
|                  | C25  |  | 78         | 10        | 10      | 30.03      | 垫铁                |
| 4#KZL1a<br>(1-2) | C25  |  | 465        | 11        | 11      | 196.93     | 下1排               |
|                  | C16  |  | 350        | 8         | 8       | 44.24      | 腰筋                |
|                  | C25  |  | 640        | 11        | 11      | 271.04     | 上1排(通长)           |
|                  | C12  |  | 402        | 21        | 21      | 74.96      | @100(6)1跨21       |
|                  | C12  |  | 257        | 42        | 42      | 95.85      | 1跨42              |
|                  | C8   |  | 113        | 40        | 40      | 17.85      |                   |
| 5#KZL3a<br>(1-2) | C25  |  | 445        | 11        | 11      | 188.46     | 下1排               |
|                  | C16  |  | 315        | 8         | 8       | 39.82      | 腰筋                |
|                  | C25  |  | 640        | 11        | 11      | 271.04     | 上1排(通长)           |
|                  | C12  |  | 402        | 19        | 19      | 67.83      | @100(6)1跨19       |
|                  | C12  |  | 257        | 38        | 38      | 86.72      | 1跨38              |
|                  | C8   |  | 113        | 36        | 36      | 16.07      |                   |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称              | 级直别径 | 钢筋简图  | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注             |
|-------------------|------|---|------------|-----------|---------|------------|----------------|
| 5A#KZL3a<br>(1-2) | C25  | 38  38     | 435        | 11        | 11      | 184.22     | 下1排            |
|                   | C16  |  320       | 320        | 8         | 8       | 40.45      | 腰筋             |
|                   | C25  | 120  140   | 630        | 11        | 11      | 266.80     | 上1排(通长)        |
|                   | C12  |  95        | 402        | 20        | 20      | 71.40      | @100(6)1跨20    |
|                   | C12  |  23        | 257        | 40        | 40      | 91.29      | 1跨40           |
|                   | C8   |  97        | 113        | 36        | 36      | 16.07      |                |
| 6#KZL7<br>(1-2)   | C25  | 38  38     | 795        | 14        | 14      | 428.50     | 下1排            |
|                   | C16  |  660       | 660        | 10        | 10      | 104.28     | 腰筋             |
|                   | C25  | 160  120 | 1010       | 14        | 14      | 544.39     | 上1排(通长)        |
|                   | C12  |  95      | 442        | 53        | 53      | 208.02     | @100(6)1跨52+1  |
|                   | C12  |  23      | 297        | 106       | 106     | 279.56     | 1跨104+2        |
|                   | C8   |  97      | 113        | 125       | 125     | 55.79      |                |
| 7#KZL4<br>(1-2)   | C25  | 38  38   | 815        | 13        | 13      | 407.91     | 下1排            |
|                   | C25  | 38  38   | 795        | 2         | 2       | 61.21      | 下1排            |
|                   | C16  |  646     | 645        | 12        | 12      | 122.29     | 腰筋             |
|                   | C25  | 228  228 | 1205       | 13        | 13      | 603.10     | 上1排(通长)7,(通长)7 |
|                   | C25  | 228  120 | 1080       | 2         | 2       | 83.16      | 上1排(通长)        |
|                   | C12  |  95      | 482        | 49        | 49      | 209.73     | @100(6)1跨48+1  |
|                   | C12  |  23      | 337        | 98        | 98      | 293.27     | 1跨96+2         |
|                   | C8   |  97      | 113        | 138       | 138     | 61.60      |                |
| 8#KZL4<br>(1-2)   | C25  | 38  38   | 805        | 15        | 15      | 464.89     | 下1排            |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称             | 级直别径 | 钢筋简图 | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注          |
|------------------|------|------|------------|-----------|---------|------------|-------------|
|                  | C16  |      | 650        | 12        | 12      | 123.24     | 腰筋          |
|                  | C25  |      | 1195       | 13        | 13      | 598.10     | 上1排(通长)     |
|                  | C25  |      | 1090       | 2         | 2       | 83.93      | 上1排(通长)     |
|                  | C12  |      | 482        | 47        | 47      | 201.17     | @100(6)1跨47 |
|                  | C12  |      | 337        | 94        | 94      | 281.30     | 1跨94        |
|                  | C8   |      | 113        | 138       | 138     | 61.60      |             |
| 9#KZL5<br>(1-2)  | C25  |      | 445        | 15        | 15      | 256.99     | 下1排         |
|                  | C16  |      | 310        | 12        | 12      | 58.78      | 腰筋          |
|                  | C25  |      | 835        | 15        | 15      | 482.21     | 上1排(通长)     |
|                  | C12  |      | 482        | 17        | 17      | 72.76      | @100(6)1跨17 |
|                  | C12  |      | 337        | 34        | 34      | 101.75     | 1跨34        |
|                  | C8   |      | 113        | 48        | 48      | 21.42      |             |
| 9A#KZL5<br>(1-2) | C25  |      | 455        | 15        | 15      | 262.76     | 下1排         |
|                  | C16  |      | 320        | 12        | 12      | 60.67      | 腰筋          |
|                  | C25  |      | 845        | 15        | 15      | 487.99     | 上1排(通长)     |
|                  | C12  |      | 482        | 18        | 18      | 77.04      | @100(6)1跨18 |
|                  | C12  |      | 337        | 36        | 36      | 107.73     | 1跨36        |
|                  | C8   |      | 113        | 48        | 48      | 21.42      |             |
| 10#KZL6<br>(1-3) | C25  |      | 445        | 10        | 10      | 171.32     | 下2排(1跨)     |
|                  | C25  |      | 455        | 14        | 14      | 245.24     | 下1排(1跨)     |
|                  | C25  |      | 725        | 2         | 2       | 55.82      | 下2排(2跨)     |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称             | 级直别径 | 钢筋简图  | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                |
|------------------|------|---|-------------|-----------|---------|------------|-------------------|
|                  | C25  | 38  38     | 735         | 14        | 14      | 396.16     | 下1排(2跨)           |
|                  | C16  |  300       | 300         | 16        | 16      | 75.84      | 腰筋(1跨)            |
|                  | C16  |  620       | 620         | 10        | 10      | 97.96      | 腰筋(2跨)            |
|                  | C25  | 288  120   | 850<br>520  | 6         | 6       | 316.47     | 上1排(通长)<br>长:9700 |
|                  | C25  | 288  120   | 1000<br>370 | 6         | 6       | 316.47     | 上1排(通长)<br>长:9700 |
|                  | C25  | 38  38     | 565         | 12        | 12      | 261.03     | 上2排(支座1-支座2右)     |
|                  | C14  |  75 195    | 565         | 17        | 17      | 116.22     | @100(8)1跨17       |
|                  | C14  |  15 195   | 445         | 51        | 51      | 274.61     | 1跨51              |
|                  | C10  |  75 115  | 398         | 51        | 51      | 125.24     | @100(6)2跨50+1     |
|                  | C10  |  18 115  | 283         | 102       | 102     | 178.10     | 2跨100+2           |
|                  | C8   |  77      | 93          | 184       | 184     | 67.59      |                   |
|                  | C25  |  78      | 78          | 11        | 11      | 33.03      | 垫铁                |
| 11#KZL6<br>(1-3) | C25  | 38  38   | 465         | 10        | 10      | 179.02     | 下2排(1跨)           |
|                  | C25  | 38  38   | 465         | 14        | 14      | 250.63     | 下1排(1跨)           |
|                  | C25  | 38  38   | 725         | 2         | 2       | 55.82      | 下2排(2跨)           |
|                  | C25  | 38  38   | 735         | 14        | 14      | 396.16     | 下1排(2跨)           |
|                  | C16  |  300     | 300         | 16        | 16      | 75.84      | 腰筋(1跨)            |
|                  | C16  |  620     | 620         | 10        | 10      | 97.96      | 腰筋(2跨)            |
|                  | C25  | 288  120 | 850<br>530  | 6         | 6       | 318.78     | 上1排(通长)<br>长:9800 |
|                  | C25  | 288  120 | 1000<br>380 | 6         | 6       | 318.78     | 上1排(通长)<br>长:9800 |
|                  | C25  | 38  38   | 565         | 12        | 12      | 261.03     | 上2排(支座1-支座2右)     |





# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称             | 级直别径 | 钢筋简图              | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注            |
|------------------|------|-------------------|------------|-----------|---------|------------|---------------|
|                  | C14  | 195               | 565        | 17        | 17      | 116.22     | @100(8)1跨17   |
|                  | C14  | 195               | 445        | 51        | 51      | 274.61     | 1跨51          |
|                  | C10  | 115               | 398        | 51        | 51      | 125.24     | @100(6)2跨50+1 |
|                  | C10  | 115               | 283        | 102       | 102     | 178.10     | 2跨100+2       |
|                  | C8   | 77                | 93         | 184       | 184     | 67.59      |               |
|                  | C25  | 78                | 78         | 11        | 11      | 33.03      | 垫铁            |
| 12#KZL7<br>(1-2) | C25  | 38 740 38         | 805        | 14        | 14      | 433.89     | 下1排           |
|                  | C16  | 690               | 690        | 10        | 10      | 109.02     | 腰筋            |
|                  | C25  | 140 750 120       | 1000       | 14        | 14      | 539.00     | 上1排(通长)       |
|                  | C12  | 115               | 442        | 57        | 57      | 223.72     | @100(6)1跨57   |
|                  | C12  | 115               | 297        | 114       | 114     | 300.66     | 1跨114         |
|                  | C8   | 97                | 113        | 140       | 140     | 62.49      |               |
| 13#KZL9<br>(1-2) | C25  | 38 610 38         | 675        | 4         | 4       | 103.95     | 下2排           |
|                  | C25  | 38 620 38         | 685        | 15        | 15      | 395.59     | 下1排           |
|                  | C18  | 560               | 560        | 12        | 12      | 134.40     | 腰筋            |
|                  | C25  | 248 630 248       | 1115       | 14        | 14      | 600.98     | 上1排(通长)       |
|                  | C25  | 38 620 38         | 685        | 5         | 5       | 131.86     | 上2排(通长)       |
|                  | C25  | 215 38            | 250        | 3         | 3       | 28.87      | 上2排(支座2左)     |
|                  | C20  | 150 60r 90 173 40 | 510        | 4         | 4       | 50.39      | (跨1)          |
|                  | C12  | 155               | 522        | 44        | 44      | 203.96     | @100(6)1跨43+1 |
|                  | C12  | 155               | 377        | 88        | 88      | 294.60     | 1跨86+2        |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称              | 级直别径 | 钢筋简图 | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                 |
|-------------------|------|------|------------|-----------|---------|------------|--------------------|
|                   | C8   |      | 113        | 126       | 126     | 56.24      |                    |
|                   | C25  |      | 98         | 8         | 8       | 30.18      | 垫铁                 |
| 14#KZL10<br>(1-3) | C25  |      | 680        | 28        | 28      | 733.04     | 下1排(1跨)14,(2跨)14   |
|                   | C16  |      | 570        | 10        | 10      | 90.06      | 腰筋(1跨)             |
|                   | C16  |      | 570        | 12        | 12      | 108.07     | 腰筋(2跨)             |
|                   | C25  |      | 980<br>600 | 5         | 5       | 304.15     | 上1排(通长)<br>长:11550 |
|                   | C25  |      | 600<br>980 | 4         | 4       | 243.32     | 上1排(通长)<br>长:11550 |
|                   | C25  |      | 1035       | 3         | 3       | 119.54     | 上1排(支座1-支座2)       |
|                   | C25  |      | 1070       | 3         | 3       | 123.58     | 上1排(支座2-支座3)       |
|                   | C20  |      | 420        | 4         | 4       | 41.50      | (跨1)4              |
|                   | C20  |      | 465        | 4         | 4       | 45.94      | (跨2)4              |
|                   | C10  |      | 398        | 47        | 47      | 115.42     | @100(6)1跨46+1      |
|                   | C10  |      | 283        | 94        | 94      | 164.13     | 1跨92+2             |
|                   | C12  |      | 442        | 46        | 46      | 180.55     | @100(6)2跨45+1      |
|                   | C12  |      | 327        | 92        | 92      | 267.15     | 2跨90+2             |
|                   | C8   |      | 93         | 236       | 236     | 86.69      |                    |
| 15#KZL14<br>(1-2) | C25  |      | 685        | 10        | 10      | 263.72     | 下1排                |
|                   | C16  |      | 590        | 6         | 6       | 55.93      | 腰筋                 |
|                   | C25  |      | 990        | 8         | 8       | 304.92     | 上1排(通长)            |
|                   | C12  |      | 402        | 46        | 46      | 164.21     | @100(4)1跨46        |
|                   | C12  |      | 332        | 46        | 46      | 135.62     | 1跨46               |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称              | 级直别径 | 钢筋简图  | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                       |
|-------------------|------|---|------------|-----------|---------|------------|--------------------------|
|                   | C8   |    | 73         | 66        | 66      | 19.03      |                          |
| 16#KZL12<br>(1-2) | C25  |    | 605        | 6*2       | 12      | 279.51     | 下2排                      |
|                   | C25  |    | 615        | 18*2      | 36      | 852.39     | 下1排                      |
|                   | C18  |    | 500        | 16*2      | 32      | 320.00     | 腰筋                       |
|                   | C25  |    | 1085       | 16*2      | 32      | 1336.72    | 上1排(通长)                  |
|                   | C25  |    | 615        | 8*2       | 16      | 378.84     | 上2排(通长)                  |
|                   | C20  |    | 560        | 4*2       | 8       | 110.66     | (跨1)                     |
|                   | C14  |   | 605        | 38*2      | 76      | 556.36     | @100(8)1跨37+1            |
|                   | C14  |  | 415        | 114*2     | 228     | 1144.90    | 1跨111+3                  |
|                   | C8   |  | 133        | 144*2     | 288     | 151.30     |                          |
|                   | C25  |  | 118        | 8*2       | 16      | 72.69      | 垫铁                       |
| 17#KZL13<br>(1-2) | C32  |  | 970        | 4         | 4       | 244.83     | 下2排                      |
|                   | C32  |  | 975        | 16        | 16      | 984.36     | 下1排                      |
|                   | C20  |  | 860        | 14        | 14      | 297.39     | 腰筋                       |
|                   | C32  |  | 600<br>850 | 14        | 14      | 1280.93    | 上1排(通长)7,(通长)7<br>长:8938 |
|                   | C32  |  | 630        | 1         | 1       | 39.75      | 上1排(支座1右)                |
|                   | C32  |  | 585        | 1         | 1       | 36.91      | 上1排(支座2左)                |
|                   | C32  |  | 300        | 5         | 5       | 94.65      | 上2排(支座2左)                |
|                   | C20  |  | 530        | 4         | 4       | 52.36      | (跨1)                     |
|                   | C12  |  | 602        | 73        | 73      | 390.24     | @100(8)1跨72+1            |
|                   | C12  |  | 377        | 219       | 219     | 733.16     | 1跨216+3                  |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称               | 级直别径 | 钢筋简图  | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                        |    |
|--------------------|------|---|---|-----------|---------|------------|---------------------------|----|
|                    | C8   |    | 153   | 245       | 245     | 148.07     |                           |    |
|                    | C25  |    | 138   | 8         | 8       | 42.50      | 垫铁                        |    |
| 18#KZL14a<br>(1-3) | C25  |    | 680   | 14        | 14      | 366.52     | 下1排(1跨)                   |    |
|                    | C25  |    | 830   | 2         | 2       | 63.91      | 下2排(2跨)                   |    |
|                    | C25  |    | 840   | 14        | 14      | 452.76     | 下1排(2跨)                   |    |
|                    | C16  |    | 560   | 12        | 12      | 106.18     | 腰筋(1跨)2,(1跨)10            |    |
|                    | C16  |    | 700   | 10        | 10      | 110.60     | 腰筋(2跨)                    |    |
|                    | C25  |   | 1200<br>535   | 12        | 12      | 801.57     | 上1排(通长)6,(通长)6<br>长:13070 |    |
|                    | C20  |  | 465   | 4         | 4       | 45.94      | (跨1)4                     |    |
|                    | C20  |  | 440   | 4         | 4       | 43.47      | (跨2)4                     |    |
|                    | C12  |  | 442   | 46        | 46      | 180.55     | @100(6)1跨45+1             |    |
|                    | C12  |  | 327   | 92        | 92      | 267.15     | 1跨90+2                    |    |
|                    | C10  |  | 398   | 59        | 59      | 144.88     | @100(6)2跨58+1             |    |
|                    | C10  |  | 283   | 118       | 118     | 206.04     | 2跨116+2                   |    |
|                    |      | C8  |  | 93        | 266     | 266        | 97.72                     |    |
|                    |      | C25   |  | 78        | 5       | 5          | 15.01                     | 垫铁 |
| 19#KZL15<br>(1-2)  | C25  |  | 730   | 10        | 10      | 281.05     | 下1排                       |    |
|                    | C16  |  | 590   | 6         | 6       | 55.93      | 腰筋                        |    |
|                    | C25  |  | 985   | 8         | 8       | 303.38     | 上1排(通长)                   |    |
|                    | C25  |  | 965   | 1         | 1       | 37.15      | 上1排(通长)                   |    |
|                    | C25  |  | 950   | 1         | 1       | 36.57      | 上1排(通长)                   |    |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称               | 级直别径 | 钢筋简图 | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                        |
|--------------------|------|------|-------------|-----------|---------|------------|---------------------------|
|                    | C25  |      | 435         | 2         | 2       | 33.49      | 上1排(支座2左)                 |
|                    | C25  |      | 240         | 7         | 7       | 64.68      | 上2排(支座2左)                 |
|                    | C10  |      | 358         | 46        | 46      | 101.61     | @100(6)1跨46               |
|                    | C10  |      | 243         | 92        | 92      | 137.94     | 1跨92                      |
|                    | C8   |      | 93          | 66        | 66      | 24.25      |                           |
|                    | C25  |      | 78          | 2         | 2       | 6.01       | 垫铁                        |
| 20#KZL14b<br>(1-2) | C32  |      | 1110        | 10        | 10      | 700.41     | 下2排                       |
|                    | C32  |      | 1115        | 16        | 16      | 1125.70    | 下1排                       |
|                    | C22  |      | 990         | 14        | 14      | 413.03     | 腰筋                        |
|                    | C32  |      | 600<br>1030 | 13        | 13      | 1337.09    | 上1排(通长)7,(通长)6<br>长:10338 |
|                    | C32  |      | 1120        | 3         | 3       | 212.02     | 上2排(通长)                   |
|                    | C32  |      | 330         | 2         | 2       | 41.65      | 上2排(支座1右)                 |
|                    | C12  |      | 550         | 2         | 2       | 9.77       | (跨1)                      |
|                    | C14  |      | 645         | 85        | 85      | 663.38     | @100(8)1跨84+1             |
|                    | C14  |      | 420         | 255       | 255     | 1295.91    | 1跨252+3                   |
|                    | C8   |      | 153         | 287       | 287     | 173.45     |                           |
|                    | C25  |      | 138         | 14        | 14      | 74.38      | 垫铁                        |
| 21#KZL17<br>(1-2)  | C25  |      | 665         | 8*2       | 16      | 409.64     | 下2排                       |
|                    | C25  |      | 675         | 18*2      | 36      | 935.55     | 下1排                       |
|                    | C18  |      | 560         | 18*2      | 36      | 403.20     | 腰筋                        |
|                    | C25  |      | 1185        | 16*2      | 32      | 1459.92    | 上1排(通长)                   |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称               | 级直别径  | 钢筋简图  | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                        |
|--------------------|---|---|-------------|-----------|---------|------------|---------------------------|
|                    | C25   |    | 675         | 10*2      | 20      | 519.75     | 上2排(通长)                   |
|                    | C20   |    | 545         | 4*2       | 8       | 107.69     | (跨1)                      |
|                    | C14   |    | 645         | 44*2      | 88      | 686.80     | @100(8)1跨43+1             |
|                    | C14   |    | 455         | 132*2     | 264     | 1453.45    | 1跨129+3                   |
|                    | C8  |    | 133         | 189*2     | 378     | 198.58     |                           |
|                    | C25   |    | 118         | 8*2       | 16      | 72.69      | 垫铁                        |
| 22#KZL15a<br>(1-3) | C25   |    | 875         | 6         | 6       | 202.12     | 下2排(1跨)                   |
|                    | C25   |    | 885         | 4         | 4       | 136.29     | 下1排(1跨)                   |
|                    | C25   |  | 1200<br>220 | 13        | 13      | 710.71     | 下1排(通长)7,(通长)6<br>长:13540 |
|                    | C25   |  | 715         | 1         | 1       | 27.53      | 下1排(2跨)                   |
|                    | C16   |  | 710         | 12        | 12      | 134.62     | 腰筋(1跨)                    |
|                    | C16   |  | 580         | 12        | 12      | 109.97     | 腰筋(2跨)                    |
|                    | C25   |  | 610<br>1200 | 8         | 8       | 557.48     | 上1排(通长)4,(通长)4<br>长:13644 |
|                    | C25   |  | 575<br>1200 | 2         | 2       | 136.67     | 上1排(通长)1,(通长)1<br>长:13295 |
|                    | C25   |  | 1265        | 3         | 3       | 146.11     | 上1排(支座1-支座2)              |
|                    | C25   |  | 875         | 3         | 3       | 101.06     | 上2排(支座1-支座2)              |
|                    | C25   |  | 1110        | 2         | 2       | 85.47      | 上1排(支座2-支座3)              |
|                    | C20   |  | 555         | 4         | 4       | 54.83      | (跨1)4                     |
|                    | C20   |  | 465         | 4         | 4       | 45.94      | (跨2)4                     |
|                    | C12   |  | 482         | 60        | 60      | 256.81     | @100(8)1跨59+1             |
| C12                |  | 327   | 180         | 180       | 522.68  | 1跨177+3    |                           |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称               | 级直别径 | 钢筋简图   | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                       |
|--------------------|------|--|------------|-----------|---------|------------|--------------------------|
|                    | C12  |  75 135               | 442        | 48        | 48      | 188.40     | @100(6)2跨47+1            |
|                    | C12  |  18 135               | 327        | 96        | 96      | 278.76     | 2跨94+2                   |
|                    | C8   |  77                   | 93         | 132       | 132     | 48.49      |                          |
|                    | C8   |  97                   | 113        | 174       | 174     | 77.66      |                          |
|                    | C25  |  98                   | 98         | 10        | 10      | 37.73      | 垫铁                       |
| 23#KZL16<br>(1-2)  | C25  |  38 680 38            | 745        | 10        | 10      | 286.82     | 下2排                      |
|                    | C25  |  38 690 38            | 755        | 18        | 18      | 523.21     | 下1排                      |
|                    | C18  |  650                  | 650        | 14        | 14      | 182.00     | 腰筋                       |
|                    | C25  |  248 700 248        | 1185       | 16        | 16      | 729.96     | 上1排(通长)                  |
|                    | C25  |  38 690 38          | 755        | 4         | 4       | 116.27     | 上2排(通长)                  |
|                    | C20  |  150 60r 110 40 173 | 530        | 4         | 4       | 52.36      | (跨1)                     |
|                    | C12  |  115 155            | 562        | 53        | 53      | 264.50     | @100(8)1跨52+1            |
|                    | C12  |  20 155             | 372        | 159       | 159     | 525.23     | 1跨156+3                  |
|                    | C8   |  117                | 133        | 175       | 175     | 91.94      |                          |
|                    | C25  |  118                | 118        | 10        | 10      | 45.43      | 垫铁                       |
| 24#KZL17a<br>(1-2) | C32  |  48 710 48          | 795        | 5         | 5       | 250.82     | 下2排                      |
|                    | C32  |  48 720 48          | 805        | 13        | 13      | 660.34     | 下1排                      |
|                    | C16  |  660                | 660        | 14        | 14      | 145.99     | 腰筋                       |
|                    | C32  |  285 271 459 反 285  | 550<br>740 | 11        | 11      | 895.39     | 上1排(通长)6,(通长)5<br>长:7300 |
|                    | C20  |  150 60r 110 40 173 | 530        | 4         | 4       | 52.36      | (跨1)                     |
|                    | C12  |  95 155             | 522        | 54        | 54      | 250.31     | @100(8)1跨53+1            |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称              | 级直别径   | 钢筋简图   | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                        |
|-------------------|--|--|-------------|-----------|---------|------------|---------------------------|
|                   | C12  |  155                          | 367         | 162       | 162     | 527.95     | 1跨159+3                   |
|                   | C8   |  97                           | 113         | 182       | 182     | 81.24      |                           |
|                   | C25  |  98                           | 98          | 5         | 5       | 18.86      | 垫铁                        |
| 25#KZL18<br>(1-3) | C25  |  38   1167   138   38<br>反    | 1200<br>170 | 14        | 14      | 738.43     | 下1排(通长)7,(通长)7<br>长:13050 |
|                   | C25  |  38   750   38                | 815         | 10        | 10      | 313.77     | 下2排(2跨)                   |
|                   | C25  |  38   760   38                | 825         | 3         | 3       | 95.29      | 下1排(2跨)                   |
|                   | C16  |  580                          | 580         | 12        | 12      | 109.97     | 腰筋(1跨)                    |
|                   | C16  |  690                          | 690         | 12        | 12      | 130.82     | 腰筋(2跨)                    |
|                   | C25  |  228   338   977   228<br>反 | 560<br>1200 | 10        | 10      | 677.60     | 上1排(通长)5,(通长)5<br>长:13150 |
|                   | C25  |  228   665   228            | 1110        | 2         | 2       | 85.47      | 上1排(支座1-支座2)              |
|                   | C25  |  228   770   228            | 1215        | 3         | 3       | 140.33     | 上1排(支座2-支座3)              |
|                   | C25  |  38   760   38              | 825         | 3         | 3       | 95.29      | 上2排(支座2-支座3)              |
|                   | C20  |  130   60r   90   40        | 465         | 4         | 4       | 45.94      | (跨1)4                     |
|                   | C20  |  130   60r   180   40       | 555         | 4         | 4       | 54.83      | (跨2)4                     |
|                   | C12  |  135<br>75                  | 442         | 48        | 48      | 188.40     | @100(6)1跨47+1             |
|                   | C12  |  135<br>18                  | 327         | 96        | 96      | 278.76     | 1跨94+2                    |
|                   | C12  |  135<br>95                  | 482         | 59        | 59      | 252.53     | @100(8)2跨58+1             |
|                   | C12  |  135<br>18                  | 327         | 177       | 177     | 513.97     | 2跨174+3                   |
|                   | C8   |  77                         | 93          | 132       | 132     | 48.49      |                           |
| C8                |  97 | 113  | 168         | 168       | 74.99   |            |                           |
| C25               |  98 | 98   | 10          | 10        | 37.73   | 垫铁         |                           |























# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称              | 级直别径 | 钢筋简图  | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                       |  |
|-------------------|------|---|------------|-----------|---------|------------|--------------------------|--|
| 26#KZL19<br>(1-2) | C32  | 48  48   | 835        | 7         | 7       | 368.82     | 下2排                      |  |
|                   | C32  | 48  48   | 845        | 13        | 13      | 693.15     | 下1排                      |  |
|                   | C16  |  700     | 700        | 14        | 14      | 154.84     | 腰筋                       |  |
|                   | C32  | 285  285 | 600<br>730 | 10        | 10      | 839.23     | 上1排(通长)5,(通长)5<br>长:7700 |  |
|                   | C32  | 48  250  | 290        | 6         | 6       | 109.79     | 上2排(支座1右)                |  |
|                   | C20  |          | 530        | 4         | 4       | 52.36      | (跨1)                     |  |
|                   | C12  |  95 155  | 522        | 58        | 58      | 268.85     | @100(8)1跨57+1            |  |
|                   | C12  |  18 155 | 367        | 174       | 174     | 567.06     | 1跨171+3                  |  |
|                   | C8   |  97    | 113        | 196       | 196     | 87.48      |                          |  |
|                   | C25  |  98    | 98         | 7         | 7       | 26.41      | 垫铁                       |  |
|                   |      |   |            |           |         |            |                          |  |
|                   |      |   |            |           |         |            |                          |  |

## 框架梁

|                 |     |   |     |      |    |       |             |
|-----------------|-----|---|-----|------|----|-------|-------------|
| 27#KL1<br>(1-2) | C22 |  375   | 375 | 4*2  | 8  | 89.40 | 下1排         |
|                 | C12 |  305   | 305 | 4*2  | 8  | 21.67 | 腰筋          |
|                 | C20 |  360   | 360 | 4*2  | 8  | 71.14 | 上1排(通长)     |
|                 | C10 |  35 65 | 218 | 22*2 | 44 | 59.18 | @100(4)1跨22 |
|                 | C10 |  15 65 | 178 | 22*2 | 44 | 48.32 | 1跨22        |
|                 | C8  |  37    | 53  | 20*2 | 40 | 8.37  |             |
| 28#KL2<br>(1-2) | C16 | 24  24 | 345 | 2*4  | 8  | 43.61 | 下1排         |
|                 | C18 | 27  27 | 350 | 2*4  | 8  | 56.00 | 上1排(通长)     |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称             | 级直别径 | 钢筋简图 | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注            |
|------------------|------|------|------------|-----------|---------|------------|---------------|
|                  | C18  |      | 125        | 1*4       | 4       | 10.00      | 上1排(支座1右)     |
|                  | C10  |      | 138        | 27*4      | 108     | 91.96      | @100(2)1跨26+1 |
| 29#XL2<br>(1)    | C18  |      | 170        | 2*4       | 8       | 27.20      | 下1排           |
|                  | C25  |      | 235        | 2*4       | 8       | 72.38      | 上1排(支座1-右挑)   |
|                  | C20  |      | 210        | 2*4       | 8       | 41.50      | 上2排(支座1-右挑)   |
|                  | C10  |      | 148        | 13*4      | 52      | 47.48      | @100(2)右挑13   |
|                  | C25  |      | 18         | 2*4       | 8       | 5.54       | 垫铁            |
| 30#XL3<br>(1)    | C16  |      | 170        | 2*2       | 4       | 10.74      | 下1排           |
|                  | C20  |      | 340        | 3*2       | 6       | 50.39      | 上1排(左挑-支座1)   |
|                  | C8   |      | 194        | 14*2      | 28      | 21.46      | @100(2)左挑14   |
| 31#KL11<br>(1-2) | C25  |      | 400        | 2         | 2       | 30.80      | 下2排           |
|                  | C25  |      | 400        | 5         | 5       | 77.00      | 下1排           |
|                  | C12  |      | 310        | 4         | 4       | 11.01      | 腰筋            |
|                  | C25  |      | 400        | 5         | 5       | 77.00      | 上1排(通长)       |
|                  | C25  |      | 400        | 2         | 2       | 30.80      | 上2排(通长)       |
|                  | C10  |      | 218        | 23        | 23      | 30.94      | @100(4)1跨23   |
|                  | C10  |      | 178        | 23        | 23      | 25.26      | 1跨23          |
|                  | C8   |      | 53         | 20        | 20      | 4.19       |               |
|                  | C25  |      | 38         | 6         | 6       | 8.78       | 垫铁            |
| 32#XL1<br>(1)    | C14  |      | 220        | 2         | 2       | 5.32       | 下1排           |
|                  | C10  |      | 220        | 4         | 4       | 5.43       | 腰筋            |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称            | 级直别径 | 钢筋简图 | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                     |
|-----------------|------|------|------------|-----------|---------|------------|------------------------|
|                 | C18  |      | 285        | 2         | 2       | 11.40      | 上1排(支座1-右挑)            |
|                 | C8   |      | 134        | 19        | 19      | 10.06      | @100(2)右挑19            |
|                 | C6   |      | 29         | 16        | 16      | 1.03       |                        |
| 33#KL6<br>(1-2) | C20  |      | 540        | 4*2       | 8       | 106.70     | 下1排                    |
|                 | C12  |      | 490        | 4*2       | 8       | 34.81      | 腰筋                     |
|                 | C20  |      | 590        | 4*2       | 8       | 116.58     | 上1排(通长)                |
|                 | C10  |      | 218        | 35*2      | 70      | 94.15      | @100/200(4)1跨15+5+15   |
|                 | C10  |      | 178        | 35*2      | 70      | 76.88      | 1跨15+5+15              |
|                 | C8   |      | 53         | 18*2      | 36      | 7.54       |                        |
| 34#KL3<br>(1-2) | C20  |      | 625        | 3*4       | 12      | 185.25     | 下1排                    |
|                 | C20  |      | 615        | 1*4       | 4       | 60.76      | 下1排                    |
|                 | C12  |      | 570        | 4*4       | 16      | 80.99      | 腰筋                     |
|                 | C20  |      | 625        | 3*4       | 12      | 185.25     | 上1排(通长)                |
|                 | C20  |      | 615        | 1*4       | 4       | 60.76      | 上1排(通长)                |
|                 | C10  |      | 218        | 44*4      | 176     | 236.73     | @100/200(3)1跨17+7+17+3 |
|                 | C10  |      | 97         | 41*4      | 164     | 98.15      | 1跨17+7+17              |
|                 | C6   |      | 39         | 22*4      | 88      | 7.62       |                        |
| 35#KL4<br>(1-2) | C20  |      | 635        | 4*2       | 8       | 125.48     | 下1排                    |
|                 | C12  |      | 560        | 4*2       | 8       | 39.78      | 腰筋                     |
|                 | C20  |      | 635        | 4*2       | 8       | 125.48     | 上1排(通长)                |
|                 | C10  |      | 218        | 49*2      | 98      | 131.82     | @100(4)1跨49            |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁






















| 构件名称             | 级直别径 | 钢筋简图 | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注               |
|------------------|------|------|------------|-----------|---------|------------|------------------|
|                  | C10  |      | 178        | 49*2      | 98      | 107.63     | 1跨49             |
|                  | C8   |      | 53         | 46*2      | 92      | 19.26      |                  |
| 35A#KL4<br>(1-2) | C20  |      | 635        | 4*2       | 8       | 125.48     | 下1排              |
|                  | C12  |      | 580        | 4*2       | 8       | 41.20      | 腰筋               |
|                  | C20  |      | 680        | 4*2       | 8       | 134.37     | 上1排(通长)          |
|                  | C10  |      | 218        | 51*2      | 102     | 137.20     | @100(4)1跨51      |
|                  | C10  |      | 178        | 51*2      | 102     | 112.02     | 1跨51             |
|                  | C8   |      | 53         | 48*2      | 96      | 20.10      |                  |
| 36#KL5<br>(1-3)  | C25  |      | 640        | 2*2       | 4       | 98.56      | 下2排(通长)          |
|                  | C25  |      | 640        | 5*2       | 10      | 246.40     | 下1排(通长)          |
|                  | C12  |      | 560        | 4*2       | 8       | 39.78      | 腰筋(通长)           |
|                  | C25  |      | 690        | 4*2       | 8       | 212.52     | 上1排(通长)          |
|                  | C10  |      | 218        | 41*2      | 82      | 110.29     | @100(3)1跨24,2跨17 |
|                  | C10  |      | 97         | 41*2      | 82      | 49.08      | 1跨24,2跨17        |
|                  | C6   |      | 39         | 36*2      | 72      | 6.23       |                  |
|                  | C25  |      | 28         | 5*2       | 10      | 10.78      | 垫铁               |
| 37#KL7<br>(1-2)  | C25  |      | 605        | 5         | 5       | 116.46     | 下1排              |
|                  | C14  |      | 530        | 8         | 8       | 51.30      | 腰筋               |
|                  | C25  |      | 715        | 4         | 4       | 110.11     | 上1排(通长)          |
|                  | C25  |      | 345        | 1         | 1       | 13.28      | 上1排(支座1右)        |
|                  | C25  |      | 230        | 1         | 1       | 8.85       | 上1排(支座2左)        |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称            | 级直别径 | 钢筋简图   | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                 |
|-----------------|------|--|-------------|-----------|---------|------------|--------------------|
|                 | C10  |  115                | 338         | 43        | 43      | 89.67      | @100(4)1跨43        |
|                 | C10  |  115                | 283         | 43        | 43      | 75.08      | 1跨43               |
|                 | C8   |  47                 | 63          | 84        | 84      | 20.90      |                    |
| 38#KL8<br>(1-2) | C25  |  550                | 550         | 5         | 5       | 105.87     | 下1排                |
|                 | C14  |  460                | 460         | 8         | 8       | 44.53      | 腰筋                 |
|                 | C25  |  550                | 550         | 4         | 4       | 84.70      | 上1排(通长)            |
|                 | C25  |  210                | 210         | 4         | 4       | 32.34      | 上1排(支座1右)1,(支座2左)3 |
|                 | C10  |  115               | 338         | 36        | 36      | 75.08      | @100(4)1跨36        |
|                 | C10  |  115              | 283         | 36        | 36      | 62.86      | 1跨36               |
|                 | C8   |  47               | 63          | 68        | 68      | 16.92      |                    |
| 39#KL9<br>(1-5) | C25  |  900              | 900         | 2         | 2       | 69.30      | 下2排(1跨-2跨)         |
|                 | C25  |  900              | 900         | 6         | 6       | 207.90     | 下1排(1跨-2跨)         |
|                 | C25  |  675 38           | 710         | 2         | 2       | 54.67      | 下2排(3跨-4跨)         |
|                 | C25  |  675 38           | 710         | 5         | 5       | 136.67     | 下1排(3跨-4跨)         |
|                 | C12  |  810              | 810         | 4         | 4       | 28.77      | 腰筋(1跨-2跨)          |
|                 | C12  |  630              | 630         | 4         | 4       | 22.38      | 腰筋(3跨-4跨)          |
|                 | C25  |  190              | 190         | 3         | 3       | 21.94      | 上2排(支座1右)          |
|                 | C25  |  1167 317 38 套 38 | 1200<br>350 | 2         | 2       | 119.35     | 上1排(通长)<br>长:14840 |
|                 | C25  |  1167 320 38 套 38 | 1200<br>355 | 1         | 1       | 59.87      | 上1排(通长)<br>长:14866 |
|                 | C25  |  38 890           | 925         | 1         | 1       | 35.61      | 上1排(支座1-支座3)       |
|                 | C25  |  38 215           | 250         | 1         | 1       | 9.62       | 上1排(支座1右)          |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁





| 构件名称             | 级直别径 | 钢筋简图 | 下料<br>(cm)  | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                        |
|------------------|------|------|-------------|-----------|---------|------------|---------------------------|
|                  | C25  |      | 165         | 2         | 2       | 12.70      | 上2排(支座3右)                 |
|                  | C10  |      | 218         | 35        | 35      | 47.08      | @100/200(4)1跨15+5+15      |
|                  | C10  |      | 178         | 35        | 35      | 38.44      | 1跨15+5+15                 |
|                  | C10  |      | 218         | 21        | 21      | 28.25      | @100(4)2跨21               |
|                  | C10  |      | 178         | 21        | 21      | 23.06      | 2跨21                      |
|                  | C10  |      | 218         | 49        | 49      | 65.91      | @100(3)3跨31,4跨17+1        |
|                  | C10  |      | 97          | 48        | 48      | 28.73      | 3跨31,4跨17                 |
|                  | C6   |      | 39          | 44        | 44      | 3.81       |                           |
|                  | C8   |      | 53          | 40        | 40      | 8.37       |                           |
|                  | C25  |      | 28          | 7         | 7       | 7.55       | 垫铁                        |
|                  | C25  |      | 38          | 9         | 9       | 13.17      | 垫铁                        |
| 40#KL10<br>(1-5) | C25  |      | 705         | 2         | 2       | 54.28      | 下2排(1跨-2跨)1,(1跨-2跨)1      |
|                  | C25  |      | 710         | 5         | 5       | 136.67     | 下1排(1跨-2跨)3,(1跨-2跨)2      |
|                  | C25  |      | 750         | 2         | 2       | 57.75      | 下2排(3跨-4跨)1,(3跨-4跨)1      |
|                  | C25  |      | 755         | 5         | 5       | 145.34     | 下1排(3跨-4跨)3,(3跨-4跨)2      |
|                  | C12  |      | 630         | 4         | 4       | 22.38      | 腰筋(1跨-2跨)                 |
|                  | C12  |      | 655         | 4         | 4       | 23.27      | 腰筋(3跨-4跨)                 |
|                  | C25  |      | 1200<br>185 | 3         | 3       | 159.97     | 上1排(通长)2,(通长)1<br>长:13200 |
|                  | C25  |      | 255         | 2         | 2       | 19.63      | 上2排(支座3)                  |
|                  | C25  |      | 185         | 1         | 1       | 7.12       | 上1排(支座5左)                 |
|                  | C25  |      | 160         | 2         | 2       | 12.32      | 上2排(支座5左)                 |


















# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称 | 级直别径 | 钢筋简图  | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注                           |
|------|------|---|------------|-----------|---------|------------|------------------------------|
|      | C10  |  | 218        | 96        | 96      | 129.13     | @100(3)1跨17+1,2跨31,3跨21,4跨26 |
|      | C10  |  | 97         | 95        | 95      | 56.86      | 1跨17,2跨31,3跨21,4跨26          |
|      | C6   |  | 39         | 88        | 88      | 7.62       |                              |
|      | C25  |  | 28         | 17        | 17      | 18.33      | 垫铁                           |
|      |      |   |            |           |         |            |                              |

## 次梁









|                 |     |   |     |      |    |       |                  |
|-----------------|-----|---|-----|------|----|-------|------------------|
| 41#L1<br>(1-2)  | C16 |    | 270 | 2*2  | 4  | 17.06 | 下1排              |
|                 | C16 |   | 325 | 2*2  | 4  | 20.54 | 上1排(通长)          |
|                 | C8  |  | 114 | 11*2 | 22 | 9.91  | @200(2)1跨11      |
| 41A#L1<br>(1-2) | C16 |  | 280 | 2*2  | 4  | 17.70 | 下1排              |
|                 | C16 |  | 345 | 2*2  | 4  | 21.80 | 上1排(通长)          |
|                 | C8  |  | 114 | 11*2 | 22 | 9.91  | @200(2)1跨11      |
| 42#L2<br>(1-2)  | C14 |  | 200 | 2*4  | 8  | 19.36 | 下1排              |
|                 | C14 |  | 200 | 2*4  | 8  | 19.36 | 上1排(通长)          |
|                 | C6  |  | 141 | 7*4  | 28 | 8.76  | @200(2)1跨7       |
| 43#L3<br>(1-2)  | C14 |  | 220 | 2*4  | 8  | 21.30 | 下1排              |
|                 | C14 |  | 245 | 2*4  | 8  | 23.72 | 上1排(通长)          |
|                 | C8  |  | 114 | 7*4  | 28 | 12.61 | @200(2)1跨7       |
| 44#L4<br>(1-2)  | C16 |  | 615 | 2*2  | 4  | 38.87 | 下1排(左挑-右挑)       |
|                 | C16 |  | 615 | 2*2  | 4  | 38.87 | 上1排(左挑-右挑)       |
|                 | C6  |  | 141 | 24*2 | 48 | 15.02 | @100(2)左挑12,右挑12 |



# 钢筋配料表

栋号：6号楼群楼以下

部位：二层\_梁\_梁

| 构件名称            | 级直别径 | 钢筋简图   | 下料<br>(cm) | 根件<br>数*数 | 总<br>根数 | 重量<br>(kg) | 备注          |
|-----------------|------|--|------------|-----------|---------|------------|-------------|
|                 | C6   |  50     | 141        | 15*2      | 30      | 9.39       | @200(2)1跨15 |
| 45#L5<br>(1-2)  | C16  |  380 24 | 400        | 2         | 2       | 12.64      | 下1排         |
|                 | C16  |  380 24 | 420        | 2         | 2       | 13.27      | 上1排(通长)     |
|                 | C16  |  170 24 | 190        | 1         | 1       | 3.00       | 上1排(支座1右)   |
|                 | C8   |  45     | 134        | 16        | 16      | 8.47       | @200(2)1跨16 |
| 45A#L5<br>(1-2) | C16  |  310 24 | 330        | 2         | 2       | 10.43      | 下1排         |
|                 | C16  |  320 24 | 360        | 2         | 2       | 11.38      | 上1排(通长)     |
|                 | C8   |  45    | 134        | 13        | 13      | 6.88       | @200(2)1跨13 |