

料表编号:

☐ 绑扎
☒ 配料
☐ 留存

北京易精软件有限公司

栋 号: 凯悦华庭

部 位: 2#楼地下室 基础 筏板修正版

相同层数: 1

序号	分类	Φ8	Φ12	Φ14	Φ16	Φ18	Φ25	合计
1	重量	6	843	477	1903	21060	466	24.755
2	套筒					737		737
3	搭接		6					6

注:重量单位明细为公斤、合计为吨;接头单位为个。




















日期: 2019年12月02日



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
基础梁							
JL1 (1-2)	上1排(通长)	Φ25	380  380	6410	7	7	172.75
	腰筋	Φ16	240  240	6170	2	2	19.50
	下1排	Φ25	380  380	6410	11	11	271.46
	@200(6)1跨31	Φ12	 1100	4280	31	31	117.82
	1跨62	Φ12	 1100	2820	62	62	155.26
		Φ8	 950	1110	14	14	6.14
集水坑 （现场实测为准）							
X2	@200	Φ18		9000 1080	19	19	383.04
X3	@200	Φ18		4610	19	19	175.18
X4	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
X5	@200	Φ18		9000 970	1	1	19.94
	@200	Φ18		770 9000	1	1	19.54

审核：

翻样：





















第 1 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200	Φ18		9000 570	1	1	19.14
	@200	Φ18		380 9000	1	1	18.76
	@200	Φ18		9000 180	1	1	18.36
	@200	Φ18		8980	1	1	17.96
	@200	Φ18		8790	1	1	17.58
	@200	Φ18		8590	1	1	17.18
	@200	Φ18		8400	1	1	16.80
X6	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 1080	1	1	20.16
	@200	Φ18		1080 9000	1	1	20.16
	@200	Φ18		9000 970	1	1	19.94
X7	@200	Φ18		770 9000	1	1	19.54
	@200	Φ18		9000 570	1	1	19.14
	@200	Φ18		380 9000	1	1	18.76
	@200	Φ18		9000 180	1	1	18.36
	@200	Φ18					

审核：

翻样：

第 2 页,共15页 2019/12/4 13:46



钢 筋 配 料 表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200	Φ18		8980	1	1	17.96
	@200	Φ18		8790	1	1	17.58
	@200	Φ18		8590	1	1	17.18
	@200	Φ18		8400	1	1	16.80
X8	@200	Φ18		4510	1	1	9.02
	@200	Φ18		4310	1	1	8.62
	@200	Φ18		4110	1	1	8.22
	@200	Φ18		3910	1	1	7.82
	@200	Φ18		3710	1	1	7.42
	@200	Φ18		3510	1	1	7.02
	@200	Φ18		3310	1	1	6.62
	@200	Φ18		3110	1	1	6.22
	@200	Φ18		2910	1	1	5.82
X9	@200	Φ18		4510	1	1	9.02
	@200	Φ18		4310	1	1	8.62
	@200	Φ18		4110	1	1	8.22
	@200	Φ18		3910	1	1	7.82
	@200	Φ18		3710	1	1	7.42
	@200	Φ18		3510	1	1	7.02
	@200	Φ18		3310	1	1	6.62
	@200	Φ18		3110	1	1	6.22

审核：

翻样：

第 3 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200	Φ18		2910	1	1	5.82
Y10	@200	Φ18		9000 2870	19	19	451.06
Y11	@200	Φ18		4900	1	1	9.80
	@200	Φ18		5700	1	1	11.40
	@200	Φ18		6500	1	1	13.00
	@200	Φ18		7300	1	1	14.60
	@200	Φ18		8100	1	1	16.20
Y12	@200	Φ18		8400	3	3	50.40
Y13	@200	Φ18		9000 2770	1	1	23.54
	@200	Φ18		2570 9000	1	1	23.14
	@200	Φ18		9000 2370	1	1	22.74
	@200	Φ18		2170 9000	1	1	22.34
	@200	Φ18		9000 1970	1	1	21.94
	@200	Φ18		1780 9000	1	1	21.56
	@200	Φ18		9000 1580	1	1	21.16
	@200	Φ18		1380 9000	1	1	20.76
	@200	Φ18		9000 1180	1	1	20.36
	@200	Φ18		980 9000	1	1	19.96
	@200	Φ18		9000 780	1	1	19.56
	@200	Φ18		590 9000	1	1	19.18
	@200	Φ18		9000 390	1	1	18.78

审核：

翻样：

第 4 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200	Φ18		190 9000	1	1	18.38
	@200	Φ18		9000	1	1	18.00
	@200	Φ18		8790	1	1	17.58
	@200	Φ18		8590	1	1	17.18
	@200	Φ18		8400	1	1	16.80
Y14	@200	Φ18		9000 2770	1	1	23.54
	@200	Φ18		2570 9000	1	1	23.14
	@200	Φ18		9000 2370	1	1	22.74
	@200	Φ18		2170 9000	1	1	22.34
	@200	Φ18		9000 1970	1	1	21.94
	@200	Φ18		1770 9000	1	1	21.54
	@200	Φ18		9000 1570	1	1	21.14
	@200	Φ18		1370 9000	1	1	20.74
	@200	Φ18		9000 1170	1	1	20.34
Y15	@200	Φ18		3780	1	1	7.56
	@200	Φ18		3580	1	1	7.16
	@200	Φ18		3390	1	1	6.78
	@200	Φ18		3190	1	1	6.38
	@200	Φ18		2990	1	1	5.98
	@200	Φ18		2800	1	1	5.60
	@200	Φ18		2600	1	1	5.20

审核：

翻样：

第 5 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200	Φ18		2400	1	1	4.80
	@200	Φ18		2210	1	1	4.42
Y16	@200	Φ18		3780	1	1	7.56
	@200	Φ18		3580	1	1	7.16
	@200	Φ18		3390	1	1	6.78
	@200	Φ18		3190	1	1	6.38
	@200	Φ18		2990	1	1	5.98
	@200	Φ18		2800	1	1	5.60
	@200	Φ18		2600	1	1	5.20
	@200	Φ18		2400	1	1	4.80
	@200	Φ18		2210	1	1	4.42
Y17	@200	Φ18		8300	1	1	16.60
	@200	Φ18		8100	1	1	16.20
	@200	Φ18		7900	1	1	15.80
	@200	Φ18		7700	1	1	15.40
	@200	Φ18		7500	1	1	15.00
	@200	Φ18		7300	1	1	14.60
	@200	Φ18		7100	1	1	14.20
	@200	Φ18		6900	1	1	13.80
	@200	Φ18		6700	1	1	13.40
底筋X向							

审核：

翻样：






















第 6 页,共15页 2019/12/4 13:46



钢筋配料表

栋号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
底筋X1#	@200	Φ18	220  220	4970	3	3	29.82
底筋X2#	@200 总长11700	Φ18	220  220	9000 3070	2	2	48.28
底筋X3#	@200 总长12200	Φ18	220  220	9000 3570	12	12	301.68
底筋X4#	@200 总长11700	Φ18	220  220	9000 3070	11	11	265.54
底筋X5#	@200 总长9000	Φ18	220  220	9000 370	3	3	56.22
底筋X6#	@200 总长9000	Φ18	220  220	9000 370	3	3	56.22
底筋X7#	@200 总长33600	Φ18	220  220	9000 9000*2 6970	19	19	1290.8 6
底筋X8#	@200 总长12664	Φ18	220  220	3850 9000	6	6	154.20
	@200 总长12664	Φ18	220  220	9000 3850	6	6	154.20
底筋X9#	@200 总长11064	Φ18	220  220	2250 9000	5	5	112.50
	@200 总长11064	Φ18	220  220	9000 2250	4	4	90.00
底筋X10#	@200 总长10714	Φ18	220  220	1900 9000	5	5	109.00
	@200 总长10714	Φ18	220  220	9000 1900	4	4	87.20
底筋X11#	@200[45°]	Φ18		6700	2	2	26.80
底筋X12#	@200[45°]	Φ18		2070	5	5	20.70
底筋X13#	@200[45°] 总长10200	Φ18		9000 3400	6	6	148.80
底筋X14#	@200[45°]	Φ18		4520	4	4	36.16
底筋X15#	@200[45°]	Φ18		2990	1	1	5.98
底筋X16#	@200[45°]	Φ18		6700	2	2	26.80
底筋X16A#	@200[45°]	Φ18		2840	5	5	28.40
底筋X17#	@200 总长11488	Φ18		2670 9000	5	5	116.70

审核：

翻样：

第 7 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200 总长11488	Φ18		9000 2670	4	4	93.36
底筋X18#	@200 总长11988	Φ18		3170 9000	5	5	121.70
	@200 总长11988	Φ18		9000 3170	4	4	97.36
底筋X19#	@200 总长13588	Φ18		4770 9000	4	4	110.16
	@200 总长13588	Φ18		9000 4770	4	4	110.16
底筋X20#	@200 总长15122	Φ18		6310 9000	2	2	61.24
	@200 总长15122	Φ18		9000 6310	2	2	61.24
底筋Y向							
底筋Y21#	@200	Φ18		7170	8	8	114.72
底筋Y22#	@200	Φ18		8870	2	2	35.48
底筋Y23#	@200[45°] 总长10400	Φ18		9000 2690	8	8	187.04
	@200[45°] 总长10400	Φ18		2690 9000	9	9	210.42
底筋Y24#	@200[45°] 总长10800	Φ18		9000 3090	9	9	217.62
	@200[45°] 总长10800	Φ18		3090 9000	10	10	241.80
底筋Y25#	@200[45°] 总长10200	Φ18		9000 2490	2	2	45.96
	@200[45°] 总长10200	Φ18		2490 9000	2	2	45.96
底筋Y26#	@200[45°] 总长9800	Φ18		9000 2090	3	3	66.54
	@200[45°] 总长9800	Φ18		2090 9000	3	3	66.54
底筋Y27#	@200[45°] 总长15300	Φ18		9000 7590	1	1	33.18
	@200[45°] 总长15300	Φ18		7590 9000	2	2	66.36

审核：

翻样：





















第 8 页,共15页 2019/12/4 13:46



钢筋配料表

栋号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
底筋Y28#	@200[45°] 总长17400	Φ18		3000 9000 6690	1	1	37.38
	@200[45°] 总长17400	Φ18		6690 9000 3000	1	1	37.38
底筋Y29#	@200[45°]	Φ18		2720	35	35	190.40
底筋Y30#	@200[45°]	Φ18		3590	8	8	57.44
底筋Y31#	@200 总长9964	Φ18		9000 1150	9	9	182.70
	@200 总长9964	Φ18		1150 9000	10	10	203.00
底筋Y32#	@200 总长9364	Φ18		9000 550	8	8	152.80
	@200 总长9364	Φ18		550 9000	8	8	152.80
底筋Y33#	@200 总长10230	Φ18		9000 1410	4	4	83.28
	@200 总长10230	Φ18		1410 9000	4	4	83.28
底筋Y34#	@200[45°] 总长16800	Φ18		4590 9000 4500	3	3	108.54
	@200[45°] 总长16800	Φ18		9090 9000	3	3	108.54
底筋Y35#	@200	Φ18		2770	3	3	16.62
底筋Y36#	@200[45°] 总长14700	Φ18		9000 6990	2	2	63.96
	@200[45°] 总长14700	Φ18		6990 9000	3	3	95.94
底筋Y37#	@200[45°] 总长9800	Φ18		9000 2090	2	2	44.36
	@200[45°] 总长9800	Φ18		2090 9000	2	2	44.36
底筋Y38#	@200[45°] 总长10200	Φ18		9000 2490	2	2	45.96
	@200[45°] 总长10200	Φ18		2490 9000	2	2	45.96
底筋Y39#	@200[45°] 总长10800	Φ18		9000 3090	9	9	217.62

审核：

翻样：





















第 9 页,共15页 2019/12/4 13:46



钢筋配料表

栋号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200[45°] 总长10800	Φ 18		3090 9000	10	10	241.80
底筋Y42#	@200	Φ 18		7170	8	8	114.72
底筋Y40#	@200[45°] 总长10400	Φ 18		2690 9000	9	9	210.42
底筋Y41#	@200[45°] 总长11400	Φ 18		9000 3690	1	1	25.38
	@200[45°] 总长11400	Φ 18		3690 9000	2	2	50.76
底筋Y41A#	@200	Φ 18		6280	5	5	62.80
底筋Y41B#	@200	Φ 18		8870	3	3	53.22
底筋Y42#	@200	Φ 18		7170	8	8	114.72
面筋Y向							
面筋Y43#	@200	Φ 18		7170	8	8	114.72
面筋Y44#	@200	Φ 18		8870	2	2	35.48
面筋Y45#	@200 总长11100	Φ 18		2280 9000	8	8	180.48
	@200 总长11100	Φ 18		9000 2280	9	9	203.04
面筋Y46#	@200 总长11500	Φ 18		2680 9000	9	9	210.24
	@200 总长11500	Φ 18		9000 2680	10	10	233.60
面筋Y47#	@200 总长10900	Φ 18		2080 9000	2	2	44.32
	@200 总长10900	Φ 18		9000 2080	2	2	44.32
面筋Y48#	@200 总长10500	Φ 18		1680 9000	3	3	64.08
	@200 总长10500	Φ 18		9000 1680	3	3	64.08
面筋Y49#	@200 总长16000	Φ 18		7180 9000	1	1	32.36
	@200 总长16000	Φ 18		9000 7180	2	2	64.72

审核：

翻样：

第 10 页,共15页 2019/12/4 13:46



钢筋配料表

栋号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
面筋Y50#	@200 总长18100	Φ18		6280 9000 3000	7	7	255.92
	@200 总长18100	Φ18		3000 9000 6280	7	7	255.92
面筋Y51#	@200	Φ18		7660	11	11	168.52
面筋Y52#	@200	Φ18		6160	12	12	147.84
面筋Y53#	@200 总长11750	Φ18		9000 6550	3	3	93.30
	@200 总长11750	Φ18		6550 9000	4	4	124.40
面筋Y54#	@200 总长11150	Φ18		5950 9000	2	2	59.80
	@200	Φ18		14950	2	2	59.80
面筋Y55#	@200 总长11150	Φ18		9000 4450	6	6	161.40
	@200 总长11150	Φ18		4450 9000	6	6	161.40
面筋Y56#	@200 总长17500	Φ18		4500 9000 4180	7	7	247.52
	@200 总长17500	Φ18		9000 8680	7	7	247.52
面筋Y57#	@200 总长15400	Φ18		6580 9000	2	2	62.32
	@200 总长15400	Φ18		9000 6580	3	3	93.48
面筋Y57A#	@200	Φ18		2770	3	3	16.62
面筋Y58#	@200 总长10500	Φ18		1680 9000	2	2	42.72
	@200 总长10500	Φ18		9000 1680	2	2	42.72
面筋Y59#	@200 总长10900	Φ18		2080 9000	2	2	44.32
	@200 总长10900	Φ18		9000 2080	2	2	44.32
面筋Y60#	@200 总长11500	Φ18		2680 9000	9	9	210.24

审核：

翻样：

第 11 页,共15页 2019/12/4 13:46



钢筋配料表

栋号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
	@200 总长11500	Φ18		9000 2680	10	10	233.60
面筋Y61#	@200 总长11100	Φ18		2280 9000	4	4	90.24
	@200 总长11100	Φ18		9000 2280	4	4	90.24
面筋Y61A#	@200 总长12100	Φ18		3280 9000	4	4	98.24
	@200 总长12100	Φ18		9000 3280	4	4	98.24
面筋Y62#	@200	Φ18		8870	3	3	53.22
面筋Y63#	@200	Φ18		7170	8	8	114.72
面筋X向							
面筋X64#	@200	Φ18		4970	3	3	29.82
面筋X65#	@200 总长11700	Φ18		9000 3070	2	2	48.28
面筋X66#	@200 总长12200	Φ18		9000 3570	12	12	301.68
面筋X67#	@200 总长11700	Φ18		9000 3070	11	11	265.54
面筋X68#	@200 总长9000	Φ18		9000 370	3	3	56.22
面筋X69#	@200 总长9000	Φ18		9000 370	3	3	56.22
面筋X70#	@200 总长33600	Φ18		9000 9000*2 6970	31	31	2106.14
面筋X71#	@200 总长12850	Φ18		7650 9000	5	5	166.50
	@200 总长12850	Φ18		9000 7650	4	4	133.20
面筋X72#	@200 总长12500	Φ18		7300 9000	1	1	32.60
	@200 总长12500	Φ18		9000 7300	1	1	32.60
面筋X73#	@200 总长12850	Φ18		6150 9000	5	5	151.50
	@200 总长12850	Φ18		9000 6150	4	4	121.20

审核：

翻样：

第 12 页,共15页 2019/12/4 13:46



钢筋配料表

栋号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备注	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)
面筋X74#	@200 总长12350	Φ18		5650 9000	1	1	29.30
	@200 总长12350	Φ18		9000 5650	1	1	29.30
面筋X75#	@200 总长29550	Φ18		9000 9000*2 2920	7	7	418.88
面筋X76#	@200	Φ18		5900	2	2	23.60
面筋X77#	@200	Φ18		5900	2	2	23.60
面筋X77A#	@200	Φ18		2430	5	5	24.30
面筋X78#	@200 总长11600	Φ18		9000 2600	11	11	255.20
筏板加筋							
板底附加筋 1#	@180	Φ14		3300	10	10	39.93
板底附加筋 2#	@180[60°]	Φ14		4710	17	17	96.88
板底附加筋 3#	@180	Φ14		2700	13	13	42.47
板底附加筋 4#	@180	Φ14		3300	10	10	39.93
板底附加筋 5#	@180	Φ14		3000	12	12	43.56
板面附加筋 6#	@180	Φ14		2000	6	6	14.52
板面附加筋 7#	@180	Φ14		3250	23	23	90.45
板面附加筋 8#	@180	Φ14		3400	21	21	86.39
阳角附加筋	@150	Φ16		2200	7*21	147	510.97
基坑上层筋和侧壁筋							
基坑上层筋 1#	@180	Φ16		3300	13	13	67.78
基坑上层筋 2#	@180	Φ16		4920	13	13	101.06
基坑上层筋 3#	@200	Φ18		3400	12	12	81.60

审核：

翻样：

第 13 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
基坑上层筋 4#	@200	Φ18		3400	13	13	88.40
基坑侧壁筋 5#	@180	Φ16		3300	9	9	46.93
基坑侧壁筋 6#	@180	Φ16		3300	9	9	46.93
基坑侧壁筋 7#	@180	Φ16		5700	9	9	81.05
基坑侧壁筋 8#	@180	Φ16		5700	9	9	81.05
基坑侧壁筋 9#	@200	Φ18		3300	16	16	105.60
基坑侧壁筋 10#	@200	Φ18		3300	8	8	52.80
基坑侧壁筋 11#	@200	Φ18		3300	9	9	59.40
筏板封边筋							
马镫		Φ16		1550	350	350	857.15
封边							
立筋	@180	Φ12		930	196	196	161.86
立筋	@180	Φ12		900	156	156	124.68
分布筋1#	@200	Φ12		2110	3	3	5.62
分布筋2#	@200	Φ12		7110	3	3	18.94
分布筋3#	@200(搭538) 总长9000	Φ12		9000 850	3	3	26.24
分布筋4#	@200	Φ12		1110	3	3	2.96
分布筋5#	@200	Φ12		2900	3	3	7.73
分布筋6#	@200	Φ12		6010	3	3	16.01
分布筋7#	@200	Φ12		4910	3	3	13.08
分布筋8#	@200	Φ12		1110	3	3	2.96

审核：

翻样：

第 14 页,共15页 2019/12/4 13:46



钢筋配料表

栋 号：凯悦华庭

部位：2#楼地下室 基础 筏板修正版

构件名称	备 注	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)
分布筋9#	@200	Φ12		8130	3	3	21.66
分布筋10#	@200	Φ12		1010	3	3	2.69
分布筋11#	@200	Φ12		2710	3	3	7.22
分布筋12#	@200	Φ12		1010	3	3	2.69
分布筋13#	@200	Φ12		2900	3	3	7.73
分布筋14#	@200	Φ12		2400	3	3	6.39
分布筋15#	@200	Φ12		1110	3	3	2.96
分布筋16#	@200(搭538) 总长9000	Φ12		9000 850	3	3	26.24
分布筋17#	@200	Φ12		7110	3	3	18.94
分布筋18#	@200	Φ12		2110	3	3	5.62
分布筋19#	@200	Φ12		2210	3	3	5.89
分布筋20#	@200	Φ12		1010	3	3	2.69
分布筋21#	@200	Φ12		3410	3	3	9.08
分布筋31#	@200	Φ12		2410	3	3	6.42
分布筋32#	@200	Φ12		2780	3	3	7.41

审核：

翻样：

第 15 页,共15页 2019/12/4 13:46