



















钢 筋 配 料 表

项目名称：华漕14#楼





















构件：四层 东单元梁





















构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
1#1-L52 (1-2)	1	Φ22		9020	2	2	53.76	上1排(通长)
	2	Φ22		3260	1	1	9.71	上1排(支座2左)
	3	Φ12		8490	2	2	15.08	腰筋
	4	Φ18		8630	2	2	34.52	下1排
	5	Φ8		1740	47	47	32.3	@200(2)1跨41+6
	6	Φ6		390	19	19	1.65	
2#1-L52 (1-5)	7	Φ20		1750 9000 9000	1	1	48.78	上1排(支座1-右挑) 长:19250
	8	Φ20		2750 9000 8000	1	1	48.78	上1排(支座1-右挑) 长:19250
	9	Φ20		6700 9000 4060	1	1	48.81	上1排(支座1-右挑) 长:18400
	10	Φ20		4680	1	1	11.56	上1排(支座4)
	11	Φ16		9000 9000 3120	4	4	133.48	腰筋(1跨-右挑) 长:19250 搭:830
	12	Φ22		4850	3	3	43.36	下1排(1跨)
	13	Φ22		5280	3	3	47.2	下1排(2跨)
	14	Φ22		8280	3	3	74.02	下1排(3跨-4跨)
	15	Φ22		4200	3	3	37.55	下1排(4跨-右挑)
	16	Φ22		1970	3	3	17.61	下1排(右挑)
	17	Φ10		1980	142	142	173.48	@100(2)右挑16,1跨 11+7+11,2跨11+7+11,3跨 11+22+11,4跨11+2+11
	18	Φ6		390	90	90	7.79	
3#1-KL152 (1-4)	19	Φ22		1830 9000 9000	1	1	59.09	上1排(支座1-右挑) 长:19275

审核：























翻样：

第1页共24页 2020/5/6,21:45














构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	20	Φ22		2830 9000 8000	1	1	59.09	上1排(支座1-右挑) 长:19275
	21	Φ22		2730	1	1	8.14	上1排(支座2)
	22	Φ22		4730	1	1	14.1	上1排(支座3)
	23	Φ22		7150	2	2	42.61	上1排(支座4左-右挑)
	24	Φ12		4500 9000 6020	2	2	34.67	腰筋(1跨-右挑) 长:19155 搭:180
	25	Φ20		4700	3	3	34.83	下1排(1跨)
	26	Φ20		4980	3	3	36.9	下1排(2跨)
	27	Φ20		7980	3	3	59.13	下1排(3跨)
	28	Φ20		4740	3	3	35.12	下1排(右挑)
	29	Φ10		1780	131	131	143.87	@100/200(2)1跨 10+7+10,2跨10+7+10,3跨 10+7+10,右挑
	30	Φ6		390	41	41	3.55	
4#1-KZL1 (1-2)	31	Φ20		8590	2	2	42.43	上1排(左挑-支座2)1,(左 挑-支座2)1
	32	Φ20		8560	1	1	21.14	上1排(左挑-支座2)
	33	Φ20		3540	2	2	17.49	上2排(左挑-支座1右)
	34	Φ18		2090	2	2	8.36	上2排(支座2左)
	35	Φ12		1360	2	2	2.42	腰筋(左挑)
	36	Φ14		6890	2	2	16.67	腰筋(1跨)
	37	Φ18		1500	2	2	6	下1排(左挑)
	38	Φ18		6830	1	1	13.66	下1排(1跨)
	39	Φ20		6980	2	2	34.48	下1排(1跨)
	40	Φ8		1540	12	12	7.3	@100(2)左挑12
	41	Φ10		1580	56	56	54.59	@100(2)1跨55+1

















构件名称	序号	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	42	Φ6		290	32	32	2.06	
5#1-LL5 (1-2)	43	Φ22		4030	3	3	36.03	上1排(通长)
	44	Φ12		3600	2	2	6.39	腰筋
	45	Φ22		4030	3	3	36.03	下1排
	46	Φ10		1580	17	17	16.57	@150(2)1跨17
	47	Φ6		290	7	7	0.45	
6#1-LL6 (1-2)	48	Φ22		4030	2	2	24.02	上1排(通长)
	49	Φ12		3600	2	2	6.39	腰筋
	50	Φ22		4030	2	2	24.02	下1排
	51	Φ10		1580	17	17	16.57	@150(2)1跨17
	52	Φ6		290	7	7	0.45	
7#1-KL17 (1-3)	53	Φ20		11690	1	1	28.87	上1排(支座1-右挑) 长:11415
	54	Φ20		11690	1	1	28.87	上1排(支座1-右挑) 长:11415
	55	Φ20		2570	1	1	6.35	上1排(支座1右)
	56	Φ20		2120	4	4	20.95	上2排(支座1右)2,(支座2 左)2
	57	Φ20		7220	1	1	17.83	上1排(支座2左-右挑)
	58	Φ20		5360	2	2	26.48	上1排(支座2-右挑)
	59	Φ20		5330	1	1	13.17	上1排(支座2-右挑)
	60	Φ12		5860	1	1	5.2	腰筋(1跨)
	61	Φ12		4500 6540	1	1	9.8	腰筋(1跨-右挑) 长:10855 搭:180
	62	Φ12		4560	1	1	4.05	腰筋(2跨-右挑)
	63	Φ20		6980	3	3	51.72	下1排(1跨)
	64	Φ20		3880	2	2	19.17	下1排(2跨-右挑)
























构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	65	Φ20		1940	2	2	9.58	下1排(右挑)
	66	Φ8		1940	33	33	25.29	右挑@150/100,16,2跨17
	67	Φ8		1540	33	33	20.07	右挑@150/100,16,2跨17
	68	Φ8		1540	34	34	20.68	@150/200(2)1跨 7+17+7+3
	69	Φ6		290	13	13	0.84	
	70	Φ8		530	14	14	2.93	
8#1-LL7 (1-2)	71	Φ22		2200	3*2	6	39.34	上1排(通长)
	72	Φ12		1860	2*2	4	6.61	腰筋
	73	Φ22		2200	3*2	6	39.34	下1排
	74	Φ12		1620	8*2	16	23.02	@100(2)1跨8
	75	Φ6		290	3*2	6	0.39	
9#1-L8 (1-3)	76	Φ16		3720	3	3	17.63	上1排(通长)
	77	Φ12		3610	2	2	6.41	腰筋(通长)
	78	Φ14		1830	2	2	4.43	下1排(1跨)
	79	Φ14		1930	2	2	4.67	下1排(2跨)
	80	Φ6		1510	21	21	7.04	2跨@200/100,14,1跨7
	81	Φ6		290	8	8	0.52	
10#1-L21 (1-2)	82	Φ16		3930	2	2	12.42	上1排(支座1-右挑)
	83	Φ16		3950	1	1	6.24	上1排(支座1-右挑)
	84	Φ12		3690	2	2	6.55	腰筋(1跨-右挑)
	85	Φ14		1830	2	2	4.43	下1排(1跨)
	86	Φ14		2030	2	2	4.91	下1排(右挑)
	87	Φ8		1540	31	31	18.86	@100(2)1跨13,右挑18

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	88	Φ6		290	14	14	0.9	
11#1-KL52 (1-2)	89	Φ20		2350	3	3	17.41	上1排(通长)
	90	Φ18		2250	2	2	9	上2排(通长)
	91	Φ18		2250	2	2	9	下1排
	92	Φ10		1180	12	12	8.74	@100(2)1跨12
12#1-LL8 (1-2)	93	Φ22		3230	2	2	19.25	上1排(通长)
	94	Φ12		2800	2	2	4.97	腰筋
	95	Φ22		3230	2	2	19.25	下1排
	96	Φ12		1620	11	11	15.82	@150(2)1跨11
	97	Φ6		290	5	5	0.32	
13#1-LL9 (1-2)	98	Φ20		3080	2	2	15.22	上1排(通长)
	99	Φ12		2800	2	2	4.97	腰筋
	100	Φ20		3080	2	2	15.22	下1排
	101	Φ12		1620	11	11	15.82	@150(2)1跨11
	102	Φ6		290	5	5	0.32	
15#1-KL43 (1-2)	103	Φ18		2250	3	3	13.5	上1排(通长)
	104	Φ18		2250	3	3	13.5	上2排(通长)
	105	Φ12		1950	2	2	3.46	腰筋
	106	Φ18		2250	2	2	9	下1排
	107	Φ10		1180	12	12	8.74	@100(2)1跨12
	108	Φ6		290	5	5	0.32	
16#1-KL19 (1-2)	109	Φ22		4230	2	2	25.21	上1排(通长)
	110	Φ22		1680	2	2	10.01	上1排(支座1右)1,(支座2左)1




















构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	111	Φ20		4080	3	3	30.23	下1排
	112	Φ8		1140	24	24	10.81	@100/150(2)1跨7+8+7+2
17#1-LL11 (1-2)	113	Φ20		3080	2*2	4	30.43	上1排(通长)
	114	Φ20		3080	2*2	4	30.43	下1排
	115	Φ10		1380	16*2	32	27.25	@100(2)1跨16
18#1-KL20 (1-2)	116	Φ22		4230	2	2	25.21	上1排(通长)
	117	Φ22		1680	2	2	10.01	上1排(支座1右)1,(支座2左)1
	118	Φ18		3930	2	2	15.72	下2排
	119	Φ18		3930	2	2	15.72	下1排
	120	Φ8		1140	20	20	9.01	@100/200(2)1跨7+6+7
19#1-KL6 (1-2)	121	Φ18		2250	3	3	13.5	上1排(通长)
	122	Φ16		2150	3	3	10.19	上2排(通长)
	123	Φ12		1950	2	2	3.46	腰筋
	124	Φ20		2350	2	2	11.61	下1排
	125	Φ8		1140	12	12	5.4	@100(2)1跨12
	126	Φ6		290	5	5	0.32	
20#1-LL10 (1-2)	127	Φ25		2360	2*2	4	36.34	上1排(通长)
	128	Φ12		1860	2*2	4	6.61	腰筋
	129	Φ25		2360	2*2	4	36.34	下1排
	130	Φ12		1620	8*2	16	23.02	@100(2)1跨8
	131	Φ6		290	3*2	6	0.39	
21#1-WKL6 (1-2)	132	Φ20		4990	4	4	49.3	上1排(支座1-右挑)
	133	Φ20		4960	1	1	12.25	上1排(支座1-右挑)























构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	134	Φ12	180 	3690	2	2	6.55	腰筋(1跨-右挑)
	135	Φ20	300 	2350	4	4	23.22	下1排(1跨)
	136	Φ14	 2030	2030	4	4	9.83	下1排(右挑)
	137	Φ8	 350 550	1940	30	30	22.99	@100(4)1跨12,右挑18
	138	Φ8	 150 550	1540	30	30	18.25	1跨12,右挑18
	139	Φ8	 370 530	530	13	13	2.72	
22#1-KL45 (1-2)	140	Φ18	270 	2250	3	3	13.5	上1排(通长)
	141	Φ18	270 	2250	2	2	9	上2排(通长)
	142	Φ12	180 	1950	2	2	3.46	腰筋
	143	Φ20	300 	2350	2	2	11.61	下1排
	144	Φ8	 150 350	1140	12	12	5.4	@100(2)1跨12
	145	Φ6	 170 290	290	5	5	0.32	
23#1-KL22 (1-2)	146	Φ14	210 	4550	2	2	11.01	上1排(通长)
	147	Φ14	 1750	1750	1	1	2.12	上1排(支座2左)
	148	Φ14	 1440	1440	2	2	3.48	上2排(支座2左)
	149	Φ14	210 	4550	2	2	11.01	下1排
	150	Φ8	 150 350	1140	31	31	13.96	@100/200(2)1跨 7+11+7+6
24#1-KL24 (1-2)	151	Φ16	 4440 240	4650	2	2	14.69	上1排(通长)
	152	Φ14	 1750	1750	1	1	2.12	上1排(支座1右)
	153	Φ16	 4440 240	4650	2	2	14.69	下1排
	154	Φ8	 150 350	1140	31	31	13.96	@100/200(2)1跨 7+11+7+6
25#1-KL4 (1-2)	155	Φ20	300 	2350	3	3	17.41	上1排(通长)
	156	Φ20	300 	2350	2	2	11.61	上2排(通长)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	157	Φ12	180 	1950	2	2	3.46	腰筋
	158	Φ18	270 	2250	2	2	9	下1排
	159	Φ10	 350	1180	12	12	8.74	@100(2)1跨12
	160	Φ6	 170	290	5	5	0.32	
26#1-KL21 (1-2)	161	Φ25	380  380	3560	4	4	54.82	上1排(通长)
	162	Φ12	180 	2940	2	2	5.22	腰筋
	163	Φ20	300  300	3420	2	2	16.89	下1排
	164	Φ8	 550	1740	22	22	15.12	@100/200(2)1跨10+2+10
	165	Φ6	 270	390	5	5	0.43	
28#1-XL6 (1-2)	166	Φ22	330  800 220	2540	2	2	15.14	上1排(支座1右)
	167	Φ22	330  330	2620	2	2	15.62	上1排(通长)
	168	Φ12	 180	2090	2	2	3.71	腰筋
	169	Φ16	 240	2190	2	2	6.92	下1排
	170	Φ8	 550	1740	16	16	11	@100(2)1跨16
	171	Φ6	 270	390	7	7	0.61	
27#1-LL13 (1-2)	172	Φ20	 2980	2980	2	2	14.72	上1排(通长)
	173	Φ20	 2980	2980	2	2	14.72	下1排
	174	Φ10	 450	1380	15	15	12.77	@100(2)1跨15
29#1-LL12 (1-2)	175	Φ20	 2980	2980	2	2	14.72	上1排(通长)
	176	Φ20	 2980	2980	2	2	14.72	下1排
	177	Φ10	 450	1380	15	15	12.77	@100(2)1跨15
30#1-KL25 (1-2)	178	Φ18	 270	3850	2	2	15.4	上1排(通长)
	179	Φ18	 1600	1600	1	1	3.2	上1排(支座1右)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	180	Φ18		3850	2	2	15.4	下1排
	181	Φ8		1140	24	24	10.81	@100/200(2)1跨7+7+7+3
31#1-KL23 (1-2)	182	Φ22		4130	2	2	24.61	上1排(通长)
	183	Φ22		1650	2	2	9.83	上1排(支座1右)1,(支座2左)1
	184	Φ18		3830	1	1	7.66	下1排
	185	Φ22		4130	2	2	24.61	下1排
	186	Φ8		1140	19	19	8.56	@100/200(2)1跨7+5+7
32#1-KL27 (1-2)	187	Φ20		2150	2	2	10.62	上1排(通长)
	188	Φ12		1260	2	2	2.24	腰筋
	189	Φ20		2150	2	2	10.62	下1排
	190	Φ8		1540	9	9	5.47	@100(2)1跨9
	191	Φ6		290	4	4	0.26	
33#1-KL26 (1-2)	192	Φ16		3750	2	2	11.85	上1排(通长)
	193	Φ16		1290	1	1	2.04	上1排(支座1右)
	194	Φ16		1290	2	2	4.08	上2排(支座2左)
	195	Φ20		3950	2	2	19.51	下1排
	196	Φ8		1140	24	24	10.81	@100/200(2)1跨7+7+7+3
34#1-L6 (1-2)	197	Φ14		2860	2	2	6.92	上1排(通长)
	198	Φ14		2860	2	2	6.92	下1排
	199	Φ6		1110	12	12	2.96	@200(2)1跨12
35#1-KL28 (1-2)	200	Φ20		9100	1	1	22.48	上1排(通长)
	201	Φ20		8770	1	1	21.66	上1排(通长)
	202	Φ20		3160	1	1	7.81	上1排(支座1右)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	203	Φ20		3340	1	1	8.25	上1排(支座2左)
	204	Φ20		3010	1	1	7.43	上1排(支座2左)
	205	Φ12		8290	2	2	14.72	腰筋
	206	Φ20		9100	2	2	44.95	下1排
	207	Φ20		8770	2	2	43.32	下1排
	208	Φ8		1740	55	55	37.8	@100/200(2)1跨 10+29+10+6
	209	Φ6		390	19	19	1.65	
36#1-KL30 (1-3)	210	Φ20		9000 3230	1	1	30.21	上1排(支座1-右挑) 长:11725
	211	Φ20		3230 9000	1	1	30.21	上1排(支座1-右挑) 长:11725
	212	Φ20		2710	2	2	13.39	上1排(支座1右)
	213	Φ20		7280	2	2	35.96	上1排(支座2左-右挑)
	214	Φ20		2940	2	2	14.52	上2排(支座3左-右挑)
	215	Φ12		4500 5340	2	2	17.48	腰筋(1跨-2跨) 长:9660 搭:180
	216	Φ12		2220	4	4	7.89	腰筋(右挑)
	217	Φ20		7850	4	4	77.56	下1排(1跨)
	218	Φ20		3780	2	2	18.67	下1排(2跨)
	219	Φ16		2060	2	2	6.51	下1排(右挑)
	220	Φ8		1740	80	80	54.98	@100(2)右挑18,1跨 10+23+10+3,2跨16
	221	Φ6		390	39	39	3.38	
37#1-KL29 (1-2)	222	Φ18		3830	3	3	22.98	上1排(通长)
	223	Φ18		1290	2	2	5.16	上2排(支座1右)
	224	Φ16		1220	2	2	3.86	上2排(支座2左)
	225	Φ18		3830	1	1	7.66	下1排























构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	226	Φ22		4130	2	2	24.61	下1排
	227	Φ8		1340	20	20	10.59	@100/200(2)1跨8+4+8
38#1-WKL7 (1-2)	228	Φ14		6000 4010	2	2	24.22	上1排(通长) 长:8250 搭:730
	229	Φ14		4010 6000	1	1	12.11	上1排(通长) 长:8250 搭:730
	230	Φ12		8010	2	2	14.23	腰筋
	231	Φ20		8770	3	3	64.99	下1排
	232	Φ8		1740	51	51	35.05	@100/200(2)1跨 10+28+10+3
	233	Φ6		390	18	18	1.56	
39#1-L55 (1-2)	234	Φ18		5610	2	2	22.44	上1排(支座1-右挑)
	235	Φ18		5610	1	1	11.22	上1排(支座1-右挑)
	236	Φ12		5090	2	2	9.04	腰筋(1跨-右挑)
	237	Φ16		3280	2	2	10.36	下1排(1跨)
	238	Φ16		2060	2	2	6.51	下1排(右挑)
	239	Φ6		1510	25	25	8.38	@200(2)1跨15,右挑10
	240	Φ6		290	10	10	0.64	
40#1-WKL8 (1-5)	241	Φ25		5500 9000*2 7690	1	1	120.08	上1排(通长) 长:28150
	242	Φ25		4500 9000*2 8690	1	1	120.08	上1排(通长) 长:28150
	243	Φ25		4370	1	1	16.82	上1排(支座1右)
	244	Φ22		5500	2	2	32.78	上1排(支座2)
	245	Φ22		4220	2	2	25.15	上2排(支座2)
	246	Φ25		5970	2	2	45.97	上1排(支座3)
	247	Φ25		4570	5	5	87.97	上2排(支座3)3,(支座4)2
























构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	248	Φ25		7750	2	2	59.67	上1排(支座4左-支座5)
	249	Φ12		9000 9000*2 1450	2	2	50.53	腰筋(通长) 长:27910 搭:180
	250	Φ25		9230	7	7	248.75	
	251	Φ25		9450	3	3	109.15	下2排(2跨) 长:9450
	252	Φ25		9450	5	5	181.91	下1排(2跨) 长:9450
	253	Φ25		10200	3	3	117.81	下2排(3跨) 长:10200
	254	Φ25		10200	5	5	196.35	下1排(3跨) 长:10200
	255	Φ22		4150	1	1	12.37	下1排(4跨)
	256	Φ25		4310	2	2	33.19	下1排(4跨)
	257	Φ8		1740	48	48	32.99	@100/200(2)1跨 10+28+10
	258	Φ12		1820	58	58	93.74	@100/200(2)3跨 10+32+10+6
	259	Φ10		1780	73	73	80.17	4跨@150/100,28,2跨 7+28+7+3
	260	Φ6		390	69	69	5.97	
41#1-L7 (1-5)	261	Φ16		4160 9000*2 9000	1	1	49.23	上1排(通长) 长:28250 搭:830
	262	Φ16		5500 9000*2 7660	1	1	49.23	上1排(通长) 长:28250 搭:830
	263	Φ16		5570	1	1	8.8	上1排(支座2)
	264	Φ14		5930	1	1	7.18	上1排(支座3)
	265	Φ16		6480	1	1	10.24	上1排(支座4左-支座5)
	266	Φ12		9000 9000*2 1650	2	2	50.88	腰筋(通长) 长:28110 搭:180
	267	Φ22		8600	2	2	51.26	下1排(1跨)
	268	Φ18		8150	2	2	32.6	下1排(2跨)
	269	Φ18		8950	2	2	35.8	下1排(3跨)

审核:





















翻样:

第12页共24页 2020/5/6,21:45
























构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	270	Φ14		3290	2	2	7.96	下1排(4跨)
	271	Φ8		1540	148	148	90.03	@200(2)1跨39+3,2跨39+3,3跨43+6,4跨15
	272	Φ6		290	64	64	4.12	
南北向梁								
42#1-WKL1 (1-2)	273	Φ25		4000 5750	1	1	37.54	上1排(支座1-右挑) 长:7925
	274	Φ25		9750	1	1	37.54	上1排(支座1-右挑)
	275	Φ25		4940	2	2	38.04	上1排(支座2左-右挑)
	276	Φ12		7810	2	2	13.87	腰筋(1跨-右挑)
	277	Φ20		5650	2	2	27.91	下1排(1跨)
	278	Φ16		3160	2	2	9.99	下1排(右挑)
	279	Φ8		1740	61	61	41.93	@100(2)右挑29,1跨10+12+10
	280	Φ6		390	23	23	1.99	
43#1-KL1 (1-2)	281	Φ14		5360	2	2	12.97	上1排(左挑-支座2)
	282	Φ12		4850	2	2	8.61	腰筋(左挑-1跨)
	283	Φ14		1730	2	2	4.19	下1排(左挑)
	284	Φ14		4040	2	2	9.78	下1排(左挑-1跨)
	285	Φ6		1510	15	15	5.03	@100(2)左挑15
	286	Φ8		1540	25	25	15.21	@100/200(2)1跨10+5+10
	287	Φ6		290	13	13	0.84	
44#1-KL2 (1-3)	288	Φ20		4000 6610	1	1	26.21	上1排(支座1-支座2右) 长:10606
	289	Φ20		5500 5110	1	1	26.21	上1排(支座1-支座2右) 长:10606
	290	Φ20		5130	1	1	12.67	上1排(支座2)
	291	Φ20		2520	2	2	12.45	上2排(支座2左)






















构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	292	Φ20		2930	1	1	7.24	上1排(支座2右)
	293	Φ22		3000 6130	1	1	27.21	上1排(支座3左-右挑) 长:8859
	294	Φ22		8640 490	1	1	27.21	上1排(支座3左-右挑) 长:8859
	295	Φ22		5700	2	2	33.97	上1排(支座3左-右挑)
	296	Φ22		5100	2	2	30.4	上2排(支座3左-右挑)
	297	Φ12		7600	1	1	6.75	腰筋(1跨)
	298	Φ12		9000 9000	1	1	15.98	腰筋(1跨-右挑) 长:17605 搭:180
	299	Φ12		4500 6000	1	1	9.32	腰筋(2跨-右挑) 长:10105 搭:180
	300	Φ20		8580	2	2	42.39	下1排(1跨)
	301	Φ16		7750	1	1	12.24	下1排(2跨)
	302	Φ16		7830	2	2	24.74	下1排(2跨)
	303	Φ16		3260	3	3	15.45	下1排(右挑)
	304	Φ8		1740	76	76	52.23	@100(2)右挑30,2跨 10+23+10+3
	305	Φ8		1540	48	48	29.2	@100/200(2)1跨 10+25+10+3
	306	Φ6		290	17	17	1.09	
	307	Φ6		390	30	30	2.6	
45#1-LL1 (1-2)	308	Φ22		3850	2*2	4	45.89	上1排(通长)
	309	Φ12		3300	2*2	4	11.72	腰筋
	310	Φ22		3850	2*2	4	45.89	下1排
	311	Φ10		1580	15*2	30	29.25	@150(2)1跨15
	312	Φ6		290	6*2	12	0.77	
46#1-XL51 (1)	313	Φ20		2600	2	2	12.84	上1排(左挑-支座1)
	314	Φ20		2550	2	2	12.6	上2排(左挑-支座1)




















构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	315	Φ12		1650	2	2	2.93	腰筋
	316	Φ18		1800	2	2	7.2	下1排
	317	Φ12		1620	15	15	21.58	@100(2)左挑15
	318	Φ6		290	6	6	0.39	
47#1-KL32 (1-3)	319	Φ16		9000 4490	1	1	21.31	上1排(左挑-支座3) 长:12466 搭:830
	320	Φ16		7700 5790	1	1	21.31	上1排(左挑-支座3) 长:12466 搭:830
	321	Φ14		4870	1	1	5.89	上1排(支座2)
	322	Φ14		2850	1	1	3.45	上1排(支座3左)
	323	Φ14		2270	2	2	5.49	上2排(支座3左)
	324	Φ14		1730	2	2	4.19	下1排(左挑)
	325	Φ14		4040	2	2	9.78	下1排(左挑-1跨)
	326	Φ18		8330	2	2	33.32	下1排(2跨)
	327	Φ8		1140	88	88	39.63	@100(2)左挑15,1跨 7+8+7,2跨7+28+7+6+3
48#1-WKL2 (1-2)	328	Φ25		3780	6	6	87.32	上1排(支座1右)2,(支座1 右)1,(支座1右)2,(支座 1右)1
	329	Φ25		8720	2	2	67.14	上1排(支座2左-右挑)
	330	Φ25		8700	1	1	33.49	上1排(支座2左-右挑)
	331	Φ25		8610	3	3	99.45	上1排(支座2左-右挑) 2,(支座2左-右挑)1
	332	Φ25		5130	6	6	118.5	上2排(支座2左-右挑)
	333	Φ12		3060	2	2	5.43	腰筋(右挑)
	334	Φ25		8080	4	4	124.43	下1排(1跨)2,(1跨)2
	335	Φ20		3240	5	5	40.01	下1排(右挑)
	336	Φ8		1940	29	29	22.22	@100(2)右挑29
	337	Φ8		1840	68	68	49.42	@100(4)1跨67+1






















构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	338	Φ10		1980	45	45	54.97	@100(2)右挑29
	339	Φ10		1580	45	45	43.87	1跨67+1
	340	Φ8		1840	22	22	15.99	@100(4)1跨67+1
	341	Φ8		1440	22	22	12.51	1跨67+1
	342	Φ8		530	13	13	2.72	
49#1-XL1 (1-2)	343	Φ22		4250	3	3	37.99	上1排(通长)
	344	Φ12		3260	2	2	5.79	腰筋
	345	Φ16		3350	2	2	10.59	下1排
	346	Φ8		1540	29	29	17.64	@100(2)1跨29
	347	Φ6		290	14	14	0.9	
50#1-KL52 (1-2)	348	Φ22		3080	1*4	4	36.71	上1排(左挑-支座2)
	349	Φ22		2120	1*4	4	25.27	上1排(左挑-支座1右)
	350	Φ22		3020	1*4	4	36	上1排(左挑-支座2)
	351	Φ22		2060	1*4	4	24.56	上1排(左挑-支座1右)
	352	Φ22		2120	2*4	8	50.54	上1排(支座1-支座2)
	353	Φ12		1060	2*4	8	7.53	腰筋(左挑)
	354	Φ12		1590	2*4	8	11.3	腰筋(1跨)
	355	Φ20		1240	5*4	20	61.26	下1排(左挑)
	356	Φ20		2250	3*4	12	66.69	下1排(左挑-1跨)
	357	Φ20		2070	2*4	8	40.9	下1排(1跨)
	358	Φ10		1680	9*4	36	37.32	@100(2)左挑9
	359	Φ10		1980	11*4	44	53.75	@100(4)1跨11
	360	Φ10		1580	11*4	44	42.89	1跨11




















构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	361	Φ6		340	3*4	12	0.91	
	362	Φ8		530	5*4	20	4.19	
51#1-LL2 (1-2)	363	Φ14		2980	3*2	6	21.63	上1排(通长)
	364	Φ16		3010	2*2	4	19.02	下1排
	365	Φ8		1340	19*2	38	20.11	@100(2)1跨19
52#1-L1 (1-2)	366	Φ14		1260	2*4	8	12.2	上1排(通长)
	367	Φ14		1260	2*4	8	12.2	下1排
	368	Φ6		910	5*4	20	4.04	@150(2)1跨5
53#1-KL46 (1-2)	369	Φ14		3250	2	2	7.87	上1排(通长)
	370	Φ14		1120	2	2	2.71	上2排(支座1右)
	371	Φ18		3450	2	2	13.8	下1排
	372	Φ8		1140	16	16	7.2	1跨@200/100,7+9
54#1-L2 (1-2)	373	Φ25		10710	2	2	82.47	上1排(支座1-右挑)
	374	Φ25		5700	2	2	43.89	上1排(支座2左-右挑)
	375	Φ25		5130	2	2	39.5	上2排(支座2左-右挑)
	376	Φ12		4500 5920	2	2	18.51	腰筋(1跨-右挑) 长:10075 搭:180
	377	Φ18		7280	3	3	43.68	下1排(1跨)
	378	Φ16		3260	2	2	10.3	下1排(右挑)
	379	Φ8		1740	73	73	50.17	@100(2)右挑30,1跨 10+23+10
	380	Φ6		390	30	30	2.6	
55#1-KL8 (1-2)	381	Φ18		5750	2	2	23	上1排(通长)
	382	Φ18		1840	2	2	7.36	上2排(支座1右)
	383	Φ16		5650	1	1	8.93	下1排

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	384	Φ20		5850	2	2	28.9	下1排
	385	Φ8		1140	33	33	14.86	@100/200(2)1跨 7+16+7+3
56#1-KL7 (1-2)	386	Φ14		4490	2	2	10.87	上1排(通长)
	387	Φ14		4490	2	2	10.87	下1排
	388	Φ8		1140	27	27	12.16	@100/200(2)1跨 7+10+7+3
57#1-KL9 (1-2)	389	Φ14		3150	2	2	7.62	上1排(通长)
	390	Φ14		3150	2	2	7.62	下1排
	391	Φ8		1140	18	18	8.11	@100/200(2)1跨7+4+7
58#1-WKL3 (1-2)	392	Φ25		10700	2	2	82.39	上1排(支座1-右挑)
	393	Φ25		5700	2	2	43.89	上1排(支座2左-右挑)
	394	Φ25		5130	3	3	59.25	上2排(支座2左-右挑)
	395	Φ25		4110	2	2	31.65	上3排(支座2左-右挑)
	396	Φ12		4500 5910	2	2	18.49	腰筋(1跨-右挑) 长:10074 搭:180
	397	Φ25		8050	5	5	154.96	下1排(1跨)
	398	Φ22		3270	3	3	29.23	下1排(右挑)
	399	Φ8		1740	29	29	19.93	@100(2)右挑29
	400	Φ10		1780	43	43	47.23	@100/200(2)1跨 10+23+10
	401	Φ6		390	29	29	2.51	
59#1-KL11 (1-2)	402	Φ18		3450	2	2	13.8	上1排(通长)
	403	Φ18		3450	2	2	13.8	下1排
	404	Φ8		1140	16	16	7.2	1跨@200/100,7+9
60#1-KL12 (1-2)	405	Φ25		10910	1	1	42	上1排(支座1-右挑)
	406	Φ25		10710	1	1	41.23	上1排(支座1-右挑)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	407	Φ25		2780	1	1	10.7	上1排(支座1右)
	408	Φ25		5740	1	1	22.1	上1排(支座2左-右挑)
	409	Φ25		5150	2	2	39.65	上2排(支座2左-右挑)
	410	Φ12		4500 5920	2	2	18.51	腰筋(1跨-右挑) 长:10075 搭:180
	411	Φ20		7960	3	3	58.98	下1排(1跨)
	412	Φ20		3390	3	3	25.12	下1排(右挑)
	413	Φ8		1540	73	73	44.41	@100(2)右挑30,1跨 10+23+10
	414	Φ6		290	30	30	1.93	
61#1-LL3 (1-2)	415	Φ18		3100	2*2	4	24.8	上1排(通长)
	416	Φ18		3100	2*2	4	24.8	下1排
	417	Φ8		1340	19*2	38	20.11	@100(2)1跨19
62#1-LL4 (1-2)	418	Φ22		2400	2	2	14.3	上1排(通长)
	419	Φ22		2400	2	2	14.3	下1排
	420	Φ12		1420	10	10	12.61	@100(2)1跨10
63#1-KL14 (1-3)	421	Φ22		6000 7830	1	1	41.21	上1排(支座1-右挑) 长:13275
	422	Φ22		7900 5930	1	1	41.21	上1排(支座1-右挑) 长:13275
	423	Φ22		6000 7770	1	1	41.03	上1排(支座1-右挑) 长:12505
	424	Φ22		7900 5870	1	1	41.03	上1排(支座1-右挑) 长:12505
	425	Φ22		5200	3	3	46.49	上2排(支座3左-右挑)
	426	Φ12		4500 5810	2	2	18.31	腰筋(1跨-2跨) 长:9971 搭:180
	427	Φ14		3700	2	2	8.95	腰筋(右挑)
	428	Φ16		3850	2	2	12.17	下1排(1跨)
	429	Φ16		7630	2	2	24.11	下1排(2跨)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	430	Φ16		3470	2	2	10.97	下1排(右挑)
	431	Φ8		1740	32	32	21.99	@100(2)右挑32
	432	Φ6		1710	48	48	18.22	@200(2)1跨15,2跨33
	433	Φ6		390	37	37	3.2	
64#1-KL13 (1-4)	434	Φ16		9000 4430	1	1	21.22	上1排(通长) 长:12393 搭:830
	435	Φ16		7730 5700	1	1	21.22	上1排(通长) 长:12393 搭:830
	436	Φ16		4870	1	1	7.69	上1排(支座3)
	437	Φ14		2850	1	1	3.45	上1排(支座4左)
	438	Φ14		2270	2	2	5.49	上2排(支座4左)
	439	Φ14		2100	2	2	5.08	下1排(1跨)
	440	Φ14		4040	2	2	9.78	下1排(1跨-2跨)
	441	Φ18		8330	2	2	33.32	下1排(3跨)
	442	Φ8		1140	76	76	34.22	@100(2)1跨12,3跨7,2跨 16,3跨32+6+3
65#1-KL15 (1-2)	443	Φ25		10760	2	2	82.85	上1排(支座1-右挑)
	444	Φ25		5870	2	2	45.2	上1排(支座2左-右挑)
	445	Φ25		2490	4	4	38.35	上2排(支座2左-右挑)
	446	Φ22		2380	2	2	14.18	上3排(支座2左-右挑)
	447	Φ12		4500 5690	2	2	18.1	腰筋(1跨-右挑) 长:10005 搭:180
	448	Φ25		7810	5	5	150.34	下1排(1跨)
	449	Φ16		3460	2	2	10.93	下1排(右挑)
	450	Φ10		1780	67	67	73.58	@100/200(2)1跨 10+21+10,右挑10+6+10
	451	Φ6		390	22	22	1.9	
65#扎柱梁	452	Φ20		4200	2	2	20.75	上1排(通长)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	453	Φ20		1520	1	1	3.75	上2排(支座1右)
	454	Φ20		3870	1	1	9.56	上1排(通长)
	455	Φ20		1190	1	1	2.94	上2排(支座1右)
	456	Φ12		3390	4	4	12.04	腰筋
	457	Φ25		4010	1	1	15.44	下1排
	458	Φ22		4300	1	1	12.81	下1排
	459	Φ25		4460	1	1	17.17	下1排
	460	Φ8		1940	20	20	15.33	@150(2)1跨20
	461	Φ6		290	18	18	1.16	
66#1-WKL4 (1-5)	462	Φ25		5100 9000*2 5300	1	1	109.34	上1排(左挑-右挑) 长:27800
	463	Φ25		6300 9000 6000 7100	1	1	109.34	上1排(左挑-右挑) 长:27800
	464	Φ25		5050	1	1	19.44	上1排(左挑-支座1右)
	465	Φ25		5870	2	2	45.2	上1排(支座5左-右挑)
	466	Φ12		9000 9000 6770	2	2	43.99	腰筋(左挑-4跨) 长:24405 搭:180
	467	Φ12		3620	4	4	12.86	腰筋(右挑)
	468	Φ22		2770	2	2	16.51	下1排(左挑)
	469	Φ20		7680	3	3	56.91	下1排(1跨)
	470	Φ22		4630	2	2	27.59	下1排(2跨)
	471	Φ20		6280	2	2	31.02	下1排(3跨)
	472	Φ22		7880	2	2	46.96	下1排(4跨)
	473	Φ16		3460	2	2	10.93	下1排(右挑)

构件名称	序号	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
	474	Φ8		1740	207	207	142.27	@100(2)左挑24+1,右挑32,1跨10+21+10+6,2跨10+5+10+2跨10+14+10+4
	475	Φ6		390	89	89	7.71	
67#1-L11 (1-2)	476	Φ14		8280	2	2	20.04	上1排(左挑-支座2)
	477	Φ14		8330	1	1	10.08	上1排(左挑-支座2)
	478	Φ12		8090	2	2	14.37	腰筋(左挑-1跨)
	479	Φ16		2660	2	2	8.41	下1排(左挑)
	480	Φ16		5580	2	2	17.63	下1排(1跨)
	481	Φ8		1540	25	25	15.21	@100(2)左挑24+1
	482	Φ6		1510	29	29	9.72	@200(2)1跨26+3
	483	Φ6		290	23	23	1.48	
68#1-L12 (1-4)	484	Φ18		7850 9000	1	1	33.7	上1排(左挑-支座4) 长:15475 搭:930
	485	Φ18		4000 9000 4780	1	1	35.56	上1排(左挑-支座4) 长:15475 搭:930
	486	Φ12		9000 6590	2	2	27.69	腰筋(左挑-3跨) 长:15405 搭:180
	487	Φ18		1500	2	2	6	下1排(左挑)
	488	Φ18		3600	2	2	14.4	下1排(1跨)
	489	Φ18		5300	2	2	21.2	下1排(2跨)
	490	Φ18		5650	2	2	22.6	下1排(3跨)
	491	Φ8		1540	80	80	48.66	左挑@2/100,12,1跨16,2跨25,3跨27
	492	Φ6		290	35	35	2.25	

料表编号：

北京易精软件有限公司

栋号名称：华漕14#楼

构件部位：四层 东单元梁

相同层数: 1

序号	分类	Φ6	Φ8	Φ10	Φ12	Φ14	Φ16	Φ18	Φ20	Φ22	Φ25
1	重量	129	1338	947	824	352	678	745	2124	1818	3435
2	套筒								10	10	13
3	搭接				37	3	18	3			

注:重量单位明细为公斤、合计为吨；接头单位为个。

- ☐ 绑 扎
- ☒ 配 料
- ☐ 留 存

合计
12.39
33
61

年05月06日