

料表编号：

☐ 绑 扎
☐ 配 料
☐ 留 存

北京易精软件有限公司

项 目：_____

栋 号： 13#楼

部 位： 梁 19~21层 梁

注：明细重量公斤，合计吨，接头个

相同层数：1

分类	C6	C8	C10	C12	C14	C16	C18	C20	C22	C25	合计
重量	219	1196	135	530	745	1681	1038	1811	282	158	7.795
搭接						11	4	12			27

- 1、班组接到料单后应核对无误后方可加工；
- 2、料表中大样为虚线的表示现场实量；
- 3、料表中标记颜色(打印有底色)的部分，表示必须复核的；
- 4、后浇带甩筋后接段必须现场实量；
- 5、柱筋封顶必须实量，层高参照料表备注结合施工蓝图确定；
- 6、人防墙插筋或接筋时，务必对照图纸避开空洞，顶上弯钩朝向现浇板内；

审 核：

翻 样： E筋软件 13521712266

日期：2020年06月06日



钢筋配料表

栋号: 13#楼

















部位: 梁 19~21层 梁

构件名称	级直 别径	钢筋简图	下料 (mm)	根 数	件 数*数	总 根数	重量 (kg)	备 注
以下是1区 1#L11	C12		7210	2	2	2	12.80	上1排(通长)
	C12		1240	1	1	1	1.10	上1排(支座1右)
	C12		2600	1	1	1	2.31	上1排(支座2)
	C12		1160	2	2	2	2.06	上2排(支座3左)
	C14		3400	2	2	2	8.23	下1排(1跨)
	C14		4200	2	2	2	10.16	下1排(2跨)
	C6		1310	34	34	34	9.89	@200(2)1跨15,2跨19
2#L12 (1-2)	C14		1460	2	2	2	3.53	上1排(通长)
	C14		1440	2	2	2	3.48	下1排
	C6		1410	5	5	5	1.57	@200(2)1跨5
3#KL12 (1-3)	C18		9000 2740	1	1	1	23.48	上1排(通长) 长:10495 搭:1010
	C18		2740 9000	1	1	1	23.48	上1排(通长) 长:10495 搭:1010
	C18		1620	1	1	1	3.24	上1排(支座1右)
	C18		2540	3	3	3	15.24	上1排(支座2右)2,(支座3左)1
	C18		2080	4	4	4	16.64	上2排(支座2右)2,(支座3左)2
	C12		4010	4	4	4	14.24	腰筋(1跨)
	C12		6410	4	4	4	22.77	腰筋(2跨)
	C22		4570	2	2	2	27.24	下1排(1跨)
	C22		7170	3	3	3	64.10	下1排(2跨)1,(2跨)2
	C12		2040	2	2	2	3.62	(跨2)
	C8		1440	31	31	31	17.63	@100/200(2)1跨9+13+9

审核:

翻样:



















第 1 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C8	 500	1540	45	45	27.37	@100/200(2)2跨9+24+9+3
	C6	 170	290	14	14	0.90	
	C6	 220	340	26	26	1.96	
4#XL10 (1)	C16	240  1800	2010	2	2	6.35	上1排(左挑-支座1)
	C14	 700 200	870	2	2	2.11	下1排
	C6	 500	1410	4	4	1.25	@100(2)左挑4
5#L15 (1-2)	C16	240  1820	2030	3	3	9.62	上1排(左挑-支座1右)
	C12	 2680 180	2840	2	2	5.04	上1排(支座2左)
	C14	 700 200	870	2	2	2.11	下1排(左挑)
	C14	 3630 200	3800	2	2	9.20	下1排(1跨)
	C6	 500	1410	4	4	1.25	@100(2)左挑4
	C6	 250	910	17	17	3.43	@200(2)1跨17
6#L17 (1-2)	C16	240  1820	2030	3	3	9.62	上1排(左挑-支座1右)
	C12	 2680 180	2840	2	2	5.04	上1排(支座2左)
	C14	 700 200	870	2	2	2.11	下1排(左挑)
	C14	 3630 200	3800	2	2	9.20	下1排(1跨)
	C6	 500	1410	4	4	1.25	@100(2)左挑4
	C6	 250	910	17	17	3.43	@200(2)1跨17
7#KL17 (1-2)	C16	240  2690	2900	2	2	9.16	上1排(通长)
	C16	200  2690	2860	2	2	9.04	下1排
	C8	 450	1340	14	14	7.41	1跨@200/100,8+6
8#L18 (1-3)	C14	210  1200 210	1560	2	2	3.78	上1排(支座1-支座2)
	C14	 2310 210	2490	2	2	6.03	上1排(支座2左-支座3)

审核:

翻样:




















第 2 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14	200 	1500	2	2	3.63	下1排(1跨)
	C14	 200	2200	2	2	5.32	下1排(2跨)
	C6	 500	1410	5	5	1.57	@200(2)1跨5
	C6	 450	1310	9	9	2.62	@200(2)2跨9
9#KL18 (1-5)	C20	300 	1650	1	1	4.08	上1排(支座1右)
	C16	240  240	4470	2	2	14.13	上1排(支座1-支座2)
	C16		4280	2	2	13.52	上1排(支座2-支座3)
	C16	 240	3380	3	3	16.02	上1排(支座3-支座4)1,(支座3-支座4)2
	C16		8880	1	1	14.03	上1排(支座4-支座5)
	C16		3170	1	1	5.01	上1排(支座4右)
	C16	240 	8880	1	1	14.03	上1排(支座4-支座5)
	C20		3330	1	1	8.23	上1排(支座5左)
	C12		4010	4	4	14.24	腰筋(1跨)
	C16	200 	4340	3	3	20.57	下1排(1跨)
	C16		4280	2	2	13.52	下1排(2跨)
	C16		3380	2	2	10.68	下1排(3跨)
	C16	200 	8840	1	1	13.97	下1排(4跨)
	C16		8880	3	3	42.09	下1排(4跨)2,(4跨)1
	C8	 500	1440	44	44	25.03	@100/200(2)1跨9+7+9,3跨9+1+9
	C8	 450	1340	23	23	12.17	@100/200(2)2跨8+7+8
	C8	 450	1440	46	46	26.16	@100/200(2)4跨8+30+8
	C6	 170	290	14	14	0.90	
10#KL15 (1-2)	C16	240 	6280	2	2	19.84	上1排(通长)

审核:

翻样:


















第 3 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C16	240 	2270	1	1	3.59	上1排(支座1右)
	C20		2480	1	1	6.13	上1排(支座2左)
	C18	200 	6310	2	2	25.24	下1排
	C8	 450	1340	33	33	17.47	@100/200(2)1跨8+17+8
11#KL14 (1-2)	C16	240 	4120	2	2	13.02	上1排(通长)
	C16	200 	4040	2	2	12.77	下1排
	C8	 450	1340	24	24	12.70	@100/200(2)1跨8+8+8
12#L19 (1-2)	C16	240 	3120	2	2	9.86	上1排(通长)
	C18	200 	3030	2	2	12.12	下1排
	C8	 300	1040	17	17	6.98	@150(2)1跨17
13#KL20 (1-3)	C16		5200	2	2	16.43	上1排(通长)
	C16		2480	1	1	3.92	上1排(支座1-支座2)
	C10		2000	4	4	4.94	腰筋(1跨)
	C10		2750	4	4	6.79	腰筋(2跨)
	C16		2480	2	2	7.84	下1排(1跨)
	C16		3160	2	2	9.99	下1排(2跨)
	C8	 500	1440	28	28	15.93	@100(2)1跨12,2跨9+7
	C6		290	20	20	1.29	
14#L13 (1-2)	C14	210 	6460	2	2	15.63	上1排(通长)
	C14	210 	2260	1	1	2.73	上1排(支座1右)
	C14		2260	1	1	2.73	上1排(支座2左)
	C20	200 	6320	2	2	31.22	下2排
	C20	200 	6420	3	3	47.57	下1排

审核:

翻样:
























第 4 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C8	 450	1340	37	37	19.58	@100/200(2)1跨8+21+8
15#L8 (1-2)	C14	210  210	2260	2	2	5.47	上1排(通长)
	C14	200  200	2240	2	2	5.42	下1排
	C6	 500	1410	9	9	2.82	@200(2)1跨9
16#L7 (1-3)	C12	180  180	7610	2	2	13.52	上1排(通长)
	C12	180  180	1440	1	1	1.28	上1排(支座1右)
	C12	 2470	2470	1	1	2.19	上1排(支座2)
	C12	 180	1440	1	1	1.28	上1排(支座3左)
	C14	200  200	4000	2	2	9.68	下1排(1跨)
	C14	 200	4000	2	2	9.68	下1排(2跨)
	C6	 450	1310	36	36	10.47	@200(2)1跨18,2跨18
17#L1 (1-2)	C14	210  210	3360	2	2	8.13	上1排(通长)
	C14	200  200	3340	2	2	8.08	下1排
	C6	 500	1410	14	14	4.38	@200(2)1跨14
18#LL1 (1-2)	C16	 2580	2580	2	2	8.15	上1排(通长)
	C16	 2580	2580	2	2	8.15	下1排
	C8	 450	1340	13	13	6.88	@100(2)1跨13
19#KL1 (1-2)	C18	 4140	4140	2	2	16.56	上1排(通长)
	C18	 1400	1400	2	2	5.60	上2排(支座1右)
	C16	 3980	3980	3	3	18.87	下1排
	C8	 450	1340	21	21	11.12	@100/200(2)1跨8+5+8
20#L2 (1-2)	C18	270  270	2830	3	3	16.98	上1排(左挑-支座1右)
	C18	270  270	1880	3	3	11.28	上1排(支座1右)

审核:

翻样:
























第 5 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C16		1810	2	2	5.72	上1排(支座2左)
	C12		2250	2	2	4.00	架立筋(1跨)
	C14		1820	2	2	4.40	下1排(左挑)
	C18		5020	2	2	20.08	下1排(1跨)
	C8		1340	13	13	6.88	@100(2)左挑13
	C6		1110	23	23	5.67	@200(2)1跨23
21#LL2 (1-2)	C16		2780	2	2	8.78	上1排(通长)
	C10		2300	4	4	5.68	腰筋
	C16		2780	2	2	8.78	下1排
	C8		1340	15	15	7.94	@100(2)1跨15
	C6		290	14	14	0.90	
22#XL1 (1)	C16		2210	2*2	4	13.97	上1排(支座1-右挑)
	C14		970	2*2	4	4.69	下1排
	C6		1410	5*2	10	3.13	@100(2)右挑5
23#XL2 (1)	C16		1660	2	2	5.25	上1排(支座1-右挑)
	C14		830	2	2	2.01	下1排
	C6		1410	4	4	1.25	@100(2)右挑4
24#XL4 (1)	C16		2010	2	2	6.35	上1排(支座1-右挑)
	C14		870	2	2	2.11	下1排
	C6		1310	4	4	1.16	@100(2)右挑4
25#XL3 (1)	C18		2690	3	3	16.14	上1排(左挑-支座1)
	C14		1730	2	2	4.19	下1排
	C8		1340	13	13	6.88	@100(2)左挑13

审核:

翻样:


















第 6 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
26#XL5 (1)	C18		2730	3*2	6	32.76	上1排(左挑-支座1)
	C14		1170	2*2	4	5.66	下1排
	C8		1440	7*2	14	7.96	@100(2)左挑7
27#XL6 (1)	C18		2690	3	3	16.14	上1排(左挑-支座1)
	C14		1730	2	2	4.19	下1排
	C8		1340	13	13	6.88	@100(2)左挑13
28#L5 (1-2)	C20		2860	3	3	21.19	上1排(左挑-支座1)
	C20		2490	3	3	18.45	上1排(支座1右)
	C16		2440	2	2	7.71	上1排(支座2左)
	C12		2830	2	2	5.03	架立筋(1跨)
	C14		1820	2	2	4.40	下1排(左挑)
	C22		6900	1	1	20.56	下1排(1跨)
	C25		6950	2	2	53.51	下1排(1跨)
	C8		1340	13	13	6.88	@100(2)左挑13
	C6		1310	31	31	9.02	@200(2)1跨31
29#LL4 (1-2)	C18		2740	2	2	10.96	上1排(通长)
	C16		2580	2	2	8.15	下1排
	C8		1340	13	13	6.88	@100(2)1跨13
30#L4 (1-2)	C18		1650	2	2	6.60	上1排(支座1右)
	C12		3240	2	2	5.75	上1排(支座2左)
	C18		4430	2	2	17.72	下1排
	C6		1010	20	20	4.48	@200(2)1跨20
31#L3 (1-2)	C14		2860	2*2	4	13.84	上1排(通长)

审核:

翻样:

第 7 页,共25页 2020/6/6 9:02

















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14	200  200	2840	2*2	4	13.75	下1排
	C6	 250	910	12*2	24	4.85	@200(2)1跨12
32#LL5 (1-2)	C16	240  240	2720	3	3	12.89	上1排(通长)
	C10	 2200	2200	4	4	5.43	腰筋
	C16	200  200	2640	3	3	12.51	下1排
	C8	 450	1340	14	14	7.41	@100(2)1跨14
	C6	 170	290	12	12	0.77	
33#KL3 (1-2)	C18	270  270	2250	3	3	13.50	上1排(通长)
	C18	270  270	2200	2	2	8.80	上2排(通长)
	C16	200  200	2110	2	2	6.67	下1排
	C8	 450	1340	11	11	5.82	@100(2)1跨11
34#LL7 (1-2)	C22	 3060	3060	1	1	9.12	上1排(通长)
	C20	 2900	2900	2	2	14.33	上1排(通长)
	C20	 2900	2900	3	3	21.49	下1排
	C10	 450	1380	13	13	11.07	@100(2)1跨13
35#KL5 (1-2)	C20	300  300	2360	1	1	5.83	上1排(通长)
	C18	270  270	2250	2	2	9.00	上1排(通长)
	C14	200  200	2030	2	2	4.91	下1排
	C8	 450	1340	11	11	5.82	@100(2)1跨11
36#KL4 (1-2)	C18	 270	2400	3	3	14.40	上1排(通长)
	C18	 270	2350	2	2	9.40	上2排(通长)
	C18	 200	2330	3	3	13.98	下1排
	C8	 400	1240	13	13	6.37	@100(2)1跨13

审核:

翻样:

第 8 页,共25页 2020/6/6 9:02













构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
以下是2区 1#L11	C12		7210	2	2	12.80	上1排(通长)
	C12		1240	1	1	1.10	上1排(支座1右)
	C12		2600	1	1	2.31	上1排(支座2)
	C12		1160	2	2	2.06	上2排(支座3左)
	C14		3400	2	2	8.23	下1排(1跨)
	C14		4200	2	2	10.16	下1排(2跨)
	C6		1310	34	34	9.89	@200(2)1跨15,2跨19
2#L12 (1-2)	C14		1460	2	2	3.53	上1排(通长)
	C14		1440	2	2	3.48	下1排
	C6		1410	5	5	1.57	@200(2)1跨5
3#KL12 (1-3)	C18		9000 2740	1	1	23.48	上1排(通长) 长:10495 搭:1010
	C18		2740 9000	1	1	23.48	上1排(通长) 长:10495 搭:1010
	C18		1620	1	1	3.24	上1排(支座1右)
	C18		2540	3	3	15.24	上1排(支座2右)2,(支座3左)1
	C18		2080	4	4	16.64	上2排(支座2右)2,(支座3左)2
	C12		4010	4	4	14.24	腰筋(1跨)
	C12		6410	4	4	22.77	腰筋(2跨)
	C22		4570	2	2	27.24	下1排(1跨)
	C22		7170	3	3	64.10	下1排(2跨)1,(2跨)2
	C12		2040	2	2	3.62	(跨2)
	C8		1440	31	31	17.63	@100/200(2)1跨9+13+9
	C8		1540	45	45	27.37	@100/200(2)2跨9+24+9+3
	C6		290	14	14	0.90	

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C6		340	26	26	1.96	
4#XL10 (1)	C16		2010	2	2	6.35	上1排(左挑-支座1)
	C14		870	2	2	2.11	下1排
	C6		1410	4	4	1.25	@100(2)左挑4
5#L15 (1-2)	C16		2030	3	3	9.62	上1排(左挑-支座1右)
	C12		2840	2	2	5.04	上1排(支座2左)
	C14		870	2	2	2.11	下1排(左挑)
	C14		3800	2	2	9.20	下1排(1跨)
	C6		1410	4	4	1.25	@100(2)左挑4
	C6		910	17	17	3.43	@200(2)1跨17
6#L17 (1-2)	C16		2030	3	3	9.62	上1排(左挑-支座1右)
	C12		2840	2	2	5.04	上1排(支座2左)
	C14		870	2	2	2.11	下1排(左挑)
	C14		3800	2	2	9.20	下1排(1跨)
	C6		1410	4	4	1.25	@100(2)左挑4
	C6		910	17	17	3.43	@200(2)1跨17
7#KL17 (1-2)	C16		2900	2	2	9.16	上1排(通长)
	C16		2860	2	2	9.04	下1排
	C8		1340	14	14	7.41	1跨@200/100,8+6
8#L18 (1-3)	C14		1560	2	2	3.78	上1排(支座1-支座2)
	C14		2490	2	2	6.03	上1排(支座2左-支座3)
	C14		1500	2	2	3.63	下1排(1跨)
	C14		2200	2	2	5.32	下1排(2跨)

审核:

翻样:



















第 10 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C6	 500	1410	5	5	1.57	@200(2)1跨5
	C6	 450	1310	9	9	2.62	@200(2)2跨9
09#KL18 (1-5)	C20	 3330	3330	1	1	8.23	上1排(支座1右)
	C16	 8880	8880	1	1	14.03	上1排(支座1-支座2)
	C16	240  8390	8600	1	1	13.59	上1排(支座1-支座2)
	C16	 3170	3170	1	1	5.01	上1排(支座2左)
	C16	240  3170	3380	3	3	16.02	上1排(支座2-支座3)2,(支 座2-支座3)1
	C16	 4280	4280	2	2	13.52	上1排(支座3-支座4)
	C16	240  4050 240	4470	2	2	14.13	上1排(支座4-支座5)
	C20	 1390 300	1650	1	1	4.08	上1排(支座5左)
	C12	 4010	4010	4	4	14.24	腰筋(4跨)
	C16	200  8170 200	8510	1	1	13.45	下1排(1跨)
	C16	 8880	8880	3	3	42.09	下1排(1跨)
	C16	 3380	3380	2	2	10.68	下1排(2跨)
	C16	 4280	4280	2	2	13.52	下1排(3跨)
	C16	 4170 200	4340	3	3	20.57	下1排(4跨)
	C8	 450	1440	46	46	26.16	@100/200(2)1跨8+30+8
	C8	 500	1440	49	49	27.87	@100/200(2)2跨9+1+9,4跨 9+12+9
	C8	 450	1340	23	23	12.17	@100/200(2)3跨8+7+8
	C6	 170	290	14	14	0.90	
10#KL15 (1-2)	C16	240  6070	6280	2	2	19.84	上1排(通长)
	C16	240  2060	2270	1	1	3.59	上1排(支座1右)
	C20	 2480	2480	1	1	6.13	上1排(支座2左)

审核:

翻样:


















第 11 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C18	200  6150	6310	2	2	25.24	下1排
	C8	 150 450	1340	33	33	17.47	@100/200(2)1跨8+17+8
11#KL14 (1-2)	C16	240  3700 240	4120	2	2	13.02	上1排(通长)
	C16	200  3700 200	4040	2	2	12.77	下1排
	C8	 150 450	1340	24	24	12.70	@100/200(2)1跨8+8+8
12#L19 (1-2)	C16	240  2700 240	3120	2	2	9.86	上1排(通长)
	C18	200  2700 200	3030	2	2	12.12	下1排
	C8	 150 300	1040	17	17	6.98	@150(2)1跨17
13#KL20 (1-3)	C16	 4990 240	5200	2	2	16.43	上1排(通长)
	C16	 2480	2480	1	1	3.92	上1排(支座1-支座2)
	C10	 2000	2000	4	4	4.94	腰筋(1跨)
	C10	 2750	2750	4	4	6.79	腰筋(2跨)
	C16	 2480	2480	2	2	7.84	下1排(1跨)
	C16	 2990 200	3160	2	2	9.99	下1排(2跨)
	C8	 150 500	1440	28	28	15.93	@100(2)1跨12,2跨9+7
	C6	 170	290	20	20	1.29	
14#L13 (1-2)	C14	210  6100 210	6460	2	2	15.63	上1排(通长)
	C14	210  2080 210	2260	1	1	2.73	上1排(支座1右)
	C14	 2080 210	2260	1	1	2.73	上1排(支座2左)
	C20	200  6000 200	6320	2	2	31.22	下2排
	C20	200  6100 200	6420	3	3	47.57	下1排
	C8	 150 450	1340	37	37	19.58	@100/200(2)1跨8+21+8
15#L8 (1-2)	C14	210  1900 210	2260	2	2	5.47	上1排(通长)

审核:

翻样:
























第 12 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14	200  200	2240	2	2	5.42	下1排
	C6	 500	1410	9	9	2.82	@200(2)1跨9
16#L7 (1-3)	C12	180  180	7610	2	2	13.52	上1排(通长)
	C12	180  1280	1440	1	1	1.28	上1排(支座1右)
	C12	 2470	2470	1	1	2.19	上1排(支座2)
	C12	 180	1440	1	1	1.28	上1排(支座3左)
	C14	200  3830	4000	2	2	9.68	下1排(1跨)
	C14	 200	4000	2	2	9.68	下1排(2跨)
	C6	 450	1310	36	36	10.47	@200(2)1跨18,2跨18
17#L1 (1-2)	C14	210  210	3360	2	2	8.13	上1排(通长)
	C14	200  200	3340	2	2	8.08	下1排
	C6	 500	1410	14	14	4.38	@200(2)1跨14
18#LL1 (1-2)	C16	 2580	2580	2	2	8.15	上1排(通长)
	C16	 2580	2580	2	2	8.15	下1排
	C8	 450	1340	13	13	6.88	@100(2)1跨13
19#KL1 (1-2)	C18	 4140	4140	2	2	16.56	上1排(通长)
	C18	 1400	1400	2	2	5.60	上2排(支座1右)
	C16	 3980	3980	3	3	18.87	下1排
	C8	 450	1340	21	21	11.12	@100/200(2)1跨8+5+8
20#L2 (1-2)	C18	270  2600	2830	3	3	16.98	上1排(左挑-支座1右)
	C18	270  1650	1880	3	3	11.28	上1排(支座1右)
	C16	 240	1810	2	2	5.72	上1排(支座2左)
	C12	 2250	2250	2	2	4.00	架立筋(1跨)

审核:

翻样:

















第 13 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14		1820	2	2	4.40	下1排(左挑)
	C18		5020	2	2	20.08	下1排(1跨)
	C8		1340	13	13	6.88	@100(2)左挑13
	C6		1110	23	23	5.67	@200(2)1跨23
21#LL2 (1-2)	C16		2780	2	2	8.78	上1排(通长)
	C10		2300	4	4	5.68	腰筋
	C16		2780	2	2	8.78	下1排
	C8		1340	15	15	7.94	@100(2)1跨15
	C6		290	14	14	0.90	
22#XL1 (1)	C16		2210	2*2	4	13.97	上1排(支座1-右挑)
	C14		970	2*2	4	4.69	下1排
	C6		1410	5*2	10	3.13	@100(2)右挑5
23#XL2 (1)	C16		1660	2	2	5.25	上1排(支座1-右挑)
	C14		830	2	2	2.01	下1排
	C6		1410	4	4	1.25	@100(2)右挑4
24#XL4 (1)	C16		2010	2	2	6.35	上1排(支座1-右挑)
	C14		870	2	2	2.11	下1排
	C6		1310	4	4	1.16	@100(2)右挑4
25#XL3 (1)	C18		2690	3	3	16.14	上1排(左挑-支座1)
	C14		1730	2	2	4.19	下1排
	C8		1340	13	13	6.88	@100(2)左挑13
26#XL5 (1)	C18		2730	3*2	6	32.76	上1排(左挑-支座1)
	C14		1170	2*2	4	5.66	下1排

审核:

















翻样:

第 14 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C8	 500	1440	7*2	14	7.96	@100(2)左挑7
27#XL6 (1)	C18	 2460	2690	3	3	16.14	上1排(左挑-支座1)
	C14	 1730	1730	2	2	4.19	下1排
	C8	 450	1340	13	13	6.88	@100(2)左挑13
28#L5 (1-2)	C20	 2600	2860	3	3	21.19	上1排(左挑-支座1)
	C20	 2230	2490	3	3	18.45	上1排(支座1右)
	C16	 2230 240	2440	2	2	7.71	上1排(支座2左)
	C12	 2830	2830	2	2	5.03	架立筋(1跨)
	C14	 1650 200	1820	2	2	4.40	下1排(左挑)
	C22	 6740 200	6900	1	1	20.56	下1排(1跨)
	C25	 6800 200	6950	2	2	53.51	下1排(1跨)
	C8	 450	1340	13	13	6.88	@100(2)左挑13
	C6	 450	1310	31	31	9.02	@200(2)1跨31
29#LL4 (1-2)	C18	 2740	2740	2	2	10.96	上1排(通长)
	C16	 2580	2580	2	2	8.15	下1排
	C8	 450	1340	13	13	6.88	@100(2)1跨13
30#L4 (1-2)	C18	 1420	1650	2	2	6.60	上1排(支座1右)
	C12	 3080 180	3240	2	2	5.75	上1排(支座2左)
	C18	 4100 200	4430	2	2	17.72	下1排
	C6	 300	1010	20	20	4.48	@200(2)1跨20
31#L3 (1-2)	C14	 2500 210	2860	2*2	4	13.84	上1排(通长)
	C14	 2500 200	2840	2*2	4	13.75	下1排
	C6	 250	910	12*2	24	4.85	@200(2)1跨12

审核:
























翻样:

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
32#LL5 (1-2)	C16	240  240	2720	3	3	12.89	上1排(通长)
	C10		2200	4	4	5.43	腰筋
	C16	200  200	2640	3	3	12.51	下1排
	C8	 450	1340	14	14	7.41	@100(2)1跨14
	C6	 170	290	12	12	0.77	
33#KL3 (1-2)	C18	270  270	2250	3	3	13.50	上1排(通长)
	C18	270  270	2200	2	2	8.80	上2排(通长)
	C16	200  200	2110	2	2	6.67	下1排
	C8	 450	1340	11	11	5.82	@100(2)1跨11
34#LL7 (1-2)	C22		3060	1	1	9.12	上1排(通长)
	C20		2900	2	2	14.33	上1排(通长)
	C20		2900	3	3	21.49	下1排
	C10	 450	1380	13	13	11.07	@100(2)1跨13
35#KL5 (1-2)	C20	300  300	2360	1	1	5.83	上1排(通长)
	C18	270  270	2250	2	2	9.00	上1排(通长)
	C14	200  200	2030	2	2	4.91	下1排
	C8	 450	1340	11	11	5.82	@100(2)1跨11
36#KL4 (1-2)	C18	 270	2400	3	3	14.40	上1排(通长)
	C18	 270	2350	2	2	9.40	上2排(通长)
	C18	 200	2330	3	3	13.98	下1排
	C8	 400	1240	13	13	6.37	@100(2)1跨13
以下是3区 37#KL6	C16	240  240	3600	2	2	11.38	上1排(通长)
	C16		1510	1	1	2.39	上1排(支座2左)

审核:

翻样:
























第 16 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14		1210	2	2	2.93	上2排(支座2左)
	C12		3230	2	2	5.74	腰筋
	C16		3560	2	2	11.25	下1排
	C8		1340	18	18	9.53	1跨@200/100,8+10
	C6		290	6	6	0.39	
38#XL7 (1)	C16		1460	2	2	4.61	上1排(支座1-右挑)
	C10		600	4	4	1.48	腰筋
	C14		630	2	2	1.52	下1排
	C8		1440	4	4	2.28	@100(2)右挑4
	C6		290	2	2	0.13	
39#LL9 (1-2)	C20		3090	3	3	22.90	上1排(通长)
	C16		2830	2	2	8.94	上2排(通长)
	C10		2430	4	4	6.00	腰筋
	C20		2940	3	3	21.79	下2排
	C20		2990	3	3	22.16	下1排
	C8		1440	17	17	9.67	@100(2)1跨17
	C6		290	16	16	1.03	
40#KL7 (1-2)	C16		2300	3	3	10.90	上1排(通长)
	C16		2250	2	2	7.11	上2排(通长)
	C20		2360	2	2	11.66	下2排
	C20		2410	3	3	17.86	下1排
	C8		1340	13	13	6.88	@100(2)1跨13
41#L6 (1-2)	C16		2920	2	2	9.23	上1排(左挑-支座2)

审核:

翻样:
























第 17 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14		1030	2	2	2.49	下1排(左挑)
	C14		2000	2	2	4.84	下1排(1跨)
	C6		1110	13	13	3.20	左挑@200/100,6,1跨7
42#KL8 (1-2)	C20		4810	3	3	35.64	上1排(支座1-右挑)
	C20		4760	2	2	23.51	上2排(支座1-右挑)
	C18		3190	3	3	19.14	下1排(1跨)
	C18		1910	2	2	7.64	下1排(右挑)
	C8		1340	32	32	16.94	@100(2)1跨18,右挑14
43#LL10 (1-2)	C18		2770	3*2	6	33.24	上1排(通长)
	C10		2200	4*2	8	10.86	腰筋
	C18		2630	2*2	4	21.04	下1排
	C8		1340	14*2	28	14.82	@100(2)1跨14
	C6		290	12*2	24	1.55	
44#KL9 (1-2)	C20		2510	3	3	18.60	上1排(通长)
	C20		2460	2	2	12.15	上2排(通长)
	C20		2360	3	3	17.49	下2排
	C20		2410	3	3	17.86	下1排
	C8		1340	13	13	6.88	@100(2)1跨13
45#KL10 (1-2)	C16		3300	2	2	10.43	上1排(通长)
	C16		1410	1	1	2.23	上1排(支座2左)
	C14		3010	2	2	7.28	腰筋
	C16		3260	2	2	10.30	下1排
	C8		1340	16	16	8.47	1跨@200/100,8+8

审核:

翻样:























第 18 页,共25页 2020/6/6 9:02






















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C6		290	5	5	0.32	
46#LL12 (1-2)	C16		2680	3	3	12.70	上1排(通长)
	C16		2680	3	3	12.70	下1排
	C8		1440	14	14	7.96	@100(2)1跨14
47#XL9 (1)	C16		1760	2	2	5.56	上1排(支座1-右挑)
	C10		900	4	4	2.22	腰筋
	C14		930	2	2	2.25	下1排
	C8		1440	5	5	2.84	@100(2)右挑5
	C6		290	4	4	0.26	
48#L3 (1-2)	C14		2860	2*4	8	27.68	上1排(通长)
	C14		2840	2*4	8	27.49	下1排
	C6		910	12*4	48	9.70	@200(2)1跨12
49#LL8 (1-2)	C18		2740	2*2	4	21.92	上1排(通长)
	C22		3060	1*2	2	18.24	下1排
	C25		3300	2*2	4	50.82	下1排
	C8		1340	13*2	26	13.76	@100(2)1跨13
50#L4 (1-2)	C18		1650	2*2	4	13.20	上1排(支座1右)
	C12		3240	2*2	4	11.51	上1排(支座2左)
	C18		4430	2*2	4	35.44	下1排
	C6		1010	20*2	40	8.97	@200(2)1跨20
51#XL6 (1)	C18		2690	3*2	6	32.28	上1排(左挑-支座1)
	C14		1730	2*2	4	8.37	下1排
	C8		1340	13*2	26	13.76	@100(2)左挑13

审核:

翻样:





















第 19 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
52#XL5 (1)	C18		2730	3*4	12	65.52	上1排(左挑-支座1)
	C14		1170	2*4	8	11.33	下1排
	C8		1440	7*4	28	15.93	@100(2)左挑7
53#XL8 (1)	C18		2430	2*2	4	19.44	上1排(左挑-支座1)
	C14		1020	2*2	4	4.94	下1排
	C8		1440	5*2	10	5.69	@100(2)左挑5
54#L9 (1-2)	C14		1260	2	2	3.05	上1排(通长)
	C14		1240	2	2	3.00	下1排
	C6		1410	4	4	1.25	@200(2)1跨4
55#L10 (1-2)	C14		1860	2*2	4	9.00	上1排(通长)
	C14		1840	2*2	4	8.91	下1排
	C6		1410	7*2	14	4.38	@200(2)1跨7
56#KL11 (1-7)	C20		3260 9000*4 5710	1	1	111.08	上1排(通长) 长:38850 搭:1120
	C20		5710 9000*4 3260	1	1	111.08	上1排(通长) 长:38850 搭:1120
	C16		2470	1	1	3.90	上1排(支座1右)
	C20		4670	2	2	23.07	上1排(支座2)1,(支座6)1
	C20		2730	6	6	40.46	上1排(支座2右)1,(支座3左)2,(支座5右)2,(支座6左)1
	C22		4600	1	1	13.71	上1排(支座4)
	C22		2550	1	1	7.60	上1排(支座7左)
	C16		3700	8	8	46.77	上2排(支座2)2,(支座3)2,(支座5)2,(支座6)2
	C12		6610	8	8	46.96	腰筋(1跨)4,(6跨)4
	C12		6760	8	8	48.02	腰筋(2跨)4,(5跨)4

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C12		6360	8	8	45.18	腰筋(3跨)4,(4跨)4
	C20		7040	2	2	34.78	下2排(1跨)
	C20		7090	2	2	35.02	下1排(1跨)
	C20		7400	4	4	73.11	下2排(2跨)1,(2跨)1,(5跨)1, (5跨)1
	C20		7400	8	8	146.22	下1排(2跨)1,(2跨)3,(5跨)1, (5跨)3
	C20		7000	6	6	103.74	下1排(3跨)3,(4跨)3
	C20		7040	2	2	34.78	下2排(6跨)
	C20		7090	2	2	35.02	下1排(6跨)
	C12		2040	4	4	7.25	(跨2)2,(跨5)2
	C8		1440	183	183	104.09	@100/200(2)1跨9+30+9,3跨 9+20+9,4跨9+28+9,6跨 9+33+9
	C8		1540	92	92	55.96	@100/200(2)2跨9+25+9+3,5 跨9+25+9+3
	C6		290	108	108	6.95	
	C6		340	56	56	4.23	
57#L14 (1-3)	C20		4740 9000	1	1	33.94	上1排(通长) 长:12100 搭:1120
	C20		9000 4740	1	1	33.94	上1排(通长) 长:12100 搭:1120
	C20		4070	1	1	10.05	上1排(支座2)
	C18		3100	3	3	18.60	上2排(支座2)
	C20		6510	3	3	48.24	下1排(1跨)
	C20		6510	3	3	48.24	下1排(2跨)
	C8		1340	86	86	45.52	@100/200(2)1跨8+27+8,2跨 8+27+8
58#KL13 (1-7)	C16		7130 9000 9000	1	1	39.71	上1排(支座1-支座4右) 长:23327 搭:900
	C16		9000 9000 7130	1	1	39.71	上1排(支座1-支座4右) 长:23327 搭:900

审核:





















翻样:

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C16		2240	2	2	7.08	上1排(支座1右)1,(支座7左)1
	C16		5370	3	3	25.45	上1排(支座2)1,(支座3)1,(支座6)1
	C18		5370	3	3	32.22	上1排(支座5)
	C16		3730 9000	1	1	20.11	上1排(支座6左-支座7)长:11827 搭:900
	C16		9000 3730	1	1	20.11	上1排(支座6左-支座7)长:11827 搭:900
	C16		1840	4	4	11.63	上2排(支座1右)2,(支座7左)2
	C14		4200	6	6	30.49	上2排(支座2)2,(支座3)2,(支座6)2
	C16		3300	2	2	10.43	上2排(支座4)
	C16		4200	2	2	13.27	上2排(支座5)
	C12		5760	4	4	20.46	腰筋(1跨)2,(6跨)2
	C12		7960	4	4	28.27	腰筋(2跨)2,(5跨)2
	C12		5960	4	4	21.17	腰筋(3跨)2,(4跨)2
	C20		6390	2	2	31.57	下1排(1跨)
	C20		8600	8	8	169.94	下1排(2跨)1,(2跨)3,(5跨)1,(5跨)3
	C20		6600	4	4	65.21	下1排(3跨)2,(4跨)2
	C20		6390	2	2	31.57	下1排(6跨)
	C12		1900	4	4	6.75	(跨2)2,(跨5)2
	C8		1440	144	144	81.91	@100/200(2)1跨9+15+9,3跨9+21+9,4跨9+16+9,6跨9+20+9
	C8		1440	96	96	54.60	@100/200(2)2跨8+31+8+3,5跨8+27+8+3
	C6		290	46	46	2.96	
	C6		340	34	34	2.57	
59#L16 (1-2)	C14		2410	2	2	5.83	上1排(通长)
	C14		2390	2	2	5.78	下1排

审核:






















翻样:

第 22 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C6		1110	10	10	2.46	@200(2)1跨10
60#KL16 (1-3)	C16		3980 9000	1	1	20.51	上1排(通长) 长:12080 搭:900
	C16		9000 3980	1	1	20.51	上1排(通长) 长:12080 搭:900
	C16		3930	1	1	6.21	上1排(支座2)
	C16		1930	4	4	12.20	上2排(支座1右)2,(支座3左)2
	C16		6430	6	6	60.96	下1排(1跨)3,(2跨)3
	C8		1340	78	78	41.29	@100/200(2)1跨8+23+8,2跨8+23+8
61#KL18 (1-3)	C16		4660 8790 9000	2	2	43.83	上1排(通长) 长:12550 搭:900
	C16		8790 4660 4870	1	1	21.91	上1排(通长) 长:12550 搭:900
	C16		1780 1990	2	2	6.29	上2排(支座1右)
	C16		1780 1990	2	2	6.29	上2排(支座3左)
	C10		6200	6	6	22.95	腰筋(1跨)
	C10		6500	6	6	24.06	腰筋(2跨)
	C16		6620 6790	1	1	10.73	下2排(1跨)
	C16		6980	1	1	11.03	下2排(1跨)
	C16		6670 6840	2	2	21.61	下1排(1跨)
	C16		6980	2	2	22.06	下1排(1跨)
	C16		6920 7090	1	1	11.20	下2排(2跨)
	C16		7280	1	1	11.50	下2排(2跨)
	C16		6970 7140	2	2	22.56	下1排(2跨)
	C16		7280	2	2	23.00	下1排(2跨)
	C8		2140	93	93	78.61	@100/200(2)1跨13+20+13,2跨13+21+13
	C6		390	84	84	7.27	

审核:






翻样:

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
62#KL18 (1-2)	C20		2330	1	1	5.76	上1排(支座1右)
	C16		5880	2	2	18.58	上1排(通长)
	C16		2170	1	1	3.43	上1排(支座2左)
	C16		1790	2	2	5.66	上2排(支座2左)
	C12		5410	2	2	9.61	腰筋
	C16		5880	2	2	18.58	下1排
	C8		1340	31	31	16.41	@100/200(2)1跨8+15+8
	C6		290	11	11	0.71	
63#KL18 (1-2)	C16		5580	2	2	17.63	上1排(通长)
	C16		2070	1	1	3.27	上1排(支座1右)
	C20		2230	1	1	5.51	上1排(支座2左)
	C16		1720	2	2	5.44	上2排(支座1右)
	C12		5110	2	2	9.08	腰筋
	C16		5580	2	2	17.63	下1排
	C8		1340	29	29	15.35	@100/200(2)1跨8+13+8
	C6		290	10	10	0.64	
板加强筋	C12		2300	12	12	24.51	
	C12		1200	8	8	8.52	
	C12		1100	4	4	3.91	
	C14		2700	12	12	39.20	
	C14		2300	4	4	11.13	
	C14		4100	8	8	39.69	
	C14		3100	4	4	15.00	

审核:

翻样:

第 24 页,共25页 2020/6/6 9:02

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	C14		2900	4	4	14.04	
	C14		3000	8	8	29.04	
	C14		2500	4	4	12.10	
	C14		1800	4	4	8.71	
	C14		1600	4	4	7.74	